

Assessing anxiety-linked impairment in attentional control without eye-tracking: the masked-target antisaccade task

Article (Accepted Version)

Basanovic, Julian, Todd, Jemma, van Bockstaele, Bram, Notebaert, Lies, Meeten, Frances and Clarke, Patrick J F (2022) Assessing anxiety-linked impairment in attentional control without eye-tracking: the masked-target antisaccade task. Behavior Research Methods. ISSN 1554-351X

This version is available from Sussex Research Online: <http://sro.sussex.ac.uk/id/eprint/104762/>

This document is made available in accordance with publisher policies and may differ from the published version or from the version of record. If you wish to cite this item you are advised to consult the publisher's version. Please see the URL above for details on accessing the published version.

Copyright and reuse:

Sussex Research Online is a digital repository of the research output of the University.

Copyright and all moral rights to the version of the paper presented here belong to the individual author(s) and/or other copyright owners. To the extent reasonable and practicable, the material made available in SRO has been checked for eligibility before being made available.

Copies of full text items generally can be reproduced, displayed or performed and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

**Assessing anxiety-linked impairment in attentional control without eye-tracking:
The masked-target antisaccade task**

Julian Basanovic¹, Jemma Todd², Bram van Bockstaele^{1,3},
Lies Notebaert¹, Frances Meeten⁴, Patrick J. F. Clarke⁵

¹ Centre for the Advancement of Research on Emotion,
School of Psychological Science, The University of Western Australia

² School of Psychology, University of Sydney

³ Research Institute of Child Development and Education, University of Amsterdam

⁴ School of Psychology, University of Sussex

⁵ Affective, Behavioural, and Cognitive Neuroscience Research Group, Curtin University

Corresponding author:

Julian Basanovic
julian.basanovic@uwa.edu.au

Acknowledgements:

The research reported in this manuscript is a product of the Cognition Emotion Research Collaboration Initiative (CERCI).

The research reported in this manuscript was supported in part by the Australian Research Council (Grant #: FL170100167).

Keywords:

anxiety; attentional control; antisaccade

Abstract

Contemporary cognitive theories of anxiety and attention processing propose that heightened levels of anxiety vulnerability are associated with a decreasing ability to inhibit the allocation of attention toward task-irrelevant information. Existing performance-based research has most often used eye-movement assessment variants of the antisaccade paradigm to demonstrate such effects. Critically however, eye-movement assessment methods are limited by expense, the need for expert training in administration, and limited mobility and scalability. These barriers have likely led to researchers using suboptimal methods of assessing the relationship between attentional control and anxiety vulnerability. The present study examined the capacity for a non-eye-movement based variant of the antisaccade task, the masked-target antisaccade task (Guitton et al., 1985), to detect anxiety-linked differences in attentional control. Participants (N = 342) completed an assessment of anxiety vulnerability and performed the masked-target antisaccade task in an online assessment session. Greater levels of anxiety vulnerability predicted poorer performance on the task, consistent with findings observed from eye-movement methods and with cognitive theories of anxiety and attention processing. Result also revealed the task to have high internal reliability. Our findings indicate the masked-target antisaccade task provides a psychometrically reliable, low-cost, mobile, and scalable assessment of anxiety-linked differences in attentional control.

Introduction

Contemporary cognitive theories of anxiety and attention processing propose that heightened levels of anxiety vulnerability are associated with a decreased ability to inhibit the allocation of attention toward task-irrelevant information (Derakshan & Eysenck, 2009; Eysenck et al., 2007). This proposal has been supported by recent meta-analytic findings demonstrating that participants with elevated anxiety vulnerability demonstrate reduced attentional control performance as compared to individuals lower in anxiety vulnerability (Shi et al., 2019). This phenomenon has been labelled an anxiety-linked impairment in attentional control.

A considerable body of literature examining this anxiety-linked impairment in attentional control has employed questionnaire measures to assess attentional control. In particular the Attention Control Scale developed by Derryberry and Reed (2002) has sought to measure attentional skills related to voluntary executive functions, using participants' responses on this scale as an index of attentional control ability. In their original study, the researchers observed poorer self-reported attentional control ability among participants with greater levels of anxiety vulnerability. One benefit of such self-report measures is that they demonstrate a high level of internal reliability (Fajkowska & Derryberry, 2010; Ólafsson et al., 2011; Quigley et al., 2017) and are easily accessible and scalable in delivery (e.g. online delivery). Thus, the Attentional Control Scale is understandably favoured by researchers and many investigators have employed the Attentional Control Scale to investigate attentional control amongst participants who vary in anxiety vulnerability (Bardeen & Orcutt, 2011; Muris et al., 2004; Ólafsson et al., 2011; Schoorl et al., 2014). Critically however, the use of questionnaire measures to index cognitive processing is limited due to their measurement of one's *beliefs* about attentional control processes.

Indeed, several recent studies have demonstrated no evidence of an association between participants' self-reported level of attentional control ability and their level of performance on attentional control assessment tasks (Quigley et al., 2017; Reinholdt-Dunne et al., 2009, 2013; Todd et al., 2022; Williams et al., 2017). Thus, evidence that scores on the scale reflect one's ability to control attention is limited.

In contrast to questionnaire measures, researchers have also employed performance-based measures to assess attentional control. A performance-based assessment that has been frequently employed by researchers investigating anxiety-linked differences in attentional control is the antisaccade paradigm. The antisaccade paradigm (Hallett, 1978) involves a series of trials that each present an abrupt distractor stimulus in a left or right peripheral location onscreen. Participants are required to inhibit the reflexive orienting of attention towards the distractor stimulus when it appears and direct attention to the opposite screen position as rapidly as possible. More rapid movement of attention to the desired location, and fewer erroneous attention movements towards the distractor stimulus, are believed to represent better attentional control. When examining task performance amongst individuals who vary in anxiety vulnerability, investigators have observed that individuals with relatively heightened levels of anxiety vulnerability demonstrate poorer performance as compared to individuals with lower levels of anxiety vulnerability (Ansari & Derakshan, 2010, 2011; Basanovic et al., 2018; Derakshan et al., 2009; Myles et al., 2020; Wright et al., 2014). Further research has also demonstrated modulation of anxiety-linked differences in performance on the antisaccade task via the adjustment of the content of the distractor stimulus (Chen et al., 2014; Reinholdt-Dunne et al., 2012; Wieser et al., 2009). Thus, the antisaccade paradigm has demonstrated sensitivity to anxiety-linked differences attentional control and has served as a useful tool in the

investigation of anxiety-linked differences in the processing of neutral and emotional information.

At present, research focusing on the relationship between anxiety vulnerability and antisaccade performance has consistently assessed performance through the recording of eye-movements. The recording of eye-movements provides researchers with the benefit of measuring the accuracy and latency of participants' attentional movements across the duration of a trial. In addition, researchers have reported that eye-movement based measures hold a high level of internal reliability ($\alpha_{\text{Cronbach}} = .85$, (Ettinger et al., 2003); $r_{\text{(Spearman-Brown)}} = .95$, (Myles et al., 2020)). However, such approaches come with practical limitations including financial barriers, specialist operator training, and the inability to deploy assessments on a large scale.

Alongside assessments using eye-movement recording, researchers have developed approaches that instead utilise manual response latencies to index attentional control. For example, researchers have presented a visual target in the location opposite the distractor stimulus and recorded the speed at which participants are able to discriminate the identity of the target via a manual key-press (Ansari et al., 2008; Basanovic et al., 2017, 2021; Derakshan et al., 2009; Wright et al., 2014). Such tasks are readily accessible to researchers, require only minimal technical expertise to adopt, and can be easily complete on devices in-lab and through the internet. However, while these approaches resolve the practical issues inherent to eye-movement assessments, estimates of the internal reliability of these methods have demonstrated modest reliability ($r_{\text{(Spearman-Brown)}} = .59$, (Basanovic et al., 2021) and researchers have not detected anxiety-linked impairment in attentional control when using these tasks.

Thus, the capacity for researchers to investigate the relationship between anxiety vulnerability and attentional control is presently impeded by the absence of accessible, scalable, and reliable performance-based assessment methods that have been demonstrated to be sensitive to anxiety-linked differences in attention control. One task that may help to solve this problem was developed by Guitton et al. (1985), labelled here the *masked-target antisaccade assessment task*. This task first presents a distractor stimulus followed by a visual target in an opposing screen location and participants are required to discriminate the identity of the target. Importantly, the target is presented only briefly (150 ms) before being masked. Thus, accurate discrimination of the target necessitates rapid attentional movement away from the initial distractor stimulus. The task indexes performance via target discrimination accuracy, with a greater number of accurate responses across trials reflecting greater attentional control. Notably, this task has been shown to be associated with other tasks that require inhibition of pre-potent responses and cognitive control. For example, Friedman and Miyake (2004) and Miyake et al., (2000) observed performance on the task to be correlated with performance on Stroop and Stop-Signal tasks ($r = .20$ to $.23$ and $r = .16$ to $.19$ respectively), though it is notable that the sizes of these correlations also indicate the influence of unshared processes on measures from each task. In addition, Kane et al. (2001) and Unsworth et al. (2012) demonstrated that individuals with relatively greater working memory capacity across operation, reading, and symmetry span tasks exhibited greater performance on the task as compared to individuals with lower working memory capacity (Unsworth et al, Cohen's $d = .62$; Kane et al, Cohen's $d = .40$). Though, Roberts et al. (1994) found no association between performance on the task and performance on reading-span and counting-span variants of working memory capacity assessments. In addition to these associations, the task has been shown to hold a relatively

high level of internal reliability ($r_{\text{Spearman-Brown}} = .77$ to $.87$; Friedman & Miyake, 2004; Miyake et al., 2000). Thus, the masked-target antisaccade assessment approach stands as a promising performance-based method for investigating anxiety-linked differences in attentional control that circumvents the limitations of eye-movement and response-latency based approaches.

Critically, no research to date has sought to directly investigate whether the masked-target antisaccade assessment task demonstrates sensitivity to anxiety-linked differences in attentional control. Thus, the aim of the present study was to determine whether the masked-target antisaccade assessment approach is sensitive to anxiety-linked differences in attentional control. The study recruited individuals to complete a questionnaire measure of anxiety vulnerability followed by a masked-target antisaccade assessment task. Analyses examined the association between anxiety vulnerability and performance on the task and the internal reliability of the task. It was predicted that if the task is sensitive to anxiety-linked differences in attentional control, then greater levels of anxiety vulnerability would be associated with poorer performance on the task.

Method

Participants

Recruitment of participants to this study was conducted online as part of the Cognition and Emotion Research Collaboration Initiative (CERCI) with researchers in Australia and the England. In total, 342 individuals (243 female, 96 male, 3 non-binary; Age $M = 20.75$ years, $SD = 4.79$ years) participated in the study. Invitations to participate were made available to students through undergraduate participant pools at Curtin University ($N = 104$), the University of Western Australia ($N = 77$), and the University of Sydney ($N = 116$), and via social media through the University of Sussex ($N = 45$).

Materials

Depression, Anxiety, Stress Scales – Anxiety Scale

The measure of anxiety was drawn from the 21-item version of the Depression, Anxiety, Stress Scales questionnaire (DASS-21; (Lovibond & Lovibond, 1995)). The DASS-21 Anxiety Scale comprises seven self-report items that assess the degree to which participants experienced symptoms of anxiety during the previous week. Scores on the anxiety scale range from 0 to 21 with higher scores representing higher levels anxiety. The DASS-21 has been shown to have high test-retest reliability and high concurrent and construct validity among university student and general community populations (Antony et al., 1998). Internal consistency for the DASS-21 Anxiety Scale in the current study sample was high (Cronbach's alpha = .87).

Masked-target Antisaccade Assessment Task

The Masked-target Antisaccade Assessment Task was delivered to measure attentional control. The design of the task reflected that originally described by Roberts et al. (1994)¹, and later adopted by Miyake et al. (2000), and Friedman and Miyake (2004). The task measures the ability of participants to execute rapid attentional movements under conditions that require the inhibition of attention to a peripherally presented distractor stimulus, to accurately discriminate the identity of a target presented in the opposite location. The task comprised 90 trials. A schematic representation of a trial is depicted in Figure 1.

¹ Unlike the present study, Miyake et al. (2000), or Friedman and Miyake (2004), Roberts et al. (1994) included a prosaccade trial condition. However, performance on this condition was very high across participants and showed small variance between participants. As such, this condition was not included in the present design.

Each trial commenced with a small fixation cross presented in the centre of the screen for a duration between 1500 and 3500ms, in 250ms increments selected at random without replacement. Next, the fixation cross was removed and simultaneously the distractor cue stimulus was presented for 225ms. The stimulus was a black square, 20mm x 20mm in size, and presented 85mm horizontally to the left or right of the initial fixation cross with equal frequency across trials. Following this, a visual target was presented in the screen position opposite the cue for 150ms. The target was a small black arrow, 5mm in length, pointing left, right, or upward with equal frequency. The target arrow was masked with the icon '##'. Participants were required to report the direction of the target arrow by pressing the corresponding left, right, or up arrow key on their keyboard. Following the response, the screen was cleared, and the next trial began following a 500ms inter-trial interval.

The brief exposure duration of the target is designed to ensure that successful discrimination of the cue identity requires participants to inhibit the execution of reflexive attentional movements toward the cue stimulus, to rapidly direct attention to the position of the target. Performance on the task is indexed via the number of correctly discriminated targets, such that a greater number of correctly discriminated targets indicates a greater level of attentional control.

The assessment task was preceded by a block of 20 practice trials. To familiarise participants with the speed of the task, practice trials presented the target arrow on screen for a gradually decreasing duration across trials (250ms, to 200ms, to 150ms), and informed participants of any incorrect responses during the inter-trial interval.

Procedure

Upon accepting an online invitation to participate in the study, participants accessed the study via an online link using their personal computer. All assessments were delivered

via the Inquisit Web platform. Participants were first presented information on the requirements of the study and provided informed consent. Participants next provided demographic information before completing a set of questionnaire measures that included the DASS-21. Additional questionnaires were completed for separate research projects. Participants then completed the masked-target antisaccade assessment task, followed by additional cognitive assessments completed for separate research projects. The antisaccade assessment task was always delivered prior to delivery of other tasks, and was immediately preceded by detailed instructions on its requirements. The additional questionnaires and tasks did not include any other measure of attentional control, nor any measure conceptually related to cognitive control. Upon conclusion of the cognitive tasks participants received debriefing information. The duration of the entire study protocol was approximately 30 minutes.

Results

Participant exclusion and descriptive statistics

The need for a criterion that can differentiate between low levels of ability as compared to low task engagement or compliance is present in all tasks that use response accuracy as a dependent variable of interest. As such, a participant exclusion criterion was employed with the intention of excluding individuals whose low performance resulted from low task engagement or compliance, while retaining participants whose low performance reflected genuinely low ability. This criterion required participants to demonstrate correct responses on more than 40% of trials (36 correct responses) to be included in data analysis. Accuracy above this threshold holds less than five percent probability of occurring in the

case of random responding on the task as per a binomial distribution, and so was considered an appropriate criterion for exclusion².

Seventy-seven participants demonstrated a proportion below this threshold (range, 21% – 40%). Thus, subsequent statistical analysis was conducted on the remaining 265 participants. Descriptive statistics of demographic measures, DASS-Anxiety Scale scores, and the proportion of trials with correct responses on the antisaccade assessment task are present in Table 1.

Internal Reliability of the Masked-target Antisaccade Assessment Task

The internal reliability of participants' responses on the masked-target antisaccade assessment task was computed using a multi-permutation split-half correlation approach, which computed correlations between the proportion of correct responses across 5000 randomly generated split-halves (Parsons, 2021). The resulting Spearman-Brown corrected internal reliability estimate of the task was $r_{(\text{Spearman-Brown})} = .86$, $CI_{95\%} [.84 - .88]$. This indicated a high level of internal reliability for the measure.

Association between Anxiety and Performance on the Masked-target Antisaccade Assessment Task

To determine the simple association between participants' level of anxiety vulnerability and performance on the Masked-target Antisaccade Assessment Task, the correlation between *DASS-Anxiety Scale scores* and the *proportion of trials with correct responses* on the task was computed. This revealed a significant association between the two measures, $r_{(263)} = -.15$, $p = .016$, indicating that elevated levels of anxiety vulnerability

² It is noteworthy that performance below that point for any participant does not necessarily indicate low task engagement or compliance and may still reflect genuinely low ability. While we believe the current criterion makes an appropriate balance between data inclusion and exclusion other researchers may prefer alternative criteria.

were associated with a lower proportion of correction response on the Masked-target Antisaccade Assessment Task.

To determine whether participants' level of anxiety vulnerability predicted performance on the Masked-target Antisaccade Assessment Task, a logistic regression model was computed. The regression model included *proportion of trials with correct responses* as the dependant variable and *DASS-21 Anxiety Scale scores* as the predictor variable. The results of the regression analysis are present in Table 2.

The results revealed a significant effect of DASS-21 Anxiety Scale scores, such that greater DASS-21 Anxiety Scale scores predicted reduced performance on the antisaccade assessment task. Specifically, the results demonstrated that with every 1-point increase in score on the DASS-21 Anxiety Scale the odds of a correct response was reduced by 1.8%. In addition, the model's prediction of the proportion of correct responses for each possible score on the DASS-21 was computed. This revealed a decline in the proportion of trials with correct responses between individuals scoring 0 (predicted proportion = .68) and individuals scoring 21 (predicted proportion = .60) on the DASS-21 Anxiety Scale.

Readers interested in the association between performance on the antisaccade assessment task and measures of depression or stress recorded from the DASS-21 are encouraged to explore the data available at the public repository.

Discussion

The aim of the present study was to determine whether the masked-target antisaccade assessment task is sensitive to anxiety-linked differences in attentional control and to assess the task's internal reliability. Results revealed greater levels of anxiety vulnerability predicted declining levels of performance on the task. This association is consistent with predictions made by contemporary theories of anxiety-linked differences in

attentional processing (Eysenck & Derakshan, 2011) and consistent with patterns of anxiety-linked impairment in attentional control observed by studies using eye-tracking variants of the antisaccade task (Ansari & Derakshan, 2010, 2011; Basanovic et al., 2018; Derakshan et al., 2009; Myles et al., 2020). Thus, the findings of the present study indicate that the masked-target antisaccade assessment task represents a methodology that is sensitive to anxiety-linked impairment in attentional control.

The analyses revealed that the magnitude of the simple association between performance on the masked-target antisaccade task and levels of anxiety vulnerability was small ($r_{(263)} = -.15$). Previous research examining the association between anxiety vulnerability and antisaccade performance using eye-tracking measures has demonstrated larger effect sizes (Basanovic et al., 2018; Wright et al., 2014) for a review of published effect sizes, see (Shi et al., 2019). While larger effects may be expected given the predominant use of between-groups designs across these studies, it is important for researchers to consider that the association demonstrated in the present study may require a relatively larger number of participants to detect reliably, as compared to antisaccade tasks that employ eye-tracking measures.

The present study also revealed the masked-target antisaccade task holds a high level of internal consistency in its measurement ($r_{(\text{Spearman-Brown})} = .86$). Though the observed level of internal reliability is lower than some levels reported for eye-movement measures recorded during the antisaccade task ($r_{(\text{Spearman-Brown})} = .95$, (Myles et al., 2020)), the present task has demonstrated much greater reliability as compared to existing approaches used to measure antisaccade performance without eye-movement recording ($r_{(\text{Spearman-Brown})} = .59$, (Basanovic et al., 2021)). Researchers have noted the constraints of poor or unknown psychometric reliability of cognitive assessment measures (Parsons et al., 2019), and have

increasingly called for experiment designs that overcome these limitations. The present findings indicate the masked-target antisaccade task represents a psychometrically reliable measurement option that can enable the capacity of investigators to meet these challenges when investigating anxiety-linked differences in attentional control.

In addition to literature concerning the relationship between attentional control and anxiety vulnerability, a significant body of work concerns the relationship between attentional control and depression vulnerability (Snyder, 2013). This research includes the use of antisaccade assessment measures to index depression-linked differences in attentional control (Ainsworth & Garner, 2013). A post-hoc analysis of the association between DASS-21 Depression Scale scores and antisaccade performance in the current study revealed a significant association, $r_{(263)} = -.14, p = .025$. Thus, the task may also hold benefits for researchers seeking to investigate the relationship between depression and antisaccade performance without employing eye-tracking. Future research could usefully examine the sensitivity and reliability of the task in demonstrating this association by replicating the design of the present study but with the aim of examining whether performance on the masked-target antisaccade task is associated with individual differences in depression vulnerability.

Though previous studies have demonstrated that performance on the masked-target antisaccade task is associated with other measures of cognitive control, supporting its validity as a measure of attention control (Friedman & Miyake, 2004; Miyake et al., 2000), researchers have not compared participants' performance on the masked-target antisaccade task with their performance on eye-movement assessment variants of the antisaccade task. Thus, the degree to which measures on each task are convergent across individuals who vary in anxiety-vulnerability is unclear. Future research could determine the

convergence of these measures by assessing the association between performance on each task amongst individuals who vary in anxiety vulnerability. To the extent that the measures are associated with one another and predict common variance in anxiety vulnerability, this would support the possibility that the tasks are sensitive to the same anxiety-linked difference in attention control.

The present study delivered the same design as has been demonstrated to be associated with performance on other tasks believed to load on the construct of attentional/cognitive inhibition control (e.g., Miyake et al., 2000). Nonetheless, it is noteworthy that some researchers have also included assessment of performance under conditions that require the execution of 'prosaccade' attentional movements, where control of attentional inhibition is minimally required (Roberts et al. 1994). Accounting for prosaccade performance when indexing antisaccade performance intends to control for extraneous variables that may confound a relationship of interest, such as variation in visual processing speed, target discrimination speed, or ocular-motor movement speed. It is noteworthy however that when using the masked-tasked antisaccade task amongst non-specific participants researchers have typically observed performance on these trials to be close to maximum levels with relatively little variation between participants (e.g. $M = .96$, $SD = .04$, (Roberts et al., 1994). With respect to anxiety-linked differences in antisaccade performance, current evidence indicates trait anxiety is associated with specifically with variability in inhibition control, rather than visual processing speed, target discrimination speed, or ocular-motor movement speed (Ansari & Derakshan, 2010). Nonetheless, researchers may consider assessing prosaccade performance if adapting the masked-target antisaccade task for their own research, particularly where participant samples or

assessment conditions are likely to result in variation in extraneous processes that may impact task performance.

Lastly, researchers may wish to note implications arising from the relatively large number of participants whose low task performance resulted in their exclusion from analysis in the present study. One implication derives from the fact that the present study recruited a relatively young and educated sample, which suggests that greater numbers of participants may be excluded if the same exclusion criteria is adopted amongst participant samples for whom attentional control ability is lower. An additional is that researchers will need to account for the exclusion rate when determining the number of participants to be recruited in their own studies, particularly when studies are conducted in contexts that permit low engagement or compliance, such as online. Changes to study design may permit more specific criteria that reduce exclusion rates. For example, prolonging the presentation duration of the target stimulus may result in a greater number of participants who are able to achieve a level of performance sufficient to avoid exclusion. Alternately, including measures that directly assess task engagement and compliance may allow specific identification of participants to be excluded from analyses. Researchers adopting the masked-target antisaccade task may wish to consider whether such approaches may benefit their study.

For the moment however, the present findings indicate the masked-target antisaccade task provides a psychometrically reliable, low-cost, mobile, and scalable assessment of anxiety-linked differences in attentional control. It is hoped that the findings will aid researchers by affording a means to overcome existing barriers to robustly investigating anxiety-linked individual differences in attentional control, and so will facilitate research into this relationship into the future.

Open Practices Statement

The data and materials for this study are available at <https://osf.io/mc7zg/>

This study was not preregistered.

Declarations

- **Funding:** The research reported in this manuscript was supported in part by the Australian Research Council (Grant #: FL170100167).
- **Conflicts of interest/Competing interests:** The authors have no conflicts of interest to declare that are relevant to the content of this article.
- **Ethics approval:** Ethics approval was obtained from the human research ethics committees of The University of Western Australia and the University of Sussex.
- **Consent to participate:** Informed consent was obtained from all individual participants included in the study.
- **Consent for publication:** All participants provided informed consent for publication of the data reported in this article.
- **Availability of data and materials:** Data and materials relating to the study reported in the manuscript are available at: <https://osf.io/mc7zg/>
- **Code availability:** Code scripts relating to the study reported in the manuscript are available at: <https://osf.io/mc7zg/>
- **Authors' contributions:** Not applicable.

References

- Ainsworth, B., & Garner, M. (2013). Attention control in mood and anxiety disorders: evidence from the antisaccade task. *Human Psychopharmacology: Clinical and Experimental*, *28*(3), 274–280. <https://doi.org/10.1002/hup.2320>
- Ansari, T. L., & Derakshan, N. (2010). Anxiety impairs inhibitory control but not volitional action control. *Cognition & Emotion*, *24*(2), 241–254. <https://doi.org/10.1080/02699930903381531>
- Ansari, T. L., & Derakshan, N. (2011). The neural correlates of impaired inhibitory control in anxiety. *Neuropsychologia*, *49*(5), 1146–1153. <https://doi.org/10.1016/j.neuropsychologia.2011.01.019>
- Ansari, T. L., Derakshan, N., & Richards, A. (2008). Effects of anxiety on task switching: Evidence from the mixed antisaccade task. *Cognitive, Affective, & Behavioral Neuroscience*, *8*(3), 229–238. <https://doi.org/10.3758/CABN.8.3.229>
- Antony, M. M., Bieling, P. J., Cox, B. J., Enns, M. W., & Swinson, R. P. (1998). Psychometric properties of the 42-item and 21-item versions of the Depression Anxiety Stress Scales in clinical groups and a community sample. *Psychological Assessment*, *10*(2), 176–181. <https://doi.org/10.1037/1040-3590.10.2.176>
- Bardeen, J. R., & Orcutt, H. K. (2011). Attentional control as a moderator of the relationship between posttraumatic stress symptoms and attentional threat bias. *Journal of Anxiety Disorders*, *25*(8), 1008–1018. <https://doi.org/10.1016/j.janxdis.2011.06.009>
- Basanovic, J., Kaiko, I., & MacLeod, C. (2021). Change in Attentional Control Predicts Change in Attentional Bias to Negative Information in Response to Elevated State Anxiety. *Cognitive Therapy and Research*, *45*(1), 111–122. <https://doi.org/10.1007/s10608-020-10176-3>

Basanovic, J., Notebaert, L., Clarke, P. J. F., MacLeod, C., Jawinski, P., & Chen, N. T. M. (2018).

Inhibitory attentional control in anxiety: Manipulating cognitive load in an antisaccade task. *PLoS ONE*, *13*(10), e0205720. <https://doi.org/10.1371/journal.pone.0205720>

Basanovic, J., Notebaert, L., Grafton, B., Hirsch, C. R., & Clarke, P. J. F. F. (2017). Attentional

control predicts change in bias in response to attentional bias modification. *Behaviour Research and Therapy*, *99*(September), 47–56.

<https://doi.org/10.1016/j.brat.2017.09.002>

Chen, N. T. M., Clarke, P. J. F., Watson, T. L., MacLeod, C., & Guastella, A. J. (2014). Biased

saccadic responses to emotional stimuli in anxiety: An antisaccade study. *PLoS ONE*, *9*(2). <https://doi.org/10.1371/journal.pone.0086474>

Derakshan, N., Ansari, T. L., Hansard, M., Shoker, L., & Eysenck, M. W. (2009). Anxiety,

inhibition, efficiency, and effectiveness: An investigation using the Antisaccade task. *Experimental Psychology*, *56*(1), 48–55. <https://doi.org/10.1027/1618-3169.56.1.48>

Derakshan, N., & Eysenck, M. W. (2009). Anxiety, processing efficiency, and cognitive

performance: New developments from attentional control theory. *European Psychologist*, *14*(2), 168–176. <https://doi.org/10.1027/1016-9040.14.2.168>

Derryberry, D., & Reed, M. A. (2002). Anxiety-related attentional biases and their regulation

by attentional control. *Journal of Abnormal Psychology*, *111*(2), 225–236.

<https://doi.org/10.1037/0021-843X.111.2.225>

Ettinger, U., Kumari, V., Crawford, T. J., Davis, R. E., Sharma, T., & Corr, P. J. (2003). Reliability

of smooth pursuit, fixation, and saccadic eye movements. *Psychophysiology*, *40*(4), 620–628. <https://doi.org/10.1111/1469-8986.00063>

Eysenck, M. W., & Derakshan, N. (2011). New perspectives in attentional control theory.

Personality and Individual Differences, 50(7), 955–960.

<https://doi.org/10.1016/j.paid.2010.08.019>

Eysenck, M. W., Derakshan, N., Santos, R., & Calvo, M. G. (2007). Anxiety and cognitive performance: Attentional control theory. *Emotion, 7*(2), 336–353.

<https://doi.org/10.1037/1528-3542.7.2.336>

Fajkowska, M., & Derryberry, D. (2010). Psychometric properties of Attentional Control Scale: The preliminary study on a Polish sample. *Polish Psychological Bulletin, 41*(1), 1–

7. <https://doi.org/10.2478/s10059-010-0001-7>

Friedman, N. P., & Miyake, A. (2004). The Relations Among Inhibition and Interference Control Functions: A Latent-Variable Analysis. *Journal of Experimental Psychology: General, 133*(1), 101–135. <https://doi.org/10.1037/0096-3445.133.1.101>

<https://doi.org/10.1037/0096-3445.133.1.101>

Guitton, D., Buchtel, H. A., & Douglas, R. M. (1985). Frontal lobe lesions in man cause difficulties in suppressing reflexive glances and in generating goal-directed saccades.

Experimental Brain Research, 58(3), 455–472. <https://doi.org/10.1007/BF00235863>

Hallett, P. E. (1978). Primary and secondary saccades to goals defined by instructions. *Vision Research, 18*(10), 1279–1296. [https://doi.org/10.1016/0042-6989\(78\)90218-3](https://doi.org/10.1016/0042-6989(78)90218-3)

Kane, M. J., Bleckley, M. K., Conway, A. R. A., & Engle, R. W. (2001). A controlled-attention view of working-memory capacity. *Journal of Experimental Psychology: General, 130*(2),

169–183. <https://doi.org/10.1037//0096-3445.130.2.169>

Lovibind, S. H., & Lovibond, P. F. (1995). *Manual for the Depression Anxiety & Stress Scales* (2nd ed.). Psychology Foundation.

Miyake, A., Friedman, N. P., Emerson, M. J., Witzki, A. H., Howerter, A., & Wager, T. D.

(2000). The Unity and Diversity of Executive Functions and Their Contributions to

- Complex “Frontal Lobe” Tasks: A Latent Variable Analysis. *Cognitive Psychology*, 41(1), 49–100. <https://doi.org/10.1006/cogp.1999.0734>
- Muris, P., de Jong, P. J., & Engelen, S. (2004). Relationships between neuroticism, attentional control, and anxiety disorders symptoms in non-clinical children. *Personality and Individual Differences*, 37(4), 789–797. <https://doi.org/10.1016/j.paid.2003.10.007>
- Myles, O., Grafton, B., & MacLeod, C. (2020). Anxiety & inhibition: dissociating the involvement of state and trait anxiety in inhibitory control deficits observed on the anti-saccade task. *Cognition and Emotion*, 34(8), 1746–1752. <https://doi.org/10.1080/02699931.2020.1802229>
- Ólafsson, R. P., Smári, J., Guðmundsdóttir, F., Ólafsdóttir, G., Harðardóttir, H. L., & Einarsson, S. M. (2011). Self reported attentional control with the Attentional Control Scale: Factor structure and relationship with symptoms of anxiety and depression. *Journal of Anxiety Disorders*, 25(6), 777–782. <https://doi.org/10.1016/j.janxdis.2011.03.013>
- Parsons, S. (2021). splithalf: robust estimates of split half reliability. *Journal of Open Source Software*, 6(60), 3041. <https://doi.org/10.21105/joss.03041>
- Parsons, S., Kruijt, A.-W., & Fox, E. (2019). Psychological Science Needs a Standard Practice of Reporting the Reliability of Cognitive-Behavioral Measurements. *Advances in Methods and Practices in Psychological Science*, 2(4), 378–395. <https://doi.org/10.1177/2515245919879695>
- Quigley, L., Wright, C. A., Dobson, K. S., & Sears, C. R. (2017). Measuring Attentional Control Ability or Beliefs? Evaluation of the Factor Structure and Convergent Validity of the Attentional Control Scale. *Journal of Psychopathology and Behavioral Assessment*, 39(4), 742–754. <https://doi.org/10.1007/s10862-017-9617-7>

Reinholdt-Dunne, M. L., Mogg, K., Benson, V., Bradley, B. P., Hardin, M. G., Liversedge, S. P.,

Pine, D. S., & Ernst, M. (2012). Anxiety and selective attention to angry faces: An antisaccade study. *Journal of Cognitive Psychology, 24*(1), 54–65.

<https://doi.org/10.1080/20445911.2011.560111>

Reinholdt-Dunne, M. L., Mogg, K., & Bradley, B. P. (2009). Effects of anxiety and attention control on processing pictorial and linguistic emotional information. *Behaviour Research and Therapy, 47*(5), 410–417. <https://doi.org/10.1016/j.brat.2009.01.012>

<https://doi.org/10.1016/j.brat.2009.01.012>

Reinholdt-Dunne, M. L., Mogg, K., & Bradley, B. P. (2013). Attention control: Relationships between self-report and behavioural measures, and symptoms of anxiety and depression. *Cognition & Emotion, 27*(3), 430–440.

<https://doi.org/10.1080/02699931.2012.715081>

Roberts, R. J., Hager, L. D., & Heron, C. (1994). Prefrontal cognitive processes: Working memory and inhibition in the antisaccade task. *Journal of Experimental Psychology, 123*(4), 374–393. <https://doi.org/10.1037/0096-3445.123.4.374>

Schoorl, M., Putman, P., Van Der Werff, S., & Van Der Does, A. J. W. (2014). Attentional bias and attentional control in Posttraumatic Stress Disorder. *Journal of Anxiety Disorders, 28*(2), 203–210. <https://doi.org/10.1016/j.janxdis.2013.10.001>

Shi, R., Sharpe, L., & Abbott, M. J. (2019). A meta-analysis of the relationship between anxiety and attentional control. *Clinical Psychology Review, 101754*.

<https://doi.org/10.1016/J.CPR.2019.101754>

Snyder, H. R. (2013). Major depressive disorder is associated with broad impairments on neuropsychological measures of executive function: A meta-analysis and review.

Psychological Bulletin, 139(1), 81–132. <https://doi.org/10.1037/a0028727>

- Todd, J., Notebaert, L., & Clarke, P. J. F. (2022). The association between self-report and behavioural measure of attentional control: Evidence of no relationship between ACS scores and antisaccade performance. *Personality and Individual Differences, 184*(October 2020), 111168. <https://doi.org/10.1016/j.paid.2021.111168>
- Unsworth, N., Redick, T. S., Spillers, G. J., & Brewer, G. A. (2012). Variation in working memory capacity and cognitive control: Goal maintenance and microadjustments of control. *The Quarterly Journal of Experimental Psychology, 65*(2), 326–355. <https://doi.org/10.1080/17470218.2011.597865>
- Wieser, M. J., Pauli, P., & Mühlberger, A. (2009). Probing the attentional control theory in social anxiety: An emotional saccade task. *Cognitive, Affective, & Behavioral Neuroscience, 9*(3), 314–322. <https://doi.org/10.3758/CABN.9.3.314>
- Williams, P. G., Rau, H. K., Suchy, Y., Thorgusen, S. R., & Smith, T. W. (2017). On the validity of self-report assessment of cognitive abilities: Attentional control scale associations with cognitive performance, emotional adjustment, and personality. *Psychological Assessment, 29*(5), 519–530. <https://doi.org/10.1037/pas0000361>
- Wright, C. A., Dobson, K. S., & Sears, C. R. (2014). Does a high working memory capacity attenuate the negative impact of trait anxiety on attentional control? Evidence from the antisaccade task. *Journal of Cognitive Psychology, 26*(4), 400–412. <https://doi.org/10.1080/20445911.2014.901331>

Figure 1

Schematic of the progression of a single trial presented in the Masked-target Antisaccade Performance Assessment Task. Note figure not to scale.




Table 1

Descriptive statistics of measures of demographic measures and measures of the proportion of correct responses on the antisaccade assessment task. N = 265.

Measure	Female	Male	Other
Gender	184	78	3
	Mean (SD)		Range
Age (years)	20.79 (4.99)		17 – 58
DASS-21 – Anxiety Subscale	5.40 (4.76)		0 – 20
Antisaccade Assessment Task (<i>proportion of responses correct</i>)	.66 (.13)		.41 – .97

Table 2

Results of the logistic regression model predicting number of correct responses in the masked-target antisaccade assessment task.

<i>Predictors</i>	Response Correct		
	<i>Odds Ratio</i>	<i>CI (95%)</i>	<i>p</i>
(Intercept)	2.447	2.134 – 2.807	< .001*
DASS-21 Anxiety Scale Score	0.982	0.967 – 0.998	< .001*

N = 265; $R^2 = 0.027$
