

General gauge-Yukawa-quartic β -functions at 4-3-2-loop order

Article (Published Version)

Davies, Joshua, Herren, Florian and Thomsen, Anders Eller (2022) General gauge-Yukawa-quartic β -functions at 4-3-2-loop order. *Journal of High Energy Physics*, 2022. a51. ISSN 1126-6708

This version is available from Sussex Research Online: <http://sro.sussex.ac.uk/id/eprint/109038/>

This document is made available in accordance with publisher policies and may differ from the published version or from the version of record. If you wish to cite this item you are advised to consult the publisher's version. Please see the URL above for details on accessing the published version.

Copyright and reuse:

Sussex Research Online is a digital repository of the research output of the University.

Copyright and all moral rights to the version of the paper presented here belong to the individual author(s) and/or other copyright owners. To the extent reasonable and practicable, the material made available in SRO has been checked for eligibility before being made available.

Copies of full text items generally can be reproduced, displayed or performed and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

RECEIVED: October 18, 2021

REVISED: December 1, 2021

ACCEPTED: December 27, 2021

PUBLISHED: January 12, 2022

General gauge-Yukawa-quartic β -functions at 4-3-2-loop order

Joshua Davies,^a Florian Herren^b and Anders Eller Thomsen^c

^a*Department of Physics and Astronomy, University of Sussex,
Brighton, BN1 9HQ, U.K.*

^b*Fermi National Accelerator Laboratory,
Batavia, IL, 60510, U.S.A.*

^c*Albert Einstein Center for Fundamental Physics,
Institute for Theoretical Physics, University of Bern,
CH-3012 Bern, Switzerland*

E-mail: j.o.davies@sussex.ac.uk, florian.s.herren@gmail.com,
anders.thomsen@unibe.ch

ABSTRACT: We determine the full set of coefficients for the completely general 4-loop gauge and 3-loop Yukawa β -functions for the most general renormalizable four-dimensional theories. Using a complete parametrization of the β -functions, we compare the general form to the specific β -functions of known theories to constrain the unknown coefficients. The Weyl consistency conditions provide additional constraints, completing the determination.

KEYWORDS: Renormalization Group, Beyond Standard Model, Quark Masses and SM Parameters

ARXIV EPRINT: [2110.05496](https://arxiv.org/abs/2110.05496)

Contents

1	Introduction	1
2	Setup and methods	2
2.1	Notation and conventions	2
2.2	Tensor parametrization	4
2.3	Flavor-improved β -function	4
2.4	Weyl consistency conditions	5
2.5	Loop computations	6
3	Fixing the β-functions	7
3.1	The models we use as input	7
3.1.1	Leptoquark model	8
3.1.2	SU(2) toy model	8
3.2	Fixing the β -function coefficients	8
4	Conclusion	10
A	Tensor notation	11
B	Gauge β-function	12
C	Yukawa β-function	16
D	v-function	24

1 Introduction

The Renormalization Group (RG) is a key concept in quantum field theory, which determines the change in physics due to changing energy scales. Among numerous applications, its role in improving perturbative computations makes it indispensable for precision computations both in and beyond the Standard Model (SM). Completely general results for the 2-loop β -functions of gauge-Yukawa theories have served the community well for almost four decades [1–4], with the noteworthy addition of the 3-loop contribution for simple gauge groups [5].

In the last decade, the discovery of the Higgs and a new drive for precision physics prompted the calculation of the SM β -functions to 4-loop order for gauge and 3-loop order for Yukawa and quartic couplings [6–12]. Recent years have also seen new developments in hitherto neglected aspects of β -functions, namely, the β -functions for the relevant operators [13–15], the running of the kinetic-mixing parameters between Abelian gauge fields [16–18], and the extension of the 3-loop gauge β -function to semi-simple gauge groups [18, 19]. All these developments have been collated in a number of accessible computer tools — SARAH 4 [20, 21], PyR@TE 3 [22, 23], ARGES [24], and RGBeta [25] — for

the application of the general formulas to specific theories, which have opened the doors for the wider application of higher-loop general results in the community. The bespoke tool `RGE++` [26] has also been made available for fast evaluation of the resulting RG equations.

New insights into the underlying structure of the RG have been obtained in recent years on the basis of the powerful machinery of the *local RG* (LRG) [27–32]. Crucially, as it pertains to the present matter, it was pointed out that Osborn’s equation implies nontrivial consistency conditions on the β -function, now known as *Weyl consistency conditions* (WCC). The WCCs have since been leveraged to check the self-consistency of already-known β -functions and to make predictions for as-of-yet undetermined β -function coefficients [18, 31, 33–36]. These endeavors have emphasized the usefulness of parametrizing the unknown β -functions in terms of a basis of tensor structures (TS) constructed from the couplings of the theory in order to attempt to fix the coefficients of the parametrization. By comparing the generic expression to known results in specific theories, the 3-loop β -functions for pure Yukawa theories were almost entirely fixed without the need for any new, arduous loop computations [37, 38].

This paper represents the culmination of several years of research by finally fixing the full gauge-Yukawa-quartic β -functions to 4-3-2-loop order. To this end, we use the TS basis of ref. [18] along with the WCCs derived therein. We fix the remaining coefficients by matching the generic expressions to the known β -functions of the 4-loop SM gauge [12], the 3-loop 2HDM Yukawa [39], and several new SM-adjacent results computed with the express purpose of fixing the remaining coefficients.

While we were finalizing our computations, another paper with overlapping scope appeared [40]. The two computations agree and serve as valuable crosschecks. However, both computations rely on the β -function parametrization of ref. [18] and the tensor implementation of `RGBeta` [25], making for a single point of failure. That said, such a failure appears highly unlikely due to the required self-consistency of both computations.

The remainder of the paper is organized as follows: in the next section, we review the necessary aspects of the LRG and introduce the β -function parametrization, as well as our computational setup. In section 3, we describe the models used to fix the remaining coefficients and discuss the combination of the various models. Finally, we conclude in section 4. We provide explicit expressions for the TSs of the gauge and Yukawa β -functions in the appendix along with our results for all coefficients.

2 Setup and methods

2.1 Notation and conventions

In the mass-independent $\overline{\text{MS}}$ scheme, the β -functions of marginal couplings are independent of the relevant couplings. Accordingly, we restrict our attention to the most general four-dimensional theory allowing only for marginal couplings:

$$\begin{aligned} \mathcal{L} = & -\frac{1}{4}a_{AB}^{-1}F_{\mu\nu}^A F^{B\mu\nu} + \frac{1}{2}(D_\mu\phi)_a(D^\mu\phi)_a + i\psi_i^\dagger\bar{\sigma}^\mu(D_\mu\psi)^i \\ & -\frac{1}{2}\left(Y_{aij}\psi^i\psi^j + \text{H.c.}\right)\phi_a - \frac{1}{24}\lambda_{abcd}\phi_a\phi_b\phi_c\phi_d. \end{aligned} \quad (2.1)$$

To be clear, when we name this the “most general” theory, it is because any other renormalizable theory can be cast in this exact form.¹ In this construction, all scalar fields are collected into the real scalar multiplet ϕ_a , while the fermions, allowing for chiral theories, are collected in the multiplet ψ^i using Weyl spinor notation. Thus, we avoid having to distinguish between left- and right-handed fields.

In this framework ϕ_a and ψ^i are generically in reducible representations of the gauge group G . The covariant derivatives of these fields are given by

$$\begin{aligned} D_\mu \phi_a &= \partial_\mu \phi_a - iA_\mu^A (T_\phi^A)_{ab} \phi_b, \\ D_\mu \psi^i &= \partial_\mu \psi^i - iA_\mu^A (T_\psi^A)^i_j \psi^j. \end{aligned} \tag{2.2}$$

As we allow for any gauge group, it is convenient to move the gauge couplings of all the simple product groups and Abelian factors to the kinetic term, where they are incorporated in the gauge coupling matrix a_{AB} [18].

It is convenient to arrange the fermion index space in a Majorana-like manner to incorporate both left and right chiralities simultaneously [18, 34]. The Yukawa couplings and gauge generators are then given by

$$y_a = \begin{pmatrix} Y_a & 0 \\ 0 & Y_a^* \end{pmatrix} \quad \text{and} \quad T^A = \begin{pmatrix} T_\psi^A & 0 \\ 0 & -T_\psi^{A*} \end{pmatrix}, \tag{2.3}$$

and we define the chirality-flipped derivative quantities by

$$\tilde{y}_a = \sigma_1 y_a \sigma_1 = \begin{pmatrix} Y_a^* & 0 \\ 0 & Y_a \end{pmatrix} \quad \text{and} \quad \tilde{T}^A = \sigma_1 T^A \sigma_1 = \begin{pmatrix} -T_\psi^{A,*} & 0 \\ 0 & T_\psi^A \end{pmatrix}, \tag{2.4}$$

with a similar construction for all other “tilde” quantities.² In this notation, the γ_5 -odd contribution to the 4-loop gauge and 3-loop Yukawa are characterized by the appearance of σ_3 on the fermion lines: the underlying diagrams carry opposite signs for the different chiralities.

The perturbative β -functions of the tensor couplings are expanded by loop orders and parametrized as

$$\beta_{AB} = \frac{da_{AB}}{dt} = \sum_{\ell=1}^{\infty} a_{AC} \frac{\beta_{CD}^{(\ell)}}{(4\pi)^{2\ell}} a_{DB}, \tag{2.5}$$

$$\beta_{aij} = \frac{dy_{aij}}{dt} = \sum_{\ell=1}^{\infty} \frac{\beta_{aij}^{(\ell)}}{(4\pi)^{2\ell}}, \tag{2.6}$$

$$\beta_{abcd} = \frac{d\lambda_{abcd}}{dt} = \sum_{\ell=1}^{\infty} \frac{\beta_{abcd}^{(\ell)}}{(4\pi)^{2\ell}}, \tag{2.7}$$

where $t = \ln \mu$ is the RG time. These are the main objects of our study.

¹In practice recasting theories in this form can be a rather grueling task. Methods to do it systematically have been developed, see e.g. ref. [41].

²In the context of the fermion indices, the σ matrices are to be understood as a tensor product of Pauli matrices with the identity matrix.

2.2 Tensor parametrization

As all other perturbative quantities, the β -functions are polynomials in the couplings, of an order determined by the loop order. It follows that the ℓ -loop contributions to the β -functions can be parametrized by

$$\beta_{AB}^{(\ell)} = \sum_n \mathbf{g}_n^{(\ell)} [G_n^{(\ell)}(a, y, \lambda, T, T_\phi, F)]_{AB}, \quad (2.8)$$

$$\beta_{aij}^{(\ell)} = \frac{1}{2} \sum_{2\text{ perm } n} \mathbf{y}_n^{(\ell)} [Y_n^{(\ell)}(a, y, \lambda, T, T_\phi, F)]_{aij}, \quad (2.9)$$

$$\beta_{abcd}^{(\ell)} = \frac{1}{24} \sum_{24\text{ perm } n} \mathbf{q}_n^{(\ell)} [Q_n^{(\ell)}(a, y, \lambda, T, T_\phi, F)]_{abcd}. \quad (2.10)$$

The coefficients $\mathbf{g}_n^{(\ell)}$, $\mathbf{y}_n^{(\ell)}$, and $\mathbf{q}_n^{(\ell)}$ are real numbers, while $[G_n^{(\ell)}]_{AB}$, $[Y_n^{(\ell)}]_{aij}$, and $[Q_n^{(\ell)}]_{abcd}$ are tensors constructed from a combination of couplings, gauge generators, and structure constants (F), referred to as *tensor structures* (TSs). By explicitly symmetrizing the Yukawa and quartic β -functions— hence the sums over all index permutations — the TSs are kept as simple as possible; they are monomials rather than polynomials.

Whereas a determination of $\beta^{(\ell)}$ typically requires a full perturbative loop computation, it is possible to find a suitable basis of TSs from general considerations, thereby leaving only the coefficients unknown. The main obstacle to finding such a basis is the sheer number of tensors at higher orders and the need to eliminate the redundancy in the parametrization due to the gauge identities stemming from all of the couplings being singlets under the symmetry. One suitable basis was determined in ref. [18], and we will employ it for our computation here too. We have taken the liberty of presenting the full basis in regular tensor notation in the appendix for posterity, as they have only been made available graphically in ref. [18].

We implemented the TSs of the 4-loop gauge and 3-loop Yukawa β -functions in `RGBeta`, which allows us to evaluate eqs. (2.8)–(2.10) in specific models and match the generic expressions to the β -functions determined with traditional loop computations.

2.3 Flavor-improved β -function

The $\overline{\text{MS}}$ β -functions are generally not unique beyond the second loop order. The flow in the direction of flavor symmetry transformations (the symmetry of the kinetic term of Lagrangian (2.1)) is fixed by the choice of renormalization constants, which are themselves ambiguous [42]. It can even be divergent in the dimensional expansion, although physics is insensitive to any such flavor rotations along the flow due to the symmetry of the action under combined field and coupling transformations. In one instance, a perturbative limit cycle was found but soon ascribed to a non-physical flow along the flavor group transformation, the physics being that of a regular fixed point [43, 44].

The flavor-improved β -function B_I is a particular construction of the β -function engineered to be invariant under the ambiguity [31, 32, 44] and has been shown to be independent of the choice of renormalization constants [42]. It factors out the flow along the flavor-symmetric direction, thereby avoiding the appearance of non-physical limit cycles in the RG flow. It is given by

$$B_I = \beta_I - (v g)_I, \quad (2.11)$$

where I, J, \dots are coupling indices taking values of all the couplings of the theory $g_I = \{a_{AB}, y_{aij}, \lambda_{abcd}\}$. v is another RG function of the LRG associated with the current of the flavor symmetry group.³ A conformal field theory is characterized by $B_I = 0$ and not, as is often said, $\beta_I = 0$. That being said, in simple/simplified theories in which the couplings are trivial w.r.t. the flavor group, the two functions coincide.

In ref. [42], we found that there always exists a choice of renormalization constants for which β_I is identical to B_I (meaning that $v = 0$). Thus it is perfectly valid to use B_I in place of β_I for the RG, a choice that also carries the benefits discussed above. Unfortunately, there is no direct prescription for the renormalization constants for which this identification is valid, and B_I will have to be determined directly from β_I and v .

v is, potentially, nontrivial starting from 3-loop order in gauge-Yukawa theories, but only when the flavor structure is nontrivial. The flavor symmetry acts trivially on the gauge group, so $(v a)_{AB} = 0$. Thus, it is only the 3-loop Yukawa β -function that is different from its flavor-improved cousin at 4-3-2-loop order. The action of v on the Yukawa coupling is given by

$$(v y)_a = v_{ab} y_b + v y_a - y_a \tilde{v}. \tag{2.12}$$

v is technically a single element of the Lie algebra of the flavor group. The scalar and fermion indices on v_{ab} and v_i^j (as per usual we use implicit fermion indices in eq. (2.12)) are implicitly taken to refer to different representations of v as determined by the transformation of the scalar and fermion fields. We parametrize v at ℓ -loop order by

$$v_i^{(\ell),j} = \sum_n \mathbf{f}_n^{(\ell)} [F_n^{(\ell)} - \tilde{F}_n^{(\ell)T}]_i^j, \tag{2.13}$$

$$v_{ab}^{(\ell)} = \sum_n \mathbf{s}_n^{(\ell)} ([S_n^{(\ell)}]_{ab} - [S_n^{(\ell)}]_{ba}), \tag{2.14}$$

with the TSs $F_n^{(\ell)}$ and $S_n^{(\ell)}$. A basis for this parametrization was provided in [18].

2.4 Weyl consistency conditions

Using the LRG, Jack and Osborn [28–32] demonstrated a perturbative A -theorem via Osborn’s equation

$$\partial^I A = T^{IJ} B_J, \tag{2.15}$$

where $\partial^I \equiv \partial/\partial g_I$. Osborn’s equation relates the function A , which coincides with the Weyl anomaly coefficient of the Euler density at fixed points, with the flavor-improved β -function via T^{IJ} , which itself is a combination of various coefficients of the Weyl anomaly. Since T^{IJ} is positive-definite at leading order in the loop expansion, this establishes a perturbative A -theorem.

As it transpires, Osborn’s equation implies nontrivial self-consistency conditions on the β -functions, known as Weyl consistency conditions (WCCs) [31, 33–35]. A and T^{IJ} can be parametrized in terms of the couplings of the theory and the unknown coefficients eliminated from eq. (2.15), leaving a number of nontrivial consistency conditions — linear equations in our case — between the coefficients of the β -functions. Ref. [18] extended this program

³Inconveniently, v (lower-case upsilon) is referred to as S in parts of the literature.

to the generic gauge-Yukawa theory (2.1) and up to order 4-3-2 in the β -functions, having parametrized A and T^{IJ} up to 5- and 4-loop order, respectively. With full knowledge of the known 3-2-2 β -functions, the resulting WCCs provide 266 independent conditions on the 510 coefficients $\mathbf{g}_n^{(4)}$ and $\mathbf{y}_n^{(3)}$ parametrizing the 4-loop gauge and 3-loop Yukawa β -functions, respectively. In particular, the conditions unambiguously fix the γ_5 ambiguity in $\beta_{AB}^{(4)}$ on basis of the known γ_5 -odd contribution to $\beta_{aij}^{(3)}$ [36], also confirming the prescription in ref. [10].

The coefficients of v can be eliminated from Osborn’s equations, leaving a set of WCCs exclusively relating β -function coefficients. This elimination fixes all 3 $\mathbf{s}_n^{(3)}$ coefficients in terms of the β -function coefficients. The 6 $\mathbf{f}_n^{(3)}$ coefficients are fixed up to one free parameter. Meanwhile, the explicit SM evaluation of the pure Yukawa part of v in ref. [42] fixes $\mathbf{f}_{4,5}^{(3)}$; this is enough to fix the remaining parameter and provide an additional consistency check. Thus, v can be fixed once the β -function coefficients are known, allowing us to fix the 3-loop Yukawa B_{aij} .

The procedure for extracting WCCs does not require any explicit calculation of A and T^{IJ} (save for the leading gauge contribution to T^{IJ} being nonzero [29]). Rather, it is sufficient to proceed with a generic parameterization in terms of unknown coefficients multiplying TSs. This parameterization simplifies somewhat in the $\overline{\text{MS}}$ scheme, where only fully connected TSs appear in the finite part of the RG functions, as shown in section 3.2 of ref. [18]. The known coefficients of the 3-2-1 β -functions were then used as input to extract linear WCCs between the 4-3-2 β -function coefficients. Finally, we would like to emphasize that the WCCs we employ in this work were derived without imposing any symmetry properties on T^{IJ} . As such, our results are independent of the conjecture, posited in ref. [18], that it is always possible to choose a symmetric T^{IJ} .

2.5 Loop computations

To fix the remaining coefficients, gauge and Yukawa β -functions need to be computed in various models. To this end, we follow methods outlined in refs. [12, 39, 42]. In the following, we present our computational setup and discuss issues arising in such calculations.

Gauge and Yukawa β -functions are related to the counterterms of the couplings. Coupling counterterms can be related to renormalization constants of vertices that are proportional to the respective coupling at tree-level, as well as the renormalization constants of the fields involved in the vertex. As a consequence, 3-loop Yukawa counterterms can be computed from 3-loop renormalization constants of fermion and scalar fields as well as fermion-scalar vertices, and 4-loop gauge coupling counterterms can be obtained from 4-loop renormalization constants of gauge and ghost fields, and ghost-gauge vertices.

Our well-tested computational system has been introduced in ref. [12] and subsequently improved for the computations in ref. [42]. It relies on QGRAF [45] for diagram generation, followed by q2e and exp [46, 47] for translating Feynman diagrams into FORM [48] expressions and mapping them onto integral families, as well as COLOR [49] to compute $\text{SU}(N)$ color factors. Diagrams sharing the same color factors, flavor structures, and integral families are grouped into so-called “superdiagrams”, which allows for the efficient computation of $\mathcal{O}(10^6)$ 4-loop Feynman diagrams; cancellations between different diagrams occur in early stages

of the evaluation of superdiagrams, rather than in the final summation of all diagrams. The superdiagrams are processed using FORM and the Feynman integrals are evaluated by FORCER [50]. Aside from the computational complexity involved with 4-loop computations, there are two main issues: the treatment of γ_5 in D dimensions and the ambiguities in Yukawa β -functions.

Starting from 3-loop order, nontrivial contributions from γ_5 -odd traces arise in the computation of Yukawa β -functions. These contributions can be computed by evaluating such traces in 4 dimensions, as has been done for both the SM and the various 2HDMs [39, 51, 52]. Matching eq. (2.9) to these models allows us to fix the coefficients of all 5 γ_5 -odd tensor structures. As discussed in section 2.4, the WCCs then allow us to fix the coefficients of the γ_5 -odd tensor structures in the gauge β -function. Therefore, we ignore all γ_5 -odd contributions in our calculations here and focus on the missing coefficients in the γ_5 -even sector.

The second issue relates to the ambiguity of the 3-loop Yukawa β -function. As observed in [39, 51], the presence of global symmetries of the kinetic terms of fermion and scalar fields leads to ambiguities in the wave-function renormalization constants, which in turn lead to an ambiguity in the Yukawa β -function. As well as being ambiguous, the Yukawa β -function is, in general, not finite. As we noted in section 2.3, this can ultimately be resolved by determining the flavor-improved β -function B_I . Here we proceed by choosing Hermitian square roots of the wave-function renormalization constants, consistent with the one-particle-irreducible β -function parametrization of ref. [18]. We extract only the finite part of the RG functions from this and rely on it being possible to modify the renormalization constants in such a way as to cancel the divergences without changing the finite part [42].

3 Fixing the β -functions

3.1 The models we use as input

While the β -functions of the SM and 2HDMs in combination with the WCCs provide a large number of constraints on the 510 free coefficients in the 4-loop gauge and 3-loop Yukawa β -functions, a number of coefficients of TSs involving scalar fields remain unconstrained. To constrain these, we consider two types of models: one with scalars charged under two non-Abelian gauge groups and another in which the scalar field is in a nontrivial representation of the gauge group different from that of the fermions. In the following, we describe two models that possess the required properties. First, we use a leptoquark model, i.e., an extension of the SM with a scalar field charged under SU(3) that couples quarks to leptons. The one remaining coefficient that can not be fully constrained by combining the leptoquark model, the SM, 2HDMs, and the WCCs can be fixed by a simple toy model; an SU(2) gauge theory with a vector-like fermion in the fundamental representation and a scalar in the adjoint representation.

3.1.1 Leptoquark model

Let $\phi \sim (\mathbf{3}, \mathbf{2}, 7/6)$ be a scalar leptoquark added to the SM field content. The Yukawa interactions of the model are then given by

$$\mathcal{L}_{\text{yuk}} = \mathcal{L}_{\text{SM,yuk}} - y_1^{ij} \varepsilon^{\alpha\beta} \phi_{c\beta}^* \bar{\ell}_{L,\alpha}^i u_R^{j,c} - y_2^{ij} \phi^{c\alpha} \bar{q}_{L,\alpha}^i e_R^j, \quad (3.1)$$

where c, d, \dots are color, α, β, \dots isospin, and i, j generation indices. $\varepsilon^{\alpha\beta} = i\sigma_2$ is the invariant of $\text{SU}(2)_L$. For comparison, in this notation the SM Yukawas are given by

$$\mathcal{L}_{\text{SM,yuk}} = -y_u^{ij} \varepsilon^{\alpha\beta} H_\beta^* \bar{q}_{L,\alpha}^i u_R^{j,c} - y_d^{ij} H^\alpha \bar{q}_{L,\alpha}^i d_R^{j,c} - y_e^{ij} H^\alpha \bar{\ell}_{L,\alpha}^i e_R^j. \quad (3.2)$$

The quartic couplings are given by

$$V = \frac{\lambda_1}{2} (H^\dagger H)^2 + \lambda_2 (H^\dagger H) \text{Tr}[\phi^\dagger \phi] + \frac{\lambda_3}{2} \text{Tr}^2[\phi^\dagger \phi] + \kappa_1 H^\text{T} \phi^\dagger \phi H^* + \frac{\kappa_2}{2} \text{Tr}[\phi^\dagger \phi \phi^\dagger \phi], \quad (3.3)$$

where $\phi^{c\alpha}$ is thought of as a matrix with indices in color and isospin respectively. In index notation, the κ_1 coupling is given by $\kappa_1 H^\alpha \phi_{c\alpha}^* \phi^{c\beta} H_\beta^*$.

3.1.2 SU(2) toy model

Next, we consider a toy model with a gauge group $G = \text{SU}(2)$, a real scalar triplet ϕ_a , and a vector-like fermion doublet ψ^α . This theory is described by the Lagrangian

$$\mathcal{L}_{\text{TM}} = -\frac{1}{4g^2} (F_{\mu\nu}^A)^2 + \frac{1}{2} (D_\mu \phi_a)^2 + i \bar{\psi}_\alpha \not{D} \psi^\alpha - \frac{y}{2} \phi_a \bar{\psi}_\alpha \sigma^{a\alpha} \psi^\beta - \frac{1}{8} \lambda (\phi_a \phi_a)^2, \quad (3.4)$$

where α, β are doublet indices and a is a triplet index of G . $\sigma^a/2$ are the generators of the fundamental representation of $\text{SU}(2)$, where σ^a are the Pauli matrices. This toy model, with the scalar in a non-fundamental representation, is rather different from the SM-like models we otherwise consider. This helps us to resolve the last 1-parameter degeneracy in $\mathfrak{g}_n^{(4)}$ in terms with both gauge and Yukawa couplings.

3.2 Fixing the β -function coefficients

For each of the models used, we have computed 4-loop gauge and/or 3-loop Yukawa β -functions in the regular $\overline{\text{MS}}$ scheme. The models were then implemented in `RGBeta` to evaluate the model-specific β -function parametrization of eqs. (2.8)–(2.10). The two expressions for the β -functions were then identified on a term-by-term basis to extract linear constraints on the β -function coefficients needed to reproduce the full perturbative result.

The models used to constrain the β -function coefficients are mostly SM-like and so many of the constraints are degenerate between them. To clarify how the individual model constraints supplement each other, table 1 shows the number of independent constraints on the gauge β -function obtained from combining any two of the models (the diagonal then being the number of constraints from just the one model). In total all the models contribute 198 constraints on the 202 coefficients for the gauge β -function, corresponding to all but the γ_5 -odd terms. Similarly, table 2 shows the number of independent constraints on the Yukawa β -function coefficients. Between all the models, we obtain a total of 292 constraints on the 308 Yukawa coefficients.

Gauge	SM	2HDM+ ν_R	SM+LQ	TM
SM	147	157	196	153
2HDM+ ν_R		150	196	154
SM+LQ			190	192
TM				10

Table 1. The number of independent constraints on the gauge coefficients from combining any two of the models, with the diagonal being the constraints from the individual models.

Yukawa	SM	2HDM	SM+LQ
SM	145	255	285
2HDM		246	292
SM+LQ			245

Table 2. The number of independent constraints on the Yukawa coefficients from combining any two of the models, with the diagonal being the constraints from the individual models.

Combined	Gauge	Yukawa	WCCs
Gauge	198	490	424
Yukawa		292	438
WCCs			266

Table 3. The number of independent constraints on the β -function coefficients obtained from combining various sets of constraints.

As discussed in section 2.4, the WCCs provide a crucial set of constraints, similar in number to those obtained from the Yukawa β -functions. Furthermore, these are the only constraints linking gauge and Yukawa coefficients, and they completely predict the γ_5 -odd gauge coefficients from the 3-loop Yukawa β -function. The breakdown of how the various sources of constraints supplement each other is detailed in table 3.

With all available information, we manage to extract all 510 coefficients of the 4-loop gauge and 3-loop Yukawa β -functions. It is worth pointing out that there is a large number of redundant constraints obtained from the various models as well as from the WCCs. The consistency of all these redundant conditions serves as a strong crosscheck of our results. For future reference, we have included the results for all coefficients in the appendix.

We find full agreement with the coefficients determined in ref. [40]. However, while we use a similar methodology, our determination of the coefficients differs significantly from ref. [40]. Our choice of models allows for a full determination of the 198 γ_5 -even gauge β -function coefficients, without needing to make use of the WCCs. Additionally, we do not rely on the conjectured symmetry of T^{IJ} , thus providing two more constraints and verifying this conjecture to 4-3-2-loop order.

As discussed in section 2.4, the determination of the β -functions completely fixes the coefficients of v . This work, therefore, also determines the flavor-improved 3-loop Yukawa β -function, $B_{aij}^{(3)}$. Furthermore, $v_{ab}^{(3)}$ can be used to determine $B_{abcd}^{(3)}$ if and when the 3-loop quartic β -function is calculated with the Hermitian renormalization conditions used here.

4 Conclusion

We have finalized the computation of the β -functions of the most general gauge-Yukawa theory at 4-3-2-loop order and find full agreement with the findings of ref. [40]. In contrast to ref. [40] however, we do not rely on the symmetry of T_{IJ} and use a different set of models to fix the coefficients. These latest results stand apart from the direct calculations of the general β -functions at lower loop order [1–5]; the 4-loop gauge and 3-loop Yukawa β -functions were determined with a new methodology, filling in the coefficients of a general parametrization with several partial results along with the WCCs.

We have made the results of our computation including all TSs and coefficients directly available in the appendix. Appreciating, however, that it requires a lot of effort to utilize this information directly in computations, we have also implemented them directly in the latest update of `RGBeta` (v1.1.0) [25].

With the 4-3-2-loop β -functions now fully determined, our next goal is the exploration of the β -functions at 5-4-3-loop order, necessitating further developments of the WCCs and β -function parametrization. The γ_5 -odd sector at this order is of particular interest, as it is not clear if the *miraculous* full determination of all γ_5 -odd coefficients via the computation of unambiguous terms can be repeated.

Acknowledgments

We would like to thank A. Bednyakov and A. Pikelner for correspondence regarding their recent work [40]. The work of AET has received funding from the Swiss National Science Foundation (SNF) through the Eccellenza Professorial Fellowship “Flavor Physics at the High Energy Frontier” project number 186866. FH acknowledges support by the Alexander von Humboldt foundation. This document was prepared using the resources of the Fermi National Accelerator Laboratory (Fermilab), a U.S. Department of Energy, Office of Science, HEP User Facility. Fermilab is managed by Fermi Research Alliance, LLC (FRA), acting under Contract No. DE-AC02-07CH11359. The work of JD was supported by the Science and Technology Facilities Council (STFC) under the Consolidated Grant ST/T00102X/1.

Appendix

The appendix reports the explicit TS parametrization of the 4-loop gauge and 3-loop Yukawa β -functions, as well as the 3-loop v -function, determined diagrammatically in ref. [18]. We provide the values of all the associated coefficients as determined in this work. For similar parametrization and coefficients of the 3-2-2 β -functions, we refer the reader to ref. [18]. Between them, ref. [18] and this appendix provide all TSs and $\overline{\text{MS}}$ coefficients of the 4-3-2-loop β -functions.

A Tensor notation

We define some frequently occurring tensors. The fermion indices are always treated in matrix notation and never made explicit. Tildes on more advanced objects are always defined in the usual manner: $\tilde{X} = \sigma_1 X \sigma_1$ in the space of fermion indices. For compactness, gauge indices are always contracted with an implicit a_{AB} , while one should rescale the structure constants according to $F^{ABC} \rightarrow a_{AD}^{-1} F^{DBC}$. Several 1- and 2-loop 2-point functions occurring as substructures in the β -functions are used throughout. They are:

1-loop gauge:⁴

$$[S_2(F)]_{AB} = \text{Tr}[T^A T^B], \quad [S_2(S)]_{AB} = [T_\phi^A T_\phi^B]_{aa}, \quad [C_2(G)]_{AB} = F^{ACD} F^{CDB}. \quad (\text{A.1})$$

1-loop fermion:

$$C_2(F) = T^A T^A, \quad Y_2(F) = y_a \tilde{y}_a. \quad (\text{A.2})$$

1-loop scalar:

$$[C_2(S)]_{ab} = [T_\phi^A T_\phi^A]_{ab}, \quad [Y_2(S)]_{ab} = \text{Tr}[y_a \tilde{y}_b]. \quad (\text{A.3})$$

2-loop gauge:

$$\begin{aligned} [S_2(F, C_F)]_{AB} &= \text{Tr}[T^A T^B C_2(F)], & [S_2(F, Y_F)]_{AB} &= \text{Tr}[T^A T^B \tilde{Y}_2(F)], \\ [S_2(S, C_S)]_{AB} &= [T_\phi^A T_\phi^B C_2(S)]_{aa}, & [S_2(S, Y_S)]_{AB} &= [T_\phi^A T_\phi^B Y_2(S)]_{aa}. \end{aligned} \quad (\text{A.4})$$

2-loop fermion:

$$\begin{aligned} C_2(F, G) &= T^A T^B [C_2(G)]_{AB}, & C_2(F, S) &= T^A T^B [S_2(S)]_{AB}, \\ C_2(F, F) &= T^A T^B [S_2(F)]_{AB}, & & \end{aligned} \quad (\text{A.5})$$

2-loop scalar:

$$\begin{aligned} [C_2(S, G)]_{ab} &= [T_\phi^A T_\phi^B]_{ab} [C_2(G)]_{AB}, & [C_2(S, S)]_{ab} &= [T_\phi^A T_\phi^B]_{ab} [S_2(S)]_{AB}, \\ [C_2(S, F)]_{ab} &= [T_\phi^A T_\phi^B]_{ab} [S_2(F)]_{AB}, & [\Lambda_2]_{ab} &= \lambda_{acde} \lambda_{bcde}. \end{aligned} \quad (\text{A.6})$$

To keep the explicit indices to a minimum, we stick with the convention of using implicit matrix multiplication for fermion indices. For the scalars, we have at times used shorthand $[\dots]_{ab}$ to denote a matrix product of tensors with 2 scalar indices contracted with open indices a, b . Similarly, a scalar trace is denoted $[\dots]_{aa}$. Having defined the 2-point structures, we can proceed with the parametrization of the β -functions.

⁴Be advised that $S_2(F)$ is twice the trace normalization of the fermions, due to both fermions and their complex conjugates automatically being included in the notation.

B Gauge β -function

The γ_5 -even TSs of the 4-loop gauge β -function are

$$\begin{aligned}
 \beta_{AB}^{(4)} = & \mathbf{g}_1^{(4)} F^{AGI} F^{CDE} F^{CFG} F^{DHI} F^{EJK} F^{LHJ} F^{LMB} F^{MFK} + \mathbf{g}_2^{(4)} [T_\Phi^C T_\Phi^B T_\Phi^E T_\Phi^D]_{bb} [T_\Phi^C T_\Phi^D T_\Phi^E T_\Phi^A]_{aa} \\
 & + \mathbf{g}_3^{(4)} F^{ACF} F^{CDE} [T_\Phi^D T_\Phi^B T_\Phi^G T_\Phi^F T_\Phi^E T_\Phi^G]_{aa} + \mathbf{g}_4^{(4)} \text{Tr} [T^C T^D T^E T^A] [T_\Phi^C T_\Phi^D T_\Phi^E T_\Phi^B]_{aa} \\
 & + \mathbf{g}_5^{(4)} \text{Tr} [T^C T^D T^E T^B] \text{Tr} [T^D T^C T^A T^E] + \mathbf{g}_6^{(4)} \text{Tr} [T^C T^D T^A T^C T^E T^B T^D T^E] \\
 & + \mathbf{g}_7^{(4)} [S_2(S, C_S)]_{CD} [T_\Phi^C T_\Phi^D T_\Phi^A T_\Phi^B]_{aa} + \mathbf{g}_8^{(4)} [S_2(F, C_F)]_{CD} [T_\Phi^C T_\Phi^A T_\Phi^B T_\Phi^D]_{aa} \\
 & + \mathbf{g}_9^{(4)} [S_2(S, C_S)]_{CD} \text{Tr} [T^D T^C T^A T^B] + \mathbf{g}_{10}^{(4)} [S_2(F, C_F)]_{CD} \text{Tr} [T^B T^D T^C T^A] \\
 & + \mathbf{g}_{11}^{(4)} \text{Tr} [T^B C_2(F) C_2(F) C_2(F) T^A] + \mathbf{g}_{12}^{(4)} [C_2(S) C_2(S) C_2(S) T_\Phi^A T_\Phi^B]_{aa} \\
 & + \mathbf{g}_{13}^{(4)} \text{Tr} [T^B C_2(F) C_2(F, G) T^A] + \mathbf{g}_{14}^{(4)} [C_2(S) C_2(S, G) T_\Phi^A T_\Phi^B]_{aa} \\
 & + \mathbf{g}_{15}^{(4)} \text{Tr} [C_2(F, F) C_2(F) T^A T^B] + \mathbf{g}_{16}^{(4)} [C_2(S, F)]_{ab} (T_\Phi^A)_{bc} [T_\Phi^B C_2(S)]_{ca} \\
 & + \mathbf{g}_{17}^{(4)} \text{Tr} [C_2(F, S) C_2(F) T^A T^B] + \mathbf{g}_{18}^{(4)} [C_2(S, S)]_{ab} [C_2(S) T_\Phi^B T_\Phi^A]_{ba} \\
 & + \mathbf{g}_{19}^{(4)} [C_2(G)]_{CB} \text{Tr} [T^A C_2(F) C_2(F) T^C] + \mathbf{g}_{20}^{(4)} [C_2(G)]_{CA} [C_2(S) C_2(S) T_\Phi^C T_\Phi^B]_{aa} \\
 & + \mathbf{g}_{21}^{(4)} [S_2(F)]_{CD} [S_2(F)]_{ED} \text{Tr} [T^C T^E T^A T^B] + \mathbf{g}_{22}^{(4)} [S_2(F)]_{CD} [S_2(S)]_{ED} \text{Tr} [T^E T^C T^A T^B] \\
 & + \mathbf{g}_{23}^{(4)} [S_2(S)]_{CD} [S_2(S)]_{ED} \text{Tr} [T^C T^E T^A T^B] + \mathbf{g}_{24}^{(4)} [S_2(S)]_{CD} [S_2(S)]_{ED} [T_\Phi^C T_\Phi^A T_\Phi^B T_\Phi^E]_{aa} \\
 & + \mathbf{g}_{25}^{(4)} [C_2(G)]_{CD} [S_2(F)]_{CE} \text{Tr} [T^E T^D T^A T^B] + \mathbf{g}_{26}^{(4)} [C_2(G)]_{CD} [S_2(S)]_{CE} [T_\Phi^D T_\Phi^B T_\Phi^A T_\Phi^E]_{aa} \\
 & + \mathbf{g}_{27}^{(4)} [S_2(F)]_{CD} [S_2(S)]_{DE} [T_\Phi^C T_\Phi^B T_\Phi^A T_\Phi^E]_{aa} + \mathbf{g}_{28}^{(4)} [C_2(G)]_{CD} [S_2(S)]_{CE} \text{Tr} [T^E T^D T^A T^B] \\
 & + \mathbf{g}_{29}^{(4)} [C_2(G)]_{CD} [C_2(G)]_{CE} \text{Tr} [T^B T^E T^D T^A] + \mathbf{g}_{30}^{(4)} [C_2(G)]_{CD} [C_2(G)]_{CE} [T_\Phi^B T_\Phi^A T_\Phi^B T_\Phi^E]_{aa} \\
 & + \mathbf{g}_{31}^{(4)} [C_2(G)]_{CD} [S_2(F)]_{CE} [T_\Phi^D T_\Phi^E T_\Phi^A T_\Phi^B]_{aa} + \mathbf{g}_{32}^{(4)} [S_2(F)]_{CD} [S_2(F)]_{CE} [T_\Phi^D T_\Phi^A T_\Phi^B T_\Phi^E]_{aa} \\
 & + \mathbf{g}_{33}^{(4)} [C_2(G)]_{CB} [C_2(G)]_{CD} [S_2(F, C_F)]_{DA} + \mathbf{g}_{34}^{(4)} [C_2(G)]_{CA} [C_2(G)]_{CD} [S_2(S, C_S)]_{BD} \\
 & + \mathbf{g}_{35}^{(4)} [C_2(G)]_{CB} \text{Tr} [T^A T^C C_2(F, G)] + \mathbf{g}_{36}^{(4)} [C_2(G)]_{CA} [C_2(S, G) T_\Phi^B T_\Phi^C]_{aa} \\
 & + \mathbf{g}_{37}^{(4)} [C_2(G)]_{CB} \text{Tr} [C_2(F, F) T^C T^A] + \mathbf{g}_{38}^{(4)} [C_2(G)]_{CA} [C_2(S, F)]_{ab} [T_\Phi^B T_\Phi^C]_{ba} \\
 & + \mathbf{g}_{39}^{(4)} [C_2(G)]_{CB} \text{Tr} [C_2(F, S) T^C T^A] + \mathbf{g}_{40}^{(4)} [C_2(G)]_{CA} [C_2(S, S)]_{ab} [T_\Phi^C T_\Phi^B]_{ba} \\
 & + \mathbf{g}_{41}^{(4)} [C_2(G)]_{CB} [S_2(F)]_{DA} [S_2(F, C_F)]_{CD} + \mathbf{g}_{42}^{(4)} [C_2(G)]_{CB} [S_2(F)]_{DA} [S_2(S, C_S)]_{DC} \\
 & + \mathbf{g}_{43}^{(4)} [C_2(G)]_{CA} [S_2(F, C_F)]_{CD} [S_2(S)]_{DB} + \mathbf{g}_{44}^{(4)} [C_2(G)]_{CA} [S_2(S)]_{DB} [S_2(S, C_S)]_{DC} \\
 & + \mathbf{g}_{45}^{(4)} [C_2(G)]_{CB} [C_2(G)]_{CD} [C_2(G)]_{DE} [C_2(G)]_{EA} + \mathbf{g}_{46}^{(4)} [C_2(G)]_{CD} [C_2(G)]_{CE} [C_2(G)]_{DB} [S_2(F)]_{EA} \\
 & + \mathbf{g}_{47}^{(4)} [C_2(G)]_{CD} [C_2(G)]_{CE} [C_2(G)]_{DA} [S_2(S)]_{EB} + \mathbf{g}_{48}^{(4)} [C_2(G)]_{CB} [S_2(F)]_{CD} [S_2(F)]_{DE} [S_2(F)]_{EA} \\
 & + \mathbf{g}_{49}^{(4)} [C_2(G)]_{CB} [C_2(G)]_{CD} [S_2(F)]_{DE} [S_2(F)]_{EA} + \mathbf{g}_{50}^{(4)} [C_2(G)]_{CA} [S_2(S)]_{CD} [S_2(S)]_{DE} [S_2(S)]_{EB} \\
 & + \mathbf{g}_{51}^{(4)} [C_2(G)]_{CA} [C_2(G)]_{CD} [S_2(S)]_{DE} [S_2(S)]_{EB} + \mathbf{g}_{52}^{(4)} [C_2(G)]_{CA} [C_2(G)]_{CD} [S_2(F)]_{DE} [S_2(S)]_{EB} \\
 & + \mathbf{g}_{53}^{(4)} [C_2(G)]_{CD} [S_2(F)]_{CE} [S_2(F)]_{DA} [S_2(S)]_{EB} + \mathbf{g}_{54}^{(4)} [C_2(G)]_{CD} [S_2(F)]_{CA} [S_2(S)]_{DE} [S_2(S)]_{EB} \\
 & + \mathbf{g}_{55}^{(4)} F^{ACF} F^{CDE} \lambda_{abcd} [T_\Phi^D T_\Phi^B]_{ad} [T_\Phi^E T_\Phi^F]_{bc} + \mathbf{g}_{56}^{(4)} \lambda_{abcd} (T_\Phi^C)_{de} [T_\Phi^A C_2(S)]_{ea} [T_\Phi^C T_\Phi^B]_{bc} \\
 & + \mathbf{g}_{57}^{(4)} \lambda_{abcd} [T_\Phi^C T_\Phi^D]_{ac} [T_\Phi^C T_\Phi^D T_\Phi^A T_\Phi^B]_{db} + \mathbf{g}_{58}^{(4)} [C_2(G)]_{CD} \lambda_{abcd} [T_\Phi^C T_\Phi^A]_{bc} [T_\Phi^D T_\Phi^B]_{ad} \\
 & + \mathbf{g}_{59}^{(4)} \lambda_{abcd} [S_2(S)]_{CD} [T_\Phi^A T_\Phi^C]_{ad} [T_\Phi^B T_\Phi^D]_{bc} + \mathbf{g}_{60}^{(4)} [C_2(G)]_{CA} \lambda_{abcd} [T_\Phi^C T_\Phi^D]_{ad} [T_\Phi^D T_\Phi^B]_{bc} \\
 & + \mathbf{g}_{61}^{(4)} \lambda_{abcd} [S_2(F)]_{CD} [T_\Phi^C T_\Phi^A]_{bc} [T_\Phi^D T_\Phi^B]_{ad} + \mathbf{g}_{62}^{(4)} \lambda_{abcd} \lambda_{cefd} [T_\Phi^A T_\Phi^C]_{eb} [T_\Phi^C T_\Phi^B]_{af} \\
 & + \mathbf{g}_{63}^{(4)} \lambda_{abcd} \lambda_{cefd} [T_\Phi^A T_\Phi^C]_{ef} [T_\Phi^C T_\Phi^B]_{ab} + \mathbf{g}_{64}^{(4)} [T_\Phi^B T_\Phi^A C_2(S) \Lambda_2]_{ab} \\
 & + \mathbf{g}_{65}^{(4)} [C_2(S)]_{ab} \lambda_{acde} \lambda_{bdfc} [T_\Phi^A T_\Phi^B]_{cf} + \mathbf{g}_{66}^{(4)} [C_2(G)]_{CA} [T_\Phi^B \Lambda_2 T_\Phi^C]_{ab} \\
 & + \mathbf{g}_{67}^{(4)} \lambda_{abcd} \lambda_{aefc} \lambda_{bghd} (T_\Phi^A)_{ge} (T_\Phi^B)_{hf} + \mathbf{g}_{68}^{(4)} \lambda_{abcd} \lambda_{aefc} \lambda_{bfgd} [T_\Phi^A T_\Phi^B]_{ge}
 \end{aligned}$$

$$\begin{aligned}
 & +\mathbf{g}_{69}^{(4)} \text{Tr} [T^C T^D T^A T^C \tilde{y}_a \tilde{T}^B \tilde{T}^D y_a] \\
 & +\mathbf{g}_{71}^{(4)} [S_2(S, Y_S)]_{CD} [T_\Phi^C T_\Phi^A T_\Phi^B T_\Phi^D]_{aa} \\
 & +\mathbf{g}_{73}^{(4)} [S_2(S, Y_S)]_{CD} \text{Tr} [T^C T^D T^A T^B] \\
 & +\mathbf{g}_{75}^{(4)} \text{Tr} [\tilde{y}_a \tilde{C}_2(F) y_b C_2(F)] [T_\Phi^A T_\Phi^B]_{ab} \\
 & +\mathbf{g}_{77}^{(4)} \text{Tr} [\tilde{y}_a y_b T^A T^B] [C_2(S) C_2(S)]_{ab} \\
 & +\mathbf{g}_{79}^{(4)} \text{Tr} [C_2(F) C_2(F) \tilde{y}_a y_b] [T_\Phi^A T_\Phi^B]_{ab} \\
 & +\mathbf{g}_{81}^{(4)} \text{Tr} [y_a C_2(F) \tilde{y}_b] [C_2(S) T_\Phi^B T_\Phi^A]_{ab} \\
 & +\mathbf{g}_{83}^{(4)} [T_\Phi^A T_\Phi^B C_2(S) C_2(S) Y_2(S)]_{ab} \\
 & +\mathbf{g}_{85}^{(4)} \text{Tr} [C_2(F, F) \tilde{Y}_2(F) T^A T^B] \\
 & +\mathbf{g}_{87}^{(4)} \text{Tr} [\tilde{y}_a \tilde{C}_2(F, G) y_a T^A T^B] \\
 & +\mathbf{g}_{89}^{(4)} \text{Tr} [y_a C_2(F, G) \tilde{y}_b] [T_\Phi^A T_\Phi^B]_{ab} \\
 & +\mathbf{g}_{91}^{(4)} [C_2(S, F)]_{ab} \text{Tr} [\tilde{y}_a y_b T^A T^B] \\
 & +\mathbf{g}_{93}^{(4)} \text{Tr} [\tilde{y}_a \tilde{C}_2(F, S) y_a T^A T^B] \\
 & +\mathbf{g}_{95}^{(4)} \text{Tr} [y_a C_2(F, S) \tilde{y}_b] [T_\Phi^A T_\Phi^B]_{ab} \\
 & +\mathbf{g}_{97}^{(4)} [C_2(G)]_{CB} \text{Tr} [\tilde{y}_a \tilde{C}_2(F) y_a T^A T^C] \\
 & +\mathbf{g}_{99}^{(4)} [C_2(G)]_{CB} [C_2(S)]_{ab} \text{Tr} [y_a T^C T^A \tilde{y}_b] \\
 & +\mathbf{g}_{101}^{(4)} [C_2(S, F)]_{ab} [Y_2(S) T_\Phi^A T_\Phi^B]_{ca} \\
 & +\mathbf{g}_{103}^{(4)} [C_2(G)]_{CA} [T_\Phi^B T_\Phi^C C_2(S) Y_2(S)]_{ab} \\
 & +\mathbf{g}_{105}^{(4)} [C_2(G)]_{CB} [S_2(F)]_{DA} [S_2(F, Y_F)]_{CD} \\
 & +\mathbf{g}_{107}^{(4)} [C_2(G)]_{CA} [C_2(G)]_{CD} [S_2(S, Y_S)]_{DB} \\
 & +\mathbf{g}_{109}^{(4)} [C_2(G)]_{CA} [S_2(S)]_{DB} [S_2(S, Y_S)]_{CD} \\
 & +\mathbf{g}_{111}^{(4)} \lambda_{abcd} [T_\Phi^C T_\Phi^B]_{bc} [T_\Phi^C T_\Phi^A Y_2(S)]_{da} \\
 & +\mathbf{g}_{113}^{(4)} [\Lambda_2 T_\Phi^B T_\Phi^A Y_2(S)]_{aa} \\
 & +\mathbf{g}_{115}^{(4)} \text{Tr} [y_a T^C T^A \tilde{y}_a y_b T^B T^C \tilde{y}_b] \\
 & +\mathbf{g}_{117}^{(4)} \text{Tr} [\tilde{y}_a \tilde{T}^C \tilde{T}^A y_b T^C \tilde{y}_a y_b T^B] \\
 & +\mathbf{g}_{119}^{(4)} \text{Tr} [y_a T^C \tilde{y}_b y_c T^C \tilde{y}_c] [T_\Phi^A T_\Phi^B]_{ab} \\
 & +\mathbf{g}_{121}^{(4)} \text{Tr} [T^B C_2(F) \tilde{y}_a y_b T^A \tilde{y}_b y_a] \\
 & +\mathbf{g}_{123}^{(4)} \text{Tr} [y_a T^C T^A T^B \tilde{y}_a y_b T^C \tilde{y}_b] \\
 & +\mathbf{g}_{125}^{(4)} \text{Tr} [\tilde{y}_a y_b \tilde{y}_c y_b] [C_2(S) T_\Phi^B T_\Phi^A]_{ac} \\
 & +\mathbf{g}_{127}^{(4)} [C_2(S)]_{ab} \text{Tr} [\tilde{y}_a y_c T^A T^B \tilde{y}_b y_c] \\
 & +\mathbf{g}_{129}^{(4)} \text{Tr} [\tilde{y}_a \tilde{C}_2(F) y_b T^A T^B \tilde{y}_a y_b] \\
 & +\mathbf{g}_{131}^{(4)} \text{Tr} [y_a C_2(F) \tilde{y}_b] \text{Tr} [\tilde{y}_b y_a T^A T^B] \\
 & +\mathbf{g}_{133}^{(4)} \text{Tr} [y_a C_2(F) \tilde{y}_b] [T_\Phi^A T_\Phi^B Y_2(S)]_{ac} \\
 & +\mathbf{g}_{135}^{(4)} \text{Tr} [T^B C_2(F) \tilde{y}_a y_b T^A] [Y_2(S)]_{ab} \\
 & +\mathbf{g}_{137}^{(4)} [C_2(S)]_{ab} \text{Tr} [\tilde{y}_a y_c \tilde{y}_d y_b] [T_\Phi^A T_\Phi^B]_{dc} \\
 & +\mathbf{g}_{139}^{(4)} \text{Tr} [y_a C_2(F) \tilde{y}_b Y_2(F)] [T_\Phi^A T_\Phi^B]_{ab} \\
 & +\mathbf{g}_{141}^{(4)} [C_2(S)]_{ab} \text{Tr} [T^B \tilde{Y}_2(F) \tilde{y}_a y_b T^A] \\
 & +\mathbf{g}_{70}^{(4)} [S_2(F, Y_F)]_{CD} [T_\Phi^C T_\Phi^A T_\Phi^B T_\Phi^D]_{aa} \\
 & +\mathbf{g}_{72}^{(4)} [S_2(F, Y_F)]_{CD} \text{Tr} [T^B T^D T^C T^A] \\
 & +\mathbf{g}_{74}^{(4)} \text{Tr} [C_2(F) C_2(F) T^A T^B \tilde{Y}_2(F)] \\
 & +\mathbf{g}_{76}^{(4)} \text{Tr} [T^B C_2(F) \tilde{y}_a \tilde{C}_2(F) y_a T^A] \\
 & +\mathbf{g}_{78}^{(4)} \text{Tr} [\tilde{C}_2(F) \tilde{C}_2(F) y_a T^A T^B \tilde{y}_a] \\
 & +\mathbf{g}_{80}^{(4)} [C_2(S)]_{ab} \text{Tr} [\tilde{y}_a \tilde{C}_2(F) y_b T^A T^B] \\
 & +\mathbf{g}_{82}^{(4)} [C_2(S)]_{ab} \text{Tr} [T^B C_2(F) \tilde{y}_a y_b T^A] \\
 & +\mathbf{g}_{84}^{(4)} \text{Tr} [T^B \tilde{Y}_2(F) C_2(F, G) T^A] \\
 & +\mathbf{g}_{86}^{(4)} \text{Tr} [C_2(F, S) \tilde{Y}_2(F) T^A T^B] \\
 & +\mathbf{g}_{88}^{(4)} [C_2(S, G)]_{ab} \text{Tr} [\tilde{y}_a y_b T^A T^B] \\
 & +\mathbf{g}_{90}^{(4)} \text{Tr} [\tilde{y}_a \tilde{C}_2(F, F) y_a T^A T^B] \\
 & +\mathbf{g}_{92}^{(4)} \text{Tr} [y_a C_2(F, F) \tilde{y}_b] [T_\Phi^A T_\Phi^B]_{ab} \\
 & +\mathbf{g}_{94}^{(4)} [C_2(S, S)]_{ab} \text{Tr} [\tilde{y}_a y_b T^A T^B] \\
 & +\mathbf{g}_{96}^{(4)} [C_2(G)]_{CB} \text{Tr} [T^A C_2(F) \tilde{Y}_2(F) T^C] \\
 & +\mathbf{g}_{98}^{(4)} [C_2(G)]_{CA} \text{Tr} [y_a C_2(F) \tilde{y}_b] [T_\Phi^C T_\Phi^B]_{ab} \\
 & +\mathbf{g}_{100}^{(4)} [T_\Phi^A T_\Phi^B C_2(S, G) Y_2(S)]_{ab} \\
 & +\mathbf{g}_{102}^{(4)} [C_2(S, S)]_{ab} [T_\Phi^B T_\Phi^A Y_2(S)]_{bc} \\
 & +\mathbf{g}_{104}^{(4)} [C_2(G)]_{CB} [C_2(G)]_{CD} [S_2(F, Y_F)]_{DA} \\
 & +\mathbf{g}_{106}^{(4)} [C_2(G)]_{CA} [S_2(F, Y_F)]_{CD} [S_2(S)]_{DB} \\
 & +\mathbf{g}_{108}^{(4)} [C_2(G)]_{CB} [S_2(F)]_{DA} [S_2(S, Y_S)]_{CD} \\
 & +\mathbf{g}_{110}^{(4)} \lambda_{abcd} \text{Tr} [y_c T^C T^A \tilde{y}_d] [T_\Phi^C T_\Phi^B]_{ab} \\
 & +\mathbf{g}_{112}^{(4)} [\Lambda_2]_{ab} \text{Tr} [\tilde{y}_a y_b T^A T^B] \\
 & +\mathbf{g}_{114}^{(4)} \lambda_{abcd} \lambda_{cfd} [Y_2(S)]_{ae} [T_\Phi^A T_\Phi^B]_{bf} \\
 & +\mathbf{g}_{116}^{(4)} \text{Tr} [y_a T^C T^A \tilde{y}_b] \text{Tr} [y_a T^C T^B \tilde{y}_b] \\
 & +\mathbf{g}_{118}^{(4)} [C_2(S)]_{ab} \text{Tr} [\tilde{y}_a y_c T^A \tilde{y}_c y_b T^B] \\
 & +\mathbf{g}_{120}^{(4)} \text{Tr} [\tilde{y}_a \tilde{C}_2(F) y_b T^A \tilde{y}_b y_a T^B] \\
 & +\mathbf{g}_{122}^{(4)} \text{Tr} [\tilde{y}_a \tilde{T}^C y_a T^A T^B \tilde{y}_b \tilde{T}^C y_b] \\
 & +\mathbf{g}_{124}^{(4)} [C_2(S)]_{ab} \text{Tr} [\tilde{y}_a y_c \tilde{y}_b y_d] [T_\Phi^A T_\Phi^B]_{dc} \\
 & +\mathbf{g}_{126}^{(4)} \text{Tr} [y_a C_2(F) \tilde{y}_b y_c \tilde{y}_b] [T_\Phi^A T_\Phi^B]_{ca} \\
 & +\mathbf{g}_{128}^{(4)} \text{Tr} [y_a C_2(F) \tilde{y}_b y_a T^A T^B \tilde{y}_b] \\
 & +\mathbf{g}_{130}^{(4)} \text{Tr} [T^B C_2(F) \tilde{y}_a y_b \tilde{y}_a y_b T^A] \\
 & +\mathbf{g}_{132}^{(4)} \text{Tr} [\tilde{y}_a y_b T^A T^B] [C_2(S) Y_2(S)]_{ac} \\
 & +\mathbf{g}_{134}^{(4)} \text{Tr} [\tilde{y}_a \tilde{C}_2(F) y_b T^A T^B] [Y_2(S)]_{ab} \\
 & +\mathbf{g}_{136}^{(4)} \text{Tr} [\tilde{y}_a Y_2(F) y_b] [C_2(S) T_\Phi^B T_\Phi^A]_{ab} \\
 & +\mathbf{g}_{138}^{(4)} \text{Tr} [\tilde{Y}_2(F) C_2(F) \tilde{y}_a y_b] [T_\Phi^A T_\Phi^B]_{ba} \\
 & +\mathbf{g}_{140}^{(4)} [C_2(S)]_{ab} \text{Tr} [\tilde{y}_a Y_2(F) y_b T^A T^B] \\
 & +\mathbf{g}_{142}^{(4)} \text{Tr} [y_a C_2(F) \tilde{y}_a y_b \tilde{y}_c] [T_\Phi^A T_\Phi^B]_{bc}
 \end{aligned}$$

$$\begin{aligned}
 & +\mathbf{g}_{143}^{(4)} [C_2(S)]_{ab} \text{Tr} [\tilde{y}_a y_c T^A T^B \tilde{y}_c y_b] & +\mathbf{g}_{144}^{(4)} \text{Tr} [T^B \tilde{Y}_2(F) C_2(F) \tilde{Y}_2(F) T^A] \\
 & +\mathbf{g}_{145}^{(4)} \text{Tr} [\tilde{T}^B Y_2(F) y_a C_2(F) \tilde{y}_a \tilde{T}^A] & +\mathbf{g}_{146}^{(4)} \text{Tr} [Y_2(F) \tilde{C}_2(F) y_a T^A T^B \tilde{y}_a] \\
 & +\mathbf{g}_{147}^{(4)} \text{Tr} [T^B C_2(F) \tilde{y}_a Y_2(F) y_a T^A] & +\mathbf{g}_{148}^{(4)} \text{Tr} [y_a C_2(F) \tilde{y}_a y_b T^A T^B \tilde{y}_b] \\
 & +\mathbf{g}_{149}^{(4)} (T_\Phi^B)_{ab} [T_\Phi^A Y_2(S) C_2(S) Y_2(S)]_{bc} & +\mathbf{g}_{150}^{(4)} [C_2(G)]_{CB} \text{Tr} [y_a T^C \tilde{y}_a y_b T^A \tilde{y}_b] \\
 & +\mathbf{g}_{151}^{(4)} [C_2(G)]_{CA} \text{Tr} [\tilde{y}_a y_b \tilde{y}_c y_b] [T_\Phi^C T_\Phi^B]_{ac} & +\mathbf{g}_{152}^{(4)} [C_2(G)]_{CB} \text{Tr} [y_a T^C T^A \tilde{y}_b y_a \tilde{y}_b] \\
 & +\mathbf{g}_{153}^{(4)} [C_2(G)]_{CB} \text{Tr} [y_a T^C T^A \tilde{y}_b] [Y_2(S)]_{ab} & +\mathbf{g}_{154}^{(4)} [C_2(G)]_{CA} \text{Tr} [\tilde{y}_a Y_2(F) y_b] [T_\Phi^C T_\Phi^B]_{ab} \\
 & +\mathbf{g}_{155}^{(4)} [C_2(G)]_{CB} \text{Tr} [\tilde{T}^A Y_2(F) Y_2(F) \tilde{T}^C] & +\mathbf{g}_{156}^{(4)} [C_2(G)]_{CB} \text{Tr} [\tilde{y}_a Y_2(F) y_a T^A T^C] \\
 & +\mathbf{g}_{157}^{(4)} [C_2(G)]_{CA} [Y_2(S) T_\Phi^B T_\Phi^C Y_2(S)]_{ab} & +\mathbf{g}_{158}^{(4)} \lambda_{abcd} \text{Tr} [\tilde{y}_d y_a T^A \tilde{y}_b y_c T^B] \\
 & +\mathbf{g}_{159}^{(4)} \lambda_{abcd} \text{Tr} [\tilde{y}_d y_c \tilde{y}_c y_b] [T_\Phi^A T_\Phi^B]_{ea} & +\mathbf{g}_{160}^{(4)} \lambda_{abcd} \text{Tr} [\tilde{y}_d y_a T^A T^B \tilde{y}_b y_c] \\
 & +\mathbf{g}_{161}^{(4)} \text{Tr} [\tilde{y}_a y_b T^A \tilde{y}_c y_a \tilde{y}_b \tilde{T}^B y_c] & +\mathbf{g}_{162}^{(4)} \text{Tr} [\tilde{y}_a y_b \tilde{y}_c y_d \tilde{y}_b y_c] [T_\Phi^A T_\Phi^B]_{ad} \\
 & +\mathbf{g}_{163}^{(4)} \text{Tr} [\tilde{y}_a y_b T^A T^B \tilde{y}_c y_a \tilde{y}_b y_c] & +\mathbf{g}_{164}^{(4)} \text{Tr} [\tilde{y}_a y_b T^A \tilde{y}_a y_c T^B \tilde{y}_c y_b] \\
 & +\mathbf{g}_{165}^{(4)} \text{Tr} [\tilde{y}_a y_b T^A \tilde{y}_c y_b \tilde{y}_a y_c T^B] & +\mathbf{g}_{166}^{(4)} \text{Tr} [\tilde{y}_a y_b T^A \tilde{y}_b y_a \tilde{y}_c \tilde{T}^B y_c] \\
 & +\mathbf{g}_{167}^{(4)} \text{Tr} [\tilde{y}_a Y_2(F) y_b T^A \tilde{y}_b y_a T^B] & +\mathbf{g}_{168}^{(4)} \text{Tr} [T^B \tilde{Y}_2(F) \tilde{y}_a y_b T^A \tilde{y}_b y_a] \\
 & +\mathbf{g}_{169}^{(4)} \text{Tr} [\tilde{y}_a y_b T^A \tilde{y}_b y_c T^B] [Y_2(S)]_{ac} & +\mathbf{g}_{170}^{(4)} \text{Tr} [\tilde{y}_a y_b \tilde{y}_c y_d \tilde{y}_b y_d] [T_\Phi^A T_\Phi^B]_{ac} \\
 & +\mathbf{g}_{171}^{(4)} \text{Tr} [\tilde{y}_a y_b \tilde{y}_c y_d \tilde{y}_c y_b] [T_\Phi^A T_\Phi^B]_{ad} & +\mathbf{g}_{172}^{(4)} \text{Tr} [\tilde{y}_a y_b T^A T^B \tilde{y}_a y_c \tilde{y}_b y_c] \\
 & +\mathbf{g}_{173}^{(4)} \text{Tr} [\tilde{y}_a y_b T^A T^B \tilde{y}_c y_a \tilde{y}_c y_b] & +\mathbf{g}_{174}^{(4)} \text{Tr} [\tilde{y}_a y_b \tilde{y}_c y_b] \text{Tr} [\tilde{y}_c y_a T^A T^B] \\
 & +\mathbf{g}_{175}^{(4)} \text{Tr} [\tilde{y}_a Y_2(F) y_b \tilde{y}_c y_b] [T_\Phi^A T_\Phi^B]_{ac} & +\mathbf{g}_{176}^{(4)} \text{Tr} [\tilde{y}_a y_b \tilde{y}_c y_b \tilde{y}_c y_d] [T_\Phi^A T_\Phi^B]_{ad} \\
 & +\mathbf{g}_{177}^{(4)} \text{Tr} [y_a \tilde{Y}_2(F) \tilde{y}_b y_a T^A T^B \tilde{y}_b] & +\mathbf{g}_{178}^{(4)} \text{Tr} [\tilde{y}_a Y_2(F) y_b T^A T^B \tilde{y}_a y_b] \\
 & +\mathbf{g}_{179}^{(4)} \text{Tr} [T^B \tilde{Y}_2(F) \tilde{y}_a y_b \tilde{y}_a y_b T^A] & +\mathbf{g}_{180}^{(4)} \text{Tr} [\tilde{y}_a y_b T^A T^B \tilde{y}_b y_c \tilde{y}_a y_c] \\
 & +\mathbf{g}_{181}^{(4)} \text{Tr} [\tilde{y}_a y_b \tilde{y}_c y_b] [T_\Phi^A T_\Phi^B Y_2(S)]_{ad} & +\mathbf{g}_{182}^{(4)} \text{Tr} [\tilde{y}_a y_b \tilde{y}_c y_d] [Y_2(S)]_{db} [T_\Phi^A T_\Phi^B]_{ac} \\
 & +\mathbf{g}_{183}^{(4)} \text{Tr} [\tilde{y}_a y_b T^A T^B \tilde{y}_c y_b] [Y_2(S)]_{ac} & +\mathbf{g}_{184}^{(4)} \text{Tr} [\tilde{y}_a Y_2(F) y_b] \text{Tr} [\tilde{y}_b y_a T^A T^B] \\
 & +\mathbf{g}_{185}^{(4)} \text{Tr} [\tilde{y}_a Y_2(F) y_b \tilde{Y}_2(F)] [T_\Phi^A T_\Phi^B]_{bc} & +\mathbf{g}_{186}^{(4)} \text{Tr} [\tilde{y}_a Y_2(F) y_a \tilde{y}_b y_c] [T_\Phi^A T_\Phi^B]_{bc} \\
 & +\mathbf{g}_{187}^{(4)} \text{Tr} [T^B \tilde{Y}_2(F) \tilde{y}_a Y_2(F) y_a T^A] & +\mathbf{g}_{188}^{(4)} \text{Tr} [y_a \tilde{Y}_2(F) \tilde{y}_a y_b T^A T^B \tilde{y}_b] \\
 & +\mathbf{g}_{189}^{(4)} \text{Tr} [\tilde{y}_a Y_2(F) y_b] [T_\Phi^A T_\Phi^B Y_2(S)]_{ac} & +\mathbf{g}_{190}^{(4)} \text{Tr} [\tilde{y}_a y_b \tilde{y}_c y_d] [Y_2(S)]_{cb} [T_\Phi^A T_\Phi^B]_{ad} \\
 & +\mathbf{g}_{191}^{(4)} \text{Tr} [\tilde{y}_a Y_2(F) y_b T^A T^B] [Y_2(S)]_{ab} & +\mathbf{g}_{192}^{(4)} \text{Tr} [T^B \tilde{Y}_2(F) \tilde{y}_a y_b T^A] [Y_2(S)]_{ab} \\
 & +\mathbf{g}_{193}^{(4)} \text{Tr} [\tilde{y}_a y_b T^A T^B \tilde{y}_b y_c] [Y_2(S)]_{ac} & +\mathbf{g}_{194}^{(4)} \text{Tr} [\tilde{y}_a y_b T^A T^B] [Y_2(S) Y_2(S)]_{ac} \\
 & +\mathbf{g}_{195}^{(4)} \text{Tr} [\tilde{y}_a Y_2(F) Y_2(F) y_b] [T_\Phi^A T_\Phi^B]_{ab} & +\mathbf{g}_{196}^{(4)} \text{Tr} [\tilde{T}^B Y_2(F) Y_2(F) Y_2(F) \tilde{T}^A] \\
 & +\mathbf{g}_{197}^{(4)} \text{Tr} [\tilde{y}_a Y_2(F) Y_2(F) y_a T^A T^B] & +\mathbf{g}_{198}^{(4)} [Y_2(S)]_{ab} [Y_2(S) T_\Phi^B T_\Phi^A Y_2(S)]_{ac}.
 \end{aligned}$$

There are an additional 4 γ_5 -odd TSs:

$$\begin{aligned}
 & +\mathbf{g}_{199}^{(4)} \text{Tr} [T^A \tilde{y}_a y_b T^C \sigma_3] \text{Tr} [\sigma_3 \tilde{T}^C y_b \tilde{y}_a \tilde{T}^B] & +\mathbf{g}_{200}^{(4)} \text{Tr} [T^A \tilde{y}_a \tilde{T}^C y_b \sigma_3] \text{Tr} [\sigma_3 y_b T^C \tilde{y}_a \tilde{T}^B] \\
 & +\mathbf{g}_{201}^{(4)} \text{Tr} [T^A \tilde{y}_a y_b T^C \sigma_3] \text{Tr} [\sigma_3 y_b \tilde{y}_a \tilde{T}^C \tilde{T}^B] & +\mathbf{g}_{202}^{(4)} \text{Tr} [T^A \tilde{y}_a y_b T^C \sigma_3] \text{Tr} [\sigma_3 y_b T^C \tilde{y}_a \tilde{T}^B].
 \end{aligned}$$

The coefficients of the 4-loop gauge β -function are

$$\begin{aligned}
 \mathbf{g}_1^{(4)} &= \frac{160}{9} - \frac{1408}{3} \zeta_3 & \mathbf{g}_2^{(4)} &= \frac{32}{3} \zeta_3 - \frac{14}{9} & \mathbf{g}_3^{(4)} &= \frac{640}{3} \zeta_3 - \frac{457}{9} & \mathbf{g}_4^{(4)} &= \frac{32}{3} \zeta_3 - \frac{128}{9} \\
 \mathbf{g}_5^{(4)} &= \frac{88}{9} - \frac{64}{3} \zeta_3 & \mathbf{g}_6^{(4)} &= \frac{832}{3} \zeta_3 - \frac{256}{9} & \mathbf{g}_7^{(4)} &= 8\zeta_3 - \frac{71}{3} & \mathbf{g}_8^{(4)} &= 16\zeta_3 - \frac{95}{6} \\
 \mathbf{g}_9^{(4)} &= 4\zeta_3 - \frac{34}{3} & \mathbf{g}_{10}^{(4)} &= 8\zeta_3 - \frac{23}{3} & \mathbf{g}_{11}^{(4)} &= \frac{49}{9} - \frac{832}{3} \zeta_3 & \mathbf{g}_{12}^{(4)} &= -\frac{3}{2}
 \end{aligned}$$

$\mathbf{g}_{13}^{(4)} = \frac{92}{27} + \frac{2320}{9}\zeta_3$	$\mathbf{g}_{14}^{(4)} = \frac{13733}{108} + \frac{352}{9}\zeta_3$	$\mathbf{g}_{15}^{(4)} = \frac{38}{27} + \frac{16}{9}\zeta_3$	$\mathbf{g}_{16}^{(4)} = -\frac{181}{27} - \frac{32}{9}\zeta_3$
$\mathbf{g}_{17}^{(4)} = \frac{28}{27} + \frac{8}{9}\zeta_3$	$\mathbf{g}_{18}^{(4)} = -\frac{221}{27} - \frac{16}{9}\zeta_3$	$\mathbf{g}_{19}^{(4)} = \frac{158}{9} + \frac{832}{3}\zeta_3$	$\mathbf{g}_{20}^{(4)} = \frac{291}{4}$
$\mathbf{g}_{21}^{(4)} = -\frac{77}{486}$	$\mathbf{g}_{22}^{(4)} = -\frac{47}{486}$	$\mathbf{g}_{23}^{(4)} = \frac{91}{1944}$	$\mathbf{g}_{24}^{(4)} = \frac{323}{1944}$
$\mathbf{g}_{25}^{(4)} = -\frac{769}{486} - \frac{88}{9}\zeta_3$	$\mathbf{g}_{26}^{(4)} = -\frac{15025}{1944} - \frac{20}{3}\zeta_3$	$\mathbf{g}_{27}^{(4)} = \frac{29}{486}$	$\mathbf{g}_{28}^{(4)} = -\frac{539}{486} - \frac{44}{9}\zeta_3$
$\mathbf{g}_{29}^{(4)} = \frac{9271}{486} - \frac{448}{9}\zeta_3$	$\mathbf{g}_{30}^{(4)} = \frac{60659}{486} - \frac{88}{3}\zeta_3$	$\mathbf{g}_{31}^{(4)} = -\frac{12025}{972} - \frac{40}{3}\zeta_3$	$\mathbf{g}_{32}^{(4)} = -\frac{49}{486}$
$\mathbf{g}_{33}^{(4)} = -\frac{463}{27} - \frac{1676}{9}\zeta_3$	$\mathbf{g}_{34}^{(4)} = \frac{5633}{108} + \frac{424}{9}\zeta_3$	$\mathbf{g}_{35}^{(4)} = \frac{707}{27} - \frac{1292}{9}\zeta_3$	$\mathbf{g}_{36}^{(4)} = \frac{4801}{54} - \frac{176}{9}\zeta_3$
$\mathbf{g}_{37}^{(4)} = \frac{4}{9}\zeta_3 - \frac{85}{27}$	$\mathbf{g}_{38}^{(4)} = \frac{16}{9}\zeta_3 - \frac{208}{27}$	$\mathbf{g}_{39}^{(4)} = \frac{2}{9}\zeta_3 - \frac{121}{54}$	$\mathbf{g}_{40}^{(4)} = \frac{8}{9}\zeta_3 - \frac{641}{108}$
$\mathbf{g}_{41}^{(4)} = \frac{28}{9}\zeta_3 - \frac{221}{54}$	$\mathbf{g}_{42}^{(4)} = \frac{28}{9}\zeta_3 - \frac{1081}{108}$	$\mathbf{g}_{43}^{(4)} = \frac{211}{108} - \frac{22}{9}\zeta_3$	$\mathbf{g}_{44}^{(4)} = \frac{53}{216} - \frac{4}{9}\zeta_3$
$\mathbf{g}_{45}^{(4)} = \frac{440}{9}\zeta_3 - \frac{151013}{243}$	$\mathbf{g}_{46}^{(4)} = \frac{37223}{162} + \frac{836}{9}\zeta_3$	$\mathbf{g}_{47}^{(4)} = \frac{20873}{432} - \frac{136}{9}\zeta_3$	$\mathbf{g}_{48}^{(4)} = -\frac{53}{972}$
$\mathbf{g}_{49}^{(4)} = -\frac{4229}{324} - \frac{4}{3}\zeta_3$	$\mathbf{g}_{50}^{(4)} = -\frac{59}{1944}$	$\mathbf{g}_{51}^{(4)} = \frac{251}{1296} - \frac{10}{9}\zeta_3$	$\mathbf{g}_{52}^{(4)} = -\frac{661}{108} - \frac{26}{9}\zeta_3$
$\mathbf{g}_{53}^{(4)} = -\frac{7}{216}$	$\mathbf{g}_{54}^{(4)} = -\frac{4}{81}$	$\mathbf{g}_{55}^{(4)} = -\frac{27}{2}$	$\mathbf{g}_{56}^{(4)} = 17$
$\mathbf{g}_{57}^{(4)} = \frac{3}{2}$	$\mathbf{g}_{58}^{(4)} = -\frac{37}{36}$	$\mathbf{g}_{59}^{(4)} = -\frac{5}{36}$	$\mathbf{g}_{60}^{(4)} = \frac{1}{2}$
$\mathbf{g}_{61}^{(4)} = \frac{1}{18}$	$\mathbf{g}_{62}^{(4)} = -\frac{5}{3}$	$\mathbf{g}_{63}^{(4)} = -\frac{1}{12}$	$\mathbf{g}_{64}^{(4)} = -\frac{11}{24}$
$\mathbf{g}_{65}^{(4)} = -\frac{13}{8}$	$\mathbf{g}_{66}^{(4)} = -\frac{1}{9}$	$\mathbf{g}_{67}^{(4)} = -\frac{1}{12}$	$\mathbf{g}_{68}^{(4)} = \frac{1}{8}$
$\mathbf{g}_{69}^{(4)} = -36$	$\mathbf{g}_{70}^{(4)} = \frac{17}{4}$	$\mathbf{g}_{71}^{(4)} = \frac{3}{2}$	$\mathbf{g}_{72}^{(4)} = 2$
$\mathbf{g}_{73}^{(4)} = \frac{3}{4}$	$\mathbf{g}_{74}^{(4)} = 25\zeta_3 - \frac{59}{24}$	$\mathbf{g}_{75}^{(4)} = -\frac{33}{2} - 6\zeta_3$	$\mathbf{g}_{76}^{(4)} = \frac{49}{4} + 6\zeta_3$
$\mathbf{g}_{77}^{(4)} = 15\zeta_3 - 28$	$\mathbf{g}_{78}^{(4)} = \frac{593}{24} + 5\zeta_3$	$\mathbf{g}_{79}^{(4)} = 1 - 6\zeta_3$	$\mathbf{g}_{80}^{(4)} = -36\zeta_3$
$\mathbf{g}_{81}^{(4)} = 10\zeta_3 - \frac{55}{3}$	$\mathbf{g}_{82}^{(4)} = 29 - 36\zeta_3$	$\mathbf{g}_{83}^{(4)} = -\frac{27}{2}$	$\mathbf{g}_{84}^{(4)} = -\frac{3445}{216} - \frac{7}{9}\zeta_3$
$\mathbf{g}_{85}^{(4)} = \frac{71}{216} + \frac{8}{9}\zeta_3$	$\mathbf{g}_{86}^{(4)} = \frac{359}{432} + \frac{4}{9}\zeta_3$	$\mathbf{g}_{87}^{(4)} = \frac{169}{9}\zeta_3 - \frac{5093}{216}$	$\mathbf{g}_{88}^{(4)} = 3\zeta_3 - \frac{1259}{36}$
$\mathbf{g}_{89}^{(4)} = \frac{68}{9} - \frac{22}{3}\zeta_3$	$\mathbf{g}_{90}^{(4)} = \frac{463}{216} - \frac{8}{9}\zeta_3$	$\mathbf{g}_{91}^{(4)} = \frac{97}{36}$	$\mathbf{g}_{92}^{(4)} = \frac{2}{3}\zeta_3 - \frac{4}{9}$
$\mathbf{g}_{93}^{(4)} = \frac{679}{432} - \frac{4}{9}\zeta_3$	$\mathbf{g}_{94}^{(4)} = \frac{43}{18}$	$\mathbf{g}_{95}^{(4)} = \frac{1}{3}\zeta_3 - \frac{1}{18}$	$\mathbf{g}_{96}^{(4)} = -\frac{37}{2}$
$\mathbf{g}_{97}^{(4)} = \frac{15}{2}$	$\mathbf{g}_{98}^{(4)} = 2\zeta_3 - \frac{11}{3}$	$\mathbf{g}_{99}^{(4)} = -41$	$\mathbf{g}_{100}^{(4)} = \frac{55}{9}\zeta_3 - \frac{520}{27}$
$\mathbf{g}_{101}^{(4)} = \frac{77}{108} - \frac{5}{9}\zeta_3$	$\mathbf{g}_{102}^{(4)} = \frac{203}{216} - \frac{5}{18}\zeta_3$	$\mathbf{g}_{103}^{(4)} = -\frac{19}{2}$	$\mathbf{g}_{104}^{(4)} = -\frac{823}{18}$
$\mathbf{g}_{105}^{(4)} = \frac{109}{36}$	$\mathbf{g}_{106}^{(4)} = \frac{43}{72}$	$\mathbf{g}_{107}^{(4)} = \frac{4721}{216} + \frac{11}{9}\zeta_3$	$\mathbf{g}_{108}^{(4)} = -\frac{61}{216} - \frac{1}{9}\zeta_3$
$\mathbf{g}_{109}^{(4)} = -\frac{223}{432} - \frac{1}{18}\zeta_3$	$\mathbf{g}_{110}^{(4)} = -4$	$\mathbf{g}_{111}^{(4)} = -\frac{13}{6}$	$\mathbf{g}_{112}^{(4)} = \frac{1}{4}$
$\mathbf{g}_{113}^{(4)} = -\frac{1}{144}$	$\mathbf{g}_{114}^{(4)} = \frac{11}{48}$	$\mathbf{g}_{115}^{(4)} = \frac{20}{3}$	$\mathbf{g}_{116}^{(4)} = 6 - 12\zeta_3$
$\mathbf{g}_{117}^{(4)} = \frac{7}{3} - 24\zeta_3$	$\mathbf{g}_{118}^{(4)} = \frac{38}{3}$	$\mathbf{g}_{119}^{(4)} = \frac{2}{3}$	$\mathbf{g}_{120}^{(4)} = -1$

$$\begin{array}{llll}
 \mathbf{g}_{121}^{(4)} = -\frac{11}{3} & \mathbf{g}_{122}^{(4)} = -\frac{1}{2} & \mathbf{g}_{123}^{(4)} = -\frac{19}{6} & \mathbf{g}_{124}^{(4)} = -\frac{31}{12} - 6\zeta_3 \\
 \mathbf{g}_{125}^{(4)} = \frac{61}{9} - \frac{52}{3}\zeta_3 & \mathbf{g}_{126}^{(4)} = 24\zeta_3 - \frac{9}{2} & \mathbf{g}_{127}^{(4)} = 2 + 36\zeta_3 & \mathbf{g}_{128}^{(4)} = \frac{131}{12} - 14\zeta_3 \\
 \mathbf{g}_{129}^{(4)} = -\frac{539}{36} - \frac{16}{3}\zeta_3 & \mathbf{g}_{130}^{(4)} = \frac{89}{9} - \frac{38}{3}\zeta_3 & \mathbf{g}_{131}^{(4)} = \frac{87}{8} - 6\zeta_3 & \mathbf{g}_{132}^{(4)} = \frac{43}{12} + 6\zeta_3 \\
 \mathbf{g}_{133}^{(4)} = \zeta_3 - \frac{1}{2} & \mathbf{g}_{134}^{(4)} = -\frac{301}{72} - \frac{1}{3}\zeta_3 & \mathbf{g}_{135}^{(4)} = \frac{1}{3}\zeta_3 - \frac{113}{72} & \mathbf{g}_{136}^{(4)} = \frac{80}{9} - \frac{5}{3}\zeta_3 \\
 \mathbf{g}_{137}^{(4)} = \frac{11}{6} & \mathbf{g}_{138}^{(4)} = \frac{3}{2} + \zeta_3 & \mathbf{g}_{139}^{(4)} = \frac{1}{6} + \zeta_3 & \mathbf{g}_{140}^{(4)} = 3\zeta_3 - \frac{9}{4} \\
 \mathbf{g}_{141}^{(4)} = \frac{31}{12} & \mathbf{g}_{142}^{(4)} = \frac{7}{6} & \mathbf{g}_{143}^{(4)} = \frac{23}{3} - 3\zeta_3 & \mathbf{g}_{144}^{(4)} = \frac{113}{144} + \frac{4}{3}\zeta_3 \\
 \mathbf{g}_{145}^{(4)} = -\frac{131}{144} - \frac{4}{3}\zeta_3 & \mathbf{g}_{146}^{(4)} = \frac{14}{3}\zeta_3 - \frac{779}{144} & \mathbf{g}_{147}^{(4)} = \frac{229}{72} - \frac{5}{3}\zeta_3 & \mathbf{g}_{148}^{(4)} = \frac{145}{48} - 3\zeta_3 \\
 \mathbf{g}_{149}^{(4)} = \frac{203}{72} + \frac{1}{6}\zeta_3 & \mathbf{g}_{150}^{(4)} = \frac{59}{6} & \mathbf{g}_{151}^{(4)} = \frac{4}{3}\zeta_3 - \frac{115}{9} & \mathbf{g}_{152}^{(4)} = \frac{97}{6} \\
 \mathbf{g}_{153}^{(4)} = \frac{25}{4} & \mathbf{g}_{154}^{(4)} = \frac{10}{9} - \frac{1}{3}\zeta_3 & \mathbf{g}_{155}^{(4)} = \frac{3}{4} & \mathbf{g}_{156}^{(4)} = \frac{17}{12} \\
 \mathbf{g}_{157}^{(4)} = \frac{1}{3}\zeta_3 - \frac{373}{144} & \mathbf{g}_{158}^{(4)} = 0 & \mathbf{g}_{159}^{(4)} = \frac{1}{6} & \mathbf{g}_{160}^{(4)} = -\frac{5}{2} \\
 \mathbf{g}_{161}^{(4)} = -\frac{5}{3} & \mathbf{g}_{162}^{(4)} = -\frac{3}{2} & \mathbf{g}_{163}^{(4)} = \frac{17}{6} - 3\zeta_3 & \mathbf{g}_{164}^{(4)} = -6 \\
 \mathbf{g}_{165}^{(4)} = -1 & \mathbf{g}_{166}^{(4)} = -1 & \mathbf{g}_{167}^{(4)} = -\frac{1}{2} & \mathbf{g}_{168}^{(4)} = -\frac{1}{2} \\
 \mathbf{g}_{169}^{(4)} = -\frac{3}{2} & \mathbf{g}_{170}^{(4)} = \frac{34}{9} - \frac{4}{3}\zeta_3 & \mathbf{g}_{171}^{(4)} = -\frac{2}{9} - \frac{4}{3}\zeta_3 & \mathbf{g}_{172}^{(4)} = \frac{4}{3}\zeta_3 - \frac{31}{9} \\
 \mathbf{g}_{173}^{(4)} = \frac{4}{3}\zeta_3 - \frac{17}{18} & \mathbf{g}_{174}^{(4)} = -\frac{15}{8} & \mathbf{g}_{175}^{(4)} = \frac{11}{18} + \frac{2}{3}\zeta_3 & \mathbf{g}_{176}^{(4)} = -\frac{3}{2} \\
 \mathbf{g}_{177}^{(4)} = -\frac{113}{72} - \frac{1}{6}\zeta_3 & \mathbf{g}_{178}^{(4)} = -\frac{55}{72} - \frac{1}{3}\zeta_3 & \mathbf{g}_{179}^{(4)} = \frac{115}{72} - \frac{1}{6}\zeta_3 & \mathbf{g}_{180}^{(4)} = \frac{9}{8} \\
 \mathbf{g}_{181}^{(4)} = \frac{11}{18} - \frac{1}{3}\zeta_3 & \mathbf{g}_{182}^{(4)} = \frac{43}{36} - \frac{1}{3}\zeta_3 & \mathbf{g}_{183}^{(4)} = \frac{2}{3}\zeta_3 - \frac{115}{72} & \mathbf{g}_{184}^{(4)} = -\frac{41}{16} \\
 \mathbf{g}_{185}^{(4)} = -\frac{3}{8} & \mathbf{g}_{186}^{(4)} = -\frac{1}{4} & \mathbf{g}_{187}^{(4)} = \frac{19}{96} & \mathbf{g}_{188}^{(4)} = -\frac{9}{32} \\
 \mathbf{g}_{189}^{(4)} = \frac{1}{12} & \mathbf{g}_{190}^{(4)} = -\frac{1}{2} & \mathbf{g}_{191}^{(4)} = \frac{3}{16} & \mathbf{g}_{192}^{(4)} = -\frac{17}{96} \\
 \mathbf{g}_{193}^{(4)} = -\frac{25}{32} & \mathbf{g}_{194}^{(4)} = -\frac{3}{16} & \mathbf{g}_{195}^{(4)} = -\frac{1}{4} & \mathbf{g}_{196}^{(4)} = \frac{3}{16} \\
 \mathbf{g}_{197}^{(4)} = \frac{1}{16} & \mathbf{g}_{198}^{(4)} = \frac{1}{16} & \mathbf{g}_{199}^{(4)} = -4 & \mathbf{g}_{200}^{(4)} = -2 \\
 \mathbf{g}_{201}^{(4)} = \frac{4}{3} - 4\zeta_3 & \mathbf{g}_{202}^{(4)} = \frac{8}{3} - 8\zeta_3. & &
 \end{array}$$

Here $\zeta_3 = 1.20206\dots$ is Riemann's zeta function evaluated at 3.

C Yukawa β -function

The γ_5 -even TSs of the 3-loop Yukawa β -function are

$$\begin{aligned}
 \beta_a^{(3)} = & \mathbf{y}_1^{(3)} \tilde{T}^A \tilde{T}^B y_a T^C T^B T^A T^C & + \mathbf{y}_2^{(3)} [S_2(S, C_S)]_{AB} y_b [T_\Phi^B T_\Phi^A]_{ab} \\
 & + \mathbf{y}_3^{(3)} y_a T^A T^B [S_2(S, C_S)]_{BA} & + \mathbf{y}_4^{(3)} [S_2(F, C_F)]_{AB} y_b [T_\Phi^A T_\Phi^B]_{ab}
 \end{aligned}$$

$$\begin{aligned}
 & +\mathbf{y}_5^{(3)} y_a T^A T^B [S_2(F, C_F)]_{AB} \\
 & +\mathbf{y}_7^{(3)} \tilde{C}_2(F) y_b [C_2(S) C_2(S)]_{ba} \\
 & +\mathbf{y}_9^{(3)} [C_2(S)]_{ba} \tilde{C}_2(F) \tilde{C}_2(F) y_b \\
 & +\mathbf{y}_{11}^{(3)} \tilde{C}_2(F) \tilde{C}_2(F) \tilde{C}_2(F) y_a \\
 & +\mathbf{y}_{13}^{(3)} [C_2(S)]_{ba} [C_2(S, S)]_{cb} y_c \\
 & +\mathbf{y}_{15}^{(3)} [C_2(S)]_{ba} \tilde{C}_2(F, G) y_b \\
 & +\mathbf{y}_{17}^{(3)} [C_2(S, G)]_{ba} \tilde{C}_2(F) y_b \\
 & +\mathbf{y}_{19}^{(3)} [C_2(S)]_{ba} \tilde{C}_2(F, F) y_b \\
 & +\mathbf{y}_{21}^{(3)} \tilde{C}_2(F) y_a C_2(F, S) \\
 & +\mathbf{y}_{23}^{(3)} \tilde{C}_2(F) \tilde{C}_2(F, S) y_a \\
 & +\mathbf{y}_{25}^{(3)} \tilde{C}_2(F) y_a C_2(F, F) \\
 & +\mathbf{y}_{27}^{(3)} [S_2(S)]_{AB} [S_2(S)]_{CB} y_b [T_\Phi^A T_\Phi^C]_{ab} \\
 & +\mathbf{y}_{29}^{(3)} [C_2(G)]_{AB} [C_2(G)]_{AC} y_b [T_\Phi^B T_\Phi^C]_{ab} \\
 & +\mathbf{y}_{31}^{(3)} [C_2(G)]_{AB} [S_2(F)]_{AC} y_b [T_\Phi^B T_\Phi^C]_{ab} \\
 & +\mathbf{y}_{33}^{(3)} [C_2(G)]_{AB} y_a T^C T^B [S_2(S)]_{AC} \\
 & +\mathbf{y}_{35}^{(3)} [S_2(F)]_{AB} [S_2(F)]_{AC} y_b [T_\Phi^B T_\Phi^C]_{ab} \\
 & +\mathbf{y}_{37}^{(3)} [C_2(G)]_{AB} y_a T^C T^B [S_2(F)]_{AC} \\
 & +\mathbf{y}_{39}^{(3)} \tilde{T}^A \tilde{T}^B y_b \lambda_{cdba} [T_\Phi^B T_\Phi^A]_{cd} \\
 & +\mathbf{y}_{41}^{(3)} y_b [\Lambda_2 C_2(S)]_{cb} \\
 & +\mathbf{y}_{43}^{(3)} \lambda_{bcde} \lambda_{cfe g} \lambda_{dfga} y_b \\
 & +\mathbf{y}_{45}^{(3)} \tilde{T}^A \tilde{T}^B y_b \text{Tr} [y_b T^B T^A \tilde{y}_a] \\
 & +\mathbf{y}_{47}^{(3)} [S_2(F, Y_F)]_{AB} y_b [T_\Phi^A T_\Phi^B]_{ab} \\
 & +\mathbf{y}_{49}^{(3)} [S_2(S, Y_S)]_{AB} y_b [T_\Phi^A T_\Phi^B]_{ab} \\
 & +\mathbf{y}_{51}^{(3)} [C_2(S)]_{bc} \tilde{T}^A y_a \tilde{y}_b \tilde{T}^A y_c \\
 & +\mathbf{y}_{53}^{(3)} \tilde{T}^A y_a C_2(F) \tilde{y}_b \tilde{T}^A y_b \\
 & +\mathbf{y}_{55}^{(3)} \tilde{C}_2(F) y_b T^A \tilde{y}_b y_a T^A \\
 & +\mathbf{y}_{57}^{(3)} \tilde{C}_2(F) \tilde{T}^A y_a \tilde{y}_b \tilde{T}^A y_b \\
 & +\mathbf{y}_{59}^{(3)} [C_2(S)]_{bc} \tilde{T}^A y_a T^A \tilde{y}_c y_b \\
 & +\mathbf{y}_{61}^{(3)} \tilde{C}_2(F) \tilde{T}^A y_a T^A \tilde{Y}_2(F) \\
 & +\mathbf{y}_{63}^{(3)} y_b \tilde{y}_a y_c [C_2(S) C_2(S)]_{cb} \\
 & +\mathbf{y}_{65}^{(3)} [C_2(S)]_{ba} [C_2(S)]_{cd} y_d \tilde{y}_b y_c \\
 & +\mathbf{y}_6^{(3)} [C_2(S)]_{ab} y_c [C_2(S) C_2(S)]_{bc} \\
 & +\mathbf{y}_8^{(3)} [C_2(S)]_{ba} \tilde{C}_2(F) y_b C_2(F) \\
 & +\mathbf{y}_{10}^{(3)} \tilde{C}_2(F) y_a C_2(F) C_2(F) \\
 & +\mathbf{y}_{12}^{(3)} y_b [C_2(S, G) C_2(S)]_{ba} \\
 & +\mathbf{y}_{14}^{(3)} [C_2(S)]_{ba} [C_2(S, F)]_{cb} y_c \\
 & +\mathbf{y}_{16}^{(3)} [C_2(S)]_{ba} \tilde{C}_2(F, S) y_b \\
 & +\mathbf{y}_{18}^{(3)} [C_2(S, S)]_{ba} \tilde{C}_2(F) y_b \\
 & +\mathbf{y}_{20}^{(3)} \tilde{C}_2(F) y_a C_2(F, G) \\
 & +\mathbf{y}_{22}^{(3)} \tilde{C}_2(F) \tilde{C}_2(F, G) y_a \\
 & +\mathbf{y}_{24}^{(3)} [C_2(S, F)]_{ba} \tilde{C}_2(F) y_b \\
 & +\mathbf{y}_{26}^{(3)} \tilde{C}_2(F) \tilde{C}_2(F, F) y_a \\
 & +\mathbf{y}_{28}^{(3)} [C_2(G)]_{AB} [S_2(S)]_{AC} y_b [T_\Phi^B T_\Phi^C]_{ab} \\
 & +\mathbf{y}_{30}^{(3)} [S_2(F)]_{AB} [S_2(S)]_{BC} y_b [T_\Phi^A T_\Phi^C]_{ab} \\
 & +\mathbf{y}_{32}^{(3)} y_a T^A T^B [S_2(S)]_{AC} [S_2(S)]_{BC} \\
 & +\mathbf{y}_{34}^{(3)} [C_2(G)]_{AB} [C_2(G)]_{AC} y_a T^B T^C \\
 & +\mathbf{y}_{36}^{(3)} y_a T^A T^B [S_2(F)]_{BC} [S_2(S)]_{AC} \\
 & +\mathbf{y}_{38}^{(3)} y_a T^A T^B [S_2(F)]_{AC} [S_2(F)]_{BC} \\
 & +\mathbf{y}_{40}^{(3)} \lambda_{bcda} y_e [T_\Phi^A T_\Phi^B]_{bc} [T_\Phi^A T_\Phi^B]_{de} \\
 & +\mathbf{y}_{42}^{(3)} [C_2(S)]_{bc} \lambda_{bdea} \lambda_{cfde} y_f \\
 & +\mathbf{y}_{44}^{(3)} \tilde{T}^A y_b T^B T^A \tilde{y}_a \tilde{T}^B y_b \\
 & +\mathbf{y}_{46}^{(3)} \tilde{T}^A \tilde{T}^B y_a \tilde{y}_b \tilde{T}^B \tilde{T}^A y_b \\
 & +\mathbf{y}_{48}^{(3)} y_a T^A T^B [S_2(F, Y_F)]_{AB} \\
 & +\mathbf{y}_{50}^{(3)} y_a T^A T^B [S_2(S, Y_S)]_{AB} \\
 & +\mathbf{y}_{52}^{(3)} [C_2(S)]_{ba} \tilde{T}^A y_b \tilde{y}_c \tilde{T}^A y_c \\
 & +\mathbf{y}_{54}^{(3)} \tilde{T}^A y_a \tilde{y}_b \tilde{T}^A \tilde{C}_2(F) y_b \\
 & +\mathbf{y}_{56}^{(3)} \tilde{C}_2(F) y_a T^A \tilde{y}_b \tilde{T}^A y_b \\
 & +\mathbf{y}_{58}^{(3)} [C_2(S)]_{ba} Y_2(F) \tilde{T}^A y_b T^A \\
 & +\mathbf{y}_{60}^{(3)} \tilde{T}^A y_a T^A \tilde{y}_b \tilde{C}_2(F) y_b \\
 & +\mathbf{y}_{62}^{(3)} (-1) \tilde{C}_2(F) \tilde{T}^A y_b [T_\Phi^A Y_2(S)]_{ba} \\
 & +\mathbf{y}_{64}^{(3)} y_b \tilde{y}_c y_b [C_2(S) C_2(S)]_{ca} \\
 & +\mathbf{y}_{66}^{(3)} [C_2(S)]_{bc} y_c C_2(F) \tilde{y}_a y_b
 \end{aligned}$$

$$\begin{aligned}
& +\mathbf{y}_{67}^{(3)} [C_2(S)]_{ba} y_c C_2(F) \tilde{y}_b y_c \\
& +\mathbf{y}_{69}^{(3)} [C_2(S)]_{ba} \tilde{C}_2(F) y_c \tilde{y}_b y_c \\
& +\mathbf{y}_{71}^{(3)} y_b C_2(F) C_2(F) \tilde{y}_a y_b \\
& +\mathbf{y}_{73}^{(3)} \tilde{C}_2(F) y_b C_2(F) \tilde{y}_a y_b \\
& +\mathbf{y}_{75}^{(3)} \tilde{C}_2(F) y_b \tilde{y}_a \tilde{C}_2(F) y_b \\
& +\mathbf{y}_{77}^{(3)} \text{Tr}[\tilde{y}_b \tilde{C}_2(F) y_a C_2(F)] y_b \\
& +\mathbf{y}_{79}^{(3)} y_a \tilde{y}_b y_c [C_2(S) C_2(S)]_{bc} \\
& +\mathbf{y}_{81}^{(3)} [C_2(S)]_{ba} \tilde{C}_2(F) Y_2(F) y_b \\
& +\mathbf{y}_{83}^{(3)} y_a \tilde{y}_b \tilde{C}_2(F) \tilde{C}_2(F) y_b \\
& +\mathbf{y}_{85}^{(3)} \tilde{C}_2(F) y_b C_2(F) \tilde{y}_b y_a \\
& +\mathbf{y}_{87}^{(3)} y_b [C_2(S) Y_2(S) C_2(S)]_{bc} \\
& +\mathbf{y}_{89}^{(3)} [C_2(G)]_{AB} \tilde{T}^B y_a \tilde{y}_b \tilde{T}^A y_b \\
& +\mathbf{y}_{91}^{(3)} \tilde{T}^A y_a \tilde{y}_b \tilde{T}^B y_b [S_2(F)]_{BA} \\
& +\mathbf{y}_{93}^{(3)} Y_2(F) \tilde{T}^A y_a T^B [S_2(S)]_{AB} \\
& +\mathbf{y}_{95}^{(3)} [C_2(S, G)]_{bc} y_c \tilde{y}_a y_b \\
& +\mathbf{y}_{97}^{(3)} [C_2(S, G)]_{ba} y_c \tilde{y}_b y_c \\
& +\mathbf{y}_{99}^{(3)} y_b C_2(F, G) \tilde{y}_a y_b \\
& +\mathbf{y}_{101}^{(3)} y_b C_2(F, S) \tilde{y}_a y_b \\
& +\mathbf{y}_{103}^{(3)} \tilde{C}_2(F, G) y_b \tilde{y}_a y_b \\
& +\mathbf{y}_{105}^{(3)} y_b C_2(F, F) \tilde{y}_a y_b \\
& +\mathbf{y}_{107}^{(3)} \text{Tr}[y_b C_2(F, G) \tilde{y}_a] y_b \\
& +\mathbf{y}_{109}^{(3)} \text{Tr}[y_b C_2(F, F) \tilde{y}_a] y_b \\
& +\mathbf{y}_{111}^{(3)} [C_2(S, S)]_{bc} y_a \tilde{y}_b y_c \\
& +\mathbf{y}_{113}^{(3)} y_a \tilde{y}_b \tilde{C}_2(F, S) y_b \\
& +\mathbf{y}_{115}^{(3)} y_a \tilde{Y}_2(F) C_2(F, G) \\
& +\mathbf{y}_{117}^{(3)} y_a \tilde{y}_b \tilde{C}_2(F, F) y_b \\
& +\mathbf{y}_{119}^{(3)} y_b [C_2(S, G) Y_2(S)]_{ba} \\
& +\mathbf{y}_{121}^{(3)} [C_2(S, F)]_{bc} [Y_2(S)]_{ca} y_b \\
& +\mathbf{y}_{123}^{(3)} [C_2(S)]_{bc} y_a \tilde{y}_b y_c \lambda_{cdea} \\
& +\mathbf{y}_{125}^{(3)} [C_2(S)]_{ab} y_c \tilde{y}_d y_e \lambda_{bdce} \\
& +\mathbf{y}_{127}^{(3)} \tilde{C}_2(F) y_b \tilde{y}_c y_d \lambda_{bdca} \\
& +\mathbf{y}_{68}^{(3)} [C_2(S)]_{bc} \tilde{C}_2(F) y_c \tilde{y}_a y_b \\
& +\mathbf{y}_{70}^{(3)} y_b C_2(F) \tilde{y}_a \tilde{C}_2(F) y_b \\
& +\mathbf{y}_{72}^{(3)} \tilde{C}_2(F) y_b \tilde{y}_a y_b C_2(F) \\
& +\mathbf{y}_{74}^{(3)} \tilde{C}_2(F) \tilde{C}_2(F) y_b \tilde{y}_a y_b \\
& +\mathbf{y}_{76}^{(3)} [C_2(S)]_{ba} \text{Tr}[y_b C_2(F) \tilde{y}_c] y_c \\
& +\mathbf{y}_{78}^{(3)} \text{Tr}[C_2(F) C_2(F) \tilde{y}_b y_a] y_b \\
& +\mathbf{y}_{80}^{(3)} [C_2(S)]_{bc} y_a \tilde{y}_b \tilde{C}_2(F) y_c \\
& +\mathbf{y}_{82}^{(3)} [C_2(S)]_{bc} \tilde{C}_2(F) y_c \tilde{y}_b y_a \\
& +\mathbf{y}_{84}^{(3)} \tilde{C}_2(F) \tilde{C}_2(F) Y_2(F) y_a \\
& +\mathbf{y}_{86}^{(3)} \tilde{C}_2(F) y_a C_2(F) \tilde{Y}_2(F) \\
& +\mathbf{y}_{88}^{(3)} \tilde{C}_2(F) y_b [C_2(S) Y_2(S)]_{ac} \\
& +\mathbf{y}_{90}^{(3)} \tilde{T}^A y_a \tilde{y}_b \tilde{T}^B y_b [S_2(S)]_{BA} \\
& +\mathbf{y}_{92}^{(3)} [C_2(G)]_{AB} Y_2(F) \tilde{T}^A y_a T^B \\
& +\mathbf{y}_{94}^{(3)} Y_2(F) \tilde{T}^A y_a T^B [S_2(F)]_{AB} \\
& +\mathbf{y}_{96}^{(3)} [C_2(S, S)]_{bc} y_c \tilde{y}_a y_b \\
& +\mathbf{y}_{98}^{(3)} [C_2(S, S)]_{ba} y_c \tilde{y}_b y_c \\
& +\mathbf{y}_{100}^{(3)} [C_2(S, F)]_{bc} y_c \tilde{y}_a y_b \\
& +\mathbf{y}_{102}^{(3)} [C_2(S, F)]_{ba} y_c \tilde{y}_b y_c \\
& +\mathbf{y}_{104}^{(3)} \tilde{C}_2(F, S) y_b \tilde{y}_a y_b \\
& +\mathbf{y}_{106}^{(3)} \tilde{C}_2(F, F) y_b \tilde{y}_a y_b \\
& +\mathbf{y}_{108}^{(3)} \text{Tr}[y_b C_2(F, S) \tilde{y}_a] y_b \\
& +\mathbf{y}_{110}^{(3)} [C_2(S, G)]_{bc} y_a \tilde{y}_b y_c \\
& +\mathbf{y}_{112}^{(3)} y_a \tilde{y}_b \tilde{C}_2(F, G) y_b \\
& +\mathbf{y}_{114}^{(3)} [C_2(S, F)]_{bc} y_a \tilde{y}_b y_c \\
& +\mathbf{y}_{116}^{(3)} y_a \tilde{Y}_2(F) C_2(F, S) \\
& +\mathbf{y}_{118}^{(3)} y_a \tilde{Y}_2(F) C_2(F, F) \\
& +\mathbf{y}_{120}^{(3)} [C_2(S, S)]_{bc} [Y_2(S)]_{ca} y_b \\
& +\mathbf{y}_{122}^{(3)} \tilde{T}^A y_b \tilde{y}_c \tilde{T}^A y_d \lambda_{cdba} \\
& +\mathbf{y}_{124}^{(3)} [C_2(S)]_{bc} y_b \tilde{y}_d y_e \lambda_{ceda} \\
& +\mathbf{y}_{126}^{(3)} y_b C_2(F) \tilde{y}_c y_d \lambda_{cbda} \\
& +\mathbf{y}_{128}^{(3)} y_b \tilde{y}_c y_d \lambda_{cefa} \lambda_{ebdf}
\end{aligned}$$

$$\begin{aligned}
 & +\mathbf{y}_{129}^{(3)} y_b \tilde{y}_a y_c [\Lambda_2]_{cb} & +\mathbf{y}_{130}^{(3)} y_a \tilde{y}_b y_c [\Lambda_2]_{bc} \\
 & +\mathbf{y}_{131}^{(3)} y_b \tilde{y}_c y_d \lambda_{cdef} \lambda_{ebfa} & +\mathbf{y}_{132}^{(3)} \lambda_{bcda} \lambda_{cefd} [Y_2(S)]_{bf} y_e \\
 & +\mathbf{y}_{133}^{(3)} \tilde{T}^A y_b \tilde{y}_c \tilde{T}^A y_a \tilde{y}_b y_c & +\mathbf{y}_{134}^{(3)} [C_2(S)]_{bc} y_d \tilde{y}_c y_a \tilde{y}_d y_b \\
 & +\mathbf{y}_{135}^{(3)} [C_2(S)]_{ba} y_c \tilde{y}_d y_b \tilde{y}_c y_d & +\mathbf{y}_{136}^{(3)} y_b C_2(F) \tilde{y}_c y_a \tilde{y}_b y_c \\
 & +\mathbf{y}_{137}^{(3)} y_b \tilde{y}_c \tilde{C}_2(F) y_a \tilde{y}_b y_c & +\mathbf{y}_{138}^{(3)} \tilde{C}_2(F) y_b \tilde{y}_c y_a \tilde{y}_b y_c \\
 & +\mathbf{y}_{139}^{(3)} y_b T^A \tilde{y}_b y_a \tilde{y}_c \tilde{T}^A y_c & +\mathbf{y}_{140}^{(3)} y_b T^A \tilde{y}_a y_c T^A \tilde{y}_c y_b \\
 & +\mathbf{y}_{141}^{(3)} y_b T^A \tilde{y}_b y_c T^A \tilde{y}_a y_c & +\mathbf{y}_{142}^{(3)} y_a \tilde{y}_b \tilde{T}^A y_b \tilde{y}_c \tilde{T}^A y_c \\
 & +\mathbf{y}_{143}^{(3)} \tilde{T}^A y_b \tilde{y}_c \tilde{T}^A y_c \tilde{y}_a y_b & +\mathbf{y}_{144}^{(3)} \tilde{T}^A y_b \tilde{y}_a y_c \tilde{y}_b \tilde{T}^A y_c \\
 & +\mathbf{y}_{145}^{(3)} \tilde{T}^A y_b \tilde{y}_a y_b \tilde{y}_c \tilde{T}^A y_c & +\mathbf{y}_{146}^{(3)} \tilde{T}^A y_b T^A \tilde{y}_b y_c \tilde{y}_a y_c \\
 & +\mathbf{y}_{147}^{(3)} \tilde{T}^A y_b \text{Tr}[y_c T^A \tilde{y}_c y_b \tilde{y}_a] & +\mathbf{y}_{148}^{(3)} \tilde{T}^A y_b \tilde{y}_c \tilde{T}^A y_a \tilde{y}_c y_b \\
 & +\mathbf{y}_{149}^{(3)} \tilde{T}^A y_a \tilde{y}_b y_c T^A \tilde{y}_c y_b & +\mathbf{y}_{150}^{(3)} \tilde{T}^A y_a \tilde{y}_b \tilde{T}^A y_c \tilde{y}_b y_c \\
 & +\mathbf{y}_{151}^{(3)} \tilde{T}^A y_a T^A \tilde{y}_b y_c \tilde{y}_b y_c & +\mathbf{y}_{152}^{(3)} \tilde{T}^A y_a \tilde{y}_b y_c \tilde{y}_b \tilde{T}^A y_c \\
 & +\mathbf{y}_{153}^{(3)} y_a \tilde{y}_b y_c T^A \tilde{y}_c y_b T^A & +\mathbf{y}_{154}^{(3)} (-1) \tilde{T}^A Y_2(F) y_a \tilde{y}_b \tilde{T}^A y_b \\
 & +\mathbf{y}_{155}^{(3)} \tilde{T}^A y_a \tilde{Y}_2(F) \tilde{y}_b \tilde{T}^A y_b & +\mathbf{y}_{156}^{(3)} \tilde{T}^A y_a T^A \tilde{y}_b Y_2(F) y_b \\
 & +\mathbf{y}_{157}^{(3)} \tilde{T}^A y_a \tilde{y}_b \tilde{T}^A Y_2(F) y_b & +\mathbf{y}_{158}^{(3)} (-1) \tilde{T}^A Y_2(F) y_b T^A \tilde{y}_a y_b \\
 & +\mathbf{y}_{159}^{(3)} y_a \tilde{Y}_2(F) \tilde{y}_b \tilde{T}^A y_b T^A & +\mathbf{y}_{160}^{(3)} (-1) y_a \tilde{y}_b \tilde{T}^A y_b \tilde{Y}_2(F) T^A \\
 & +\mathbf{y}_{161}^{(3)} Y_2(F) \tilde{T}^A y_b \tilde{y}_a y_b T^A & +\mathbf{y}_{162}^{(3)} y_b T^A \tilde{y}_b y_c [T_\Phi^A Y_2(S)]_{ca} \\
 & +\mathbf{y}_{163}^{(3)} \tilde{T}^A y_a T^A \tilde{y}_b y_c [Y_2(S)]_{cb} & +\mathbf{y}_{164}^{(3)} \tilde{T}^A y_a \tilde{y}_b \tilde{T}^A y_c [Y_2(S)]_{bc} \\
 & +\mathbf{y}_{165}^{(3)} Y_2(F) \tilde{T}^A Y_2(F) y_a T^A & +\mathbf{y}_{166}^{(3)} Y_2(F) \tilde{T}^A y_a T^A \tilde{Y}_2(F) \\
 & +\mathbf{y}_{167}^{(3)} (-1) \tilde{T}^A Y_2(F) y_b [T_\Phi^A Y_2(S)]_{ba} & +\mathbf{y}_{168}^{(3)} [C_2(S)]_{bc} y_d \tilde{y}_b y_a \tilde{y}_c y_d \\
 & +\mathbf{y}_{169}^{(3)} [C_2(S)]_{bc} y_d \tilde{y}_b y_d \tilde{y}_a y_c & +\mathbf{y}_{170}^{(3)} [C_2(S)]_{bc} y_d \tilde{y}_a y_b \tilde{y}_d y_c \\
 & +\mathbf{y}_{171}^{(3)} [C_2(S)]_{bc} y_c \tilde{y}_d y_a \tilde{y}_d y_b & +\mathbf{y}_{172}^{(3)} [C_2(S)]_{bc} y_a \tilde{y}_b y_d \tilde{y}_c y_d \\
 & +\mathbf{y}_{173}^{(3)} [C_2(S)]_{bc} y_a \tilde{y}_d y_b \tilde{y}_d y_c & +\mathbf{y}_{174}^{(3)} [C_2(S)]_{ba} y_c \tilde{y}_b y_d \tilde{y}_c y_d \\
 & +\mathbf{y}_{175}^{(3)} [C_2(S)]_{ba} y_c \tilde{y}_d y_b \tilde{y}_d y_c & +\mathbf{y}_{176}^{(3)} [C_2(S)]_{bc} \text{Tr}[\tilde{y}_b y_d \tilde{y}_c y_a] y_d \\
 & +\mathbf{y}_{177}^{(3)} [C_2(S)]_{ba} \text{Tr}[\tilde{y}_b y_c \tilde{y}_d y_c] y_d & +\mathbf{y}_{178}^{(3)} y_b \tilde{y}_c \tilde{C}_2(F) y_b \tilde{y}_a y_c \\
 & +\mathbf{y}_{179}^{(3)} y_b C_2(F) \tilde{y}_c y_b \tilde{y}_a y_c & +\mathbf{y}_{180}^{(3)} y_b C_2(F) \tilde{y}_c y_a \tilde{y}_c y_b \\
 & +\mathbf{y}_{181}^{(3)} y_b \tilde{y}_a \tilde{C}_2(F) y_c \tilde{y}_b y_c & +\mathbf{y}_{182}^{(3)} y_b \tilde{y}_c y_a C_2(F) \tilde{y}_c y_b \\
 & +\mathbf{y}_{183}^{(3)} y_b C_2(F) \tilde{y}_a y_c \tilde{y}_b y_c & +\mathbf{y}_{184}^{(3)} y_a \tilde{y}_b y_c \tilde{y}_b \tilde{C}_2(F) y_c \\
 & +\mathbf{y}_{185}^{(3)} y_a \tilde{y}_b y_c C_2(F) \tilde{y}_b y_c & +\mathbf{y}_{186}^{(3)} y_a \tilde{y}_b \tilde{C}_2(F) y_c \tilde{y}_b y_c \\
 & +\mathbf{y}_{187}^{(3)} \text{Tr}[y_b C_2(F) \tilde{y}_c y_a \tilde{y}_c] y_b & +\mathbf{y}_{188}^{(3)} \text{Tr}[y_a C_2(F) \tilde{y}_b y_c \tilde{y}_b] y_c \\
 & +\mathbf{y}_{189}^{(3)} \tilde{C}_2(F) y_b \tilde{y}_a y_c \tilde{y}_b y_c & +\mathbf{y}_{190}^{(3)} \tilde{C}_2(F) y_b \tilde{y}_c y_b \tilde{y}_a y_c
 \end{aligned}$$

$$\begin{aligned}
& +\mathbf{y}_{191}^{(3)} \tilde{C}_2(F) y_b \tilde{y}_c y_a \tilde{y}_c y_b \\
& +\mathbf{y}_{193}^{(3)} y_b \tilde{y}_a y_c \text{Tr}[y_b C_2(F) \tilde{y}_c] \\
& +\mathbf{y}_{195}^{(3)} [C_2(S)]_{bc} y_c \tilde{y}_a Y_2(F) y_b \\
& +\mathbf{y}_{197}^{(3)} [C_2(S)]_{ba} y_c \tilde{y}_b Y_2(F) y_c \\
& +\mathbf{y}_{199}^{(3)} [C_2(S)]_{bc} y_d \tilde{y}_b y_c \tilde{y}_a y_d \\
& +\mathbf{y}_{201}^{(3)} [C_2(S)]_{bc} \text{Tr}[\tilde{y}_c y_d \tilde{y}_a y_b] y_d \\
& +\mathbf{y}_{203}^{(3)} y_b C_2(F) \tilde{y}_a Y_2(F) y_b \\
& +\mathbf{y}_{205}^{(3)} \text{Tr}[\tilde{Y}_2(F) C_2(F) \tilde{y}_a y_b] y_b \\
& +\mathbf{y}_{207}^{(3)} y_b \tilde{y}_a y_c C_2(F) \tilde{y}_c y_b \\
& +\mathbf{y}_{209}^{(3)} \text{Tr}[y_b C_2(F) \tilde{y}_b y_c \tilde{y}_a] y_c \\
& +\mathbf{y}_{211}^{(3)} \tilde{C}_2(F) y_b \tilde{y}_a Y_2(F) y_b \\
& +\mathbf{y}_{213}^{(3)} \tilde{C}_2(F) y_b \tilde{Y}_2(F) \tilde{y}_b y_a \\
& +\mathbf{y}_{215}^{(3)} y_a \tilde{y}_b y_c [C_2(S) Y_2(S)]_{bd} \\
& +\mathbf{y}_{217}^{(3)} y_b \tilde{y}_c y_b [C_2(S) Y_2(S)]_{ad} \\
& +\mathbf{y}_{219}^{(3)} y_a \tilde{y}_b \tilde{C}_2(F) y_c [Y_2(S)]_{bc} \\
& +\mathbf{y}_{221}^{(3)} \tilde{C}_2(F) y_b \tilde{y}_c y_a [Y_2(S)]_{cb} \\
& +\mathbf{y}_{223}^{(3)} [Y_2(S)]_{ba} y_c [Y_2(S) C_2(S)]_{bc} \\
& +\mathbf{y}_{225}^{(3)} y_b \tilde{y}_c y_b \tilde{y}_d y_e \lambda_{edca} \\
& +\mathbf{y}_{227}^{(3)} y_b \tilde{y}_c y_d \tilde{y}_e y_b \lambda_{deca} \\
& +\mathbf{y}_{229}^{(3)} y_b \tilde{y}_c y_d \tilde{y}_a y_e \lambda_{cbcd} \\
& +\mathbf{y}_{231}^{(3)} \lambda_{bcda} \text{Tr}[\tilde{y}_d y_e \tilde{y}_c y_b] y_e \\
& +\mathbf{y}_{233}^{(3)} y_b \tilde{y}_c Y_2(F) y_d \lambda_{bdca} \\
& +\mathbf{y}_{235}^{(3)} y_b \tilde{y}_c y_d \lambda_{edca} [Y_2(S)]_{bc} \\
& +\mathbf{y}_{237}^{(3)} y_b \tilde{y}_c y_d \tilde{y}_a y_b \tilde{y}_d y_c \\
& +\mathbf{y}_{239}^{(3)} y_b \tilde{y}_c y_d \text{Tr}[\tilde{y}_c y_d \tilde{y}_b y_a] \\
& +\mathbf{y}_{241}^{(3)} y_b \tilde{y}_c y_d \tilde{y}_a y_b \tilde{y}_c y_d \\
& +\mathbf{y}_{243}^{(3)} y_b \tilde{y}_a y_c \tilde{y}_d y_b \tilde{y}_c y_d \\
& +\mathbf{y}_{245}^{(3)} y_a \tilde{y}_b y_c \tilde{y}_d y_b \tilde{y}_c y_d \\
& +\mathbf{y}_{247}^{(3)} y_b \tilde{y}_c y_a \tilde{Y}_2(F) \tilde{y}_b y_c \\
& +\mathbf{y}_{249}^{(3)} y_b \tilde{y}_c y_a \tilde{y}_b y_d [Y_2(S)]_{dc} \\
& +\mathbf{y}_{251}^{(3)} y_b \tilde{y}_c y_b \tilde{y}_d y_a \tilde{y}_d y_c \\
& +\mathbf{y}_{192}^{(3)} \tilde{C}_2(F) y_b \tilde{y}_c y_b \tilde{y}_c y_a \\
& +\mathbf{y}_{194}^{(3)} y_a \tilde{y}_b y_c \text{Tr}[y_c C_2(F) \tilde{y}_b] \\
& +\mathbf{y}_{196}^{(3)} [C_2(S)]_{bc} y_a \tilde{y}_b Y_2(F) y_c \\
& +\mathbf{y}_{198}^{(3)} [C_2(S)]_{ba} \text{Tr}[\tilde{y}_b Y_2(F) y_c] y_c \\
& +\mathbf{y}_{200}^{(3)} [C_2(S)]_{bc} y_a \tilde{y}_d y_c \tilde{y}_b y_d \\
& +\mathbf{y}_{202}^{(3)} y_b C_2(F) \tilde{Y}_2(F) \tilde{y}_a y_b \\
& +\mathbf{y}_{204}^{(3)} y_a \tilde{y}_b \tilde{C}_2(F) Y_2(F) y_b \\
& +\mathbf{y}_{206}^{(3)} \text{Tr}[y_b C_2(F) \tilde{y}_a Y_2(F)] y_b \\
& +\mathbf{y}_{208}^{(3)} y_a \tilde{y}_b y_c C_2(F) \tilde{y}_c y_b \\
& +\mathbf{y}_{210}^{(3)} \tilde{C}_2(F) y_b \tilde{Y}_2(F) \tilde{y}_a y_b \\
& +\mathbf{y}_{212}^{(3)} \tilde{C}_2(F) Y_2(F) y_b \tilde{y}_a y_b \\
& +\mathbf{y}_{214}^{(3)} y_b \tilde{y}_a y_c [C_2(S) Y_2(S)]_{cd} \\
& +\mathbf{y}_{216}^{(3)} [C_2(S)]_{ba} y_c \tilde{y}_b y_d [Y_2(S)]_{dc} \\
& +\mathbf{y}_{218}^{(3)} y_b C_2(F) \tilde{y}_a y_c [Y_2(S)]_{cb} \\
& +\mathbf{y}_{220}^{(3)} \tilde{C}_2(F) y_b \tilde{y}_a y_c [Y_2(S)]_{cb} \\
& +\mathbf{y}_{222}^{(3)} \tilde{C}_2(F) Y_2(F) Y_2(F) y_a \\
& +\mathbf{y}_{224}^{(3)} y_b \tilde{y}_c y_d \tilde{y}_e y_c \lambda_{bedca} \\
& +\mathbf{y}_{226}^{(3)} y_b \tilde{y}_c y_d \tilde{y}_b y_e \lambda_{cedca} \\
& +\mathbf{y}_{228}^{(3)} y_b \tilde{y}_c y_a \tilde{y}_d y_e \lambda_{bedc} \\
& +\mathbf{y}_{230}^{(3)} y_a \tilde{y}_b y_c \tilde{y}_d y_e \lambda_{cedb} \\
& +\mathbf{y}_{232}^{(3)} \lambda_{bcde} \text{Tr}[\tilde{y}_e y_c \tilde{y}_d y_a] y_b \\
& +\mathbf{y}_{234}^{(3)} y_b \tilde{y}_c y_d \lambda_{ebda} [Y_2(S)]_{ce} \\
& +\mathbf{y}_{236}^{(3)} y_b \tilde{y}_c y_d \tilde{y}_a y_d \tilde{y}_b y_c \\
& +\mathbf{y}_{238}^{(3)} y_b \tilde{y}_c y_a \tilde{y}_d y_b \tilde{y}_d y_c \\
& +\mathbf{y}_{240}^{(3)} y_b \tilde{y}_c y_b \tilde{y}_d y_a \tilde{y}_c y_d \\
& +\mathbf{y}_{242}^{(3)} y_b \tilde{y}_c y_d \tilde{y}_b y_a \tilde{y}_c y_d \\
& +\mathbf{y}_{244}^{(3)} y_b \tilde{y}_c y_d \tilde{y}_a y_c \tilde{y}_d y_b \\
& +\mathbf{y}_{246}^{(3)} \text{Tr}[\tilde{y}_b y_c \tilde{y}_d y_a \tilde{y}_c y_d] y_b \\
& +\mathbf{y}_{248}^{(3)} y_b \tilde{y}_c y_a \tilde{y}_b Y_2(F) y_c \\
& +\mathbf{y}_{250}^{(3)} y_b \tilde{y}_c y_d \tilde{y}_b y_a \tilde{y}_d y_c \\
& +\mathbf{y}_{252}^{(3)} y_b \tilde{y}_c y_d \text{Tr}[\tilde{y}_c y_d \tilde{y}_a y_b]
\end{aligned}$$

$$\begin{aligned}
 & +\mathbf{y}_{253}^{(3)} y_b \tilde{y}_c y_b \tilde{y}_a y_d \tilde{y}_c y_d & +\mathbf{y}_{254}^{(3)} y_b \tilde{y}_c y_d \tilde{y}_b y_d \tilde{y}_a y_c \\
 & +\mathbf{y}_{255}^{(3)} y_b \tilde{y}_a y_c \tilde{y}_d y_b \tilde{y}_d y_c & +\mathbf{y}_{256}^{(3)} y_b \tilde{y}_a y_c \tilde{y}_b y_d \tilde{y}_c y_d \\
 & +\mathbf{y}_{257}^{(3)} y_b \tilde{y}_a y_c \text{Tr}[\tilde{y}_d y_c \tilde{y}_d y_b] & +\mathbf{y}_{258}^{(3)} y_b \tilde{y}_c y_d \tilde{y}_c y_a \tilde{y}_d y_b \\
 & +\mathbf{y}_{259}^{(3)} y_b \tilde{y}_c y_d \tilde{y}_a y_d \tilde{y}_c y_b & +\mathbf{y}_{260}^{(3)} y_b \tilde{y}_a y_c \tilde{y}_d y_c \tilde{y}_d y_b \\
 & +\mathbf{y}_{261}^{(3)} y_a \tilde{y}_b y_c \tilde{y}_d y_c \tilde{y}_d y_b & +\mathbf{y}_{262}^{(3)} y_a \tilde{y}_b y_c \text{Tr}[\tilde{y}_d y_b \tilde{y}_d y_c] \\
 & +\mathbf{y}_{263}^{(3)} y_a \tilde{y}_b y_c \tilde{y}_b y_d \tilde{y}_c y_d & +\mathbf{y}_{264}^{(3)} y_a \tilde{y}_b y_c \tilde{y}_d y_b \tilde{y}_d y_c \\
 & +\mathbf{y}_{265}^{(3)} y_a \tilde{y}_b y_c \tilde{y}_d y_c \tilde{y}_b y_d & +\mathbf{y}_{266}^{(3)} \text{Tr}[\tilde{y}_b y_c \tilde{y}_d y_c \tilde{y}_d y_a] y_b \\
 & +\mathbf{y}_{267}^{(3)} \text{Tr}[\tilde{y}_b y_c \tilde{y}_d y_c \tilde{y}_a y_d] y_b & +\mathbf{y}_{268}^{(3)} \text{Tr}[\tilde{y}_b y_c \tilde{y}_d y_a \tilde{y}_d y_c] y_b \\
 & +\mathbf{y}_{269}^{(3)} y_b \tilde{y}_c Y_2(F) y_b \tilde{y}_a y_c & +\mathbf{y}_{270}^{(3)} y_b \tilde{y}_a y_c \text{Tr}[\tilde{y}_b Y_2(F) y_c] \\
 & +\mathbf{y}_{271}^{(3)} y_b \tilde{y}_c Y_2(F) y_c \tilde{y}_a y_b & +\mathbf{y}_{272}^{(3)} y_b \tilde{y}_c y_b \tilde{Y}_2(F) \tilde{y}_a y_c \\
 & +\mathbf{y}_{273}^{(3)} y_b \tilde{y}_c Y_2(F) y_a \tilde{y}_c y_b & +\mathbf{y}_{274}^{(3)} y_b \tilde{y}_a y_c \tilde{y}_b Y_2(F) y_c \\
 & +\mathbf{y}_{275}^{(3)} y_b \tilde{y}_c y_a \tilde{y}_c Y_2(F) y_b & +\mathbf{y}_{276}^{(3)} y_b \tilde{y}_c y_b \tilde{y}_a Y_2(F) y_c \\
 & +\mathbf{y}_{277}^{(3)} y_a \tilde{y}_b Y_2(F) y_c \tilde{y}_b y_c & +\mathbf{y}_{278}^{(3)} y_a \tilde{y}_b y_c \tilde{Y}_2(F) \tilde{y}_b y_c \\
 & +\mathbf{y}_{279}^{(3)} y_a \tilde{y}_b y_c \text{Tr}[\tilde{y}_c Y_2(F) y_b] & +\mathbf{y}_{280}^{(3)} y_a \tilde{y}_b y_c \tilde{Y}_2(F) \tilde{y}_c y_b \\
 & +\mathbf{y}_{281}^{(3)} y_a \tilde{y}_b y_c \tilde{y}_b Y_2(F) y_c & +\mathbf{y}_{282}^{(3)} \text{Tr}[\tilde{y}_b Y_2(F) y_c \tilde{y}_a y_c] y_b \\
 & +\mathbf{y}_{283}^{(3)} \text{Tr}[\tilde{y}_b Y_2(F) y_b \tilde{y}_c y_a] y_c & +\mathbf{y}_{284}^{(3)} \text{Tr}[\tilde{y}_b Y_2(F) y_a \tilde{y}_b y_c] y_c \\
 & +\mathbf{y}_{285}^{(3)} y_b \tilde{y}_c y_a \tilde{y}_d y_b [Y_2(S)]_{cd} & +\mathbf{y}_{286}^{(3)} y_b \tilde{y}_c y_d \tilde{y}_a y_b [Y_2(S)]_{cd} \\
 & +\mathbf{y}_{287}^{(3)} y_b \tilde{y}_c y_b \tilde{y}_a y_d [Y_2(S)]_{cd} & +\mathbf{y}_{288}^{(3)} y_b \tilde{y}_a y_c \tilde{y}_b y_d [Y_2(S)]_{cd} \\
 & +\mathbf{y}_{289}^{(3)} y_b \tilde{y}_c y_a \tilde{y}_c y_d [Y_2(S)]_{db} & +\mathbf{y}_{290}^{(3)} y_a \tilde{y}_b y_c \tilde{y}_d y_c [Y_2(S)]_{bd} \\
 & +\mathbf{y}_{291}^{(3)} y_a \tilde{y}_b y_c \tilde{y}_d y_b [Y_2(S)]_{dc} & +\mathbf{y}_{292}^{(3)} y_a \tilde{y}_b y_c \tilde{y}_b y_d [Y_2(S)]_{dc} \\
 & +\mathbf{y}_{293}^{(3)} \text{Tr}[\tilde{y}_b y_c \tilde{y}_a y_d] [Y_2(S)]_{dc} y_b & +\mathbf{y}_{294}^{(3)} \text{Tr}[\tilde{y}_b y_c \tilde{y}_d y_a] [Y_2(S)]_{bc} y_d \\
 & +\mathbf{y}_{295}^{(3)} y_b \tilde{Y}_2(F) \tilde{y}_a Y_2(F) y_b & +\mathbf{y}_{296}^{(3)} y_b \tilde{y}_a Y_2(F) Y_2(F) y_b \\
 & +\mathbf{y}_{297}^{(3)} y_a \tilde{y}_b Y_2(F) Y_2(F) y_b & +\mathbf{y}_{298}^{(3)} \text{Tr}[\tilde{y}_b Y_2(F) y_a \tilde{Y}_2(F)] y_b \\
 & +\mathbf{y}_{299}^{(3)} \text{Tr}[\tilde{y}_b Y_2(F) Y_2(F) y_a] y_b & +\mathbf{y}_{300}^{(3)} y_b \tilde{y}_a Y_2(F) y_c [Y_2(S)]_{cb} \\
 & +\mathbf{y}_{301}^{(3)} y_a \tilde{y}_b Y_2(F) y_c [Y_2(S)]_{bc} & +\mathbf{y}_{302}^{(3)} y_b \tilde{y}_a y_c [Y_2(S) Y_2(S)]_{bd} \\
 & +\mathbf{y}_{303}^{(3)} y_a \tilde{y}_b y_c [Y_2(S) Y_2(S)]_{bd}.
 \end{aligned}$$

There are an additional 5 γ_5 -odd TSs:

$$\begin{aligned}
 & +\mathbf{y}_{304}^{(3)} \sigma_3 y_b T^A T^B \text{Tr}[\sigma^3 y_b T^A T^B \tilde{y}_a] & +\mathbf{y}_{305}^{(3)} \sigma_3 \tilde{T}^A y_b T^B \text{Tr}[\sigma^3 \tilde{T}^A y_b T^B \tilde{y}_a] \\
 & +\mathbf{y}_{306}^{(3)} \sigma_3 y_b T^A T^B \text{Tr}[\sigma^3 y_b T^B T^A \tilde{y}_a] & +\mathbf{y}_{307}^{(3)} \sigma_3 y_b T^A T^B \text{Tr}[\sigma^3 \tilde{T}^A y_b T^B \tilde{y}_a] \\
 & +\mathbf{y}_{308}^{(3)} \sigma_3 \tilde{T}^A y_b T^B \text{Tr}[\sigma^3 y_b T^A T^B \tilde{y}_a].
 \end{aligned}$$

The coefficients of the 3-loop Yukawa β -function are

$$\begin{aligned}
 \mathbf{y}_1^{(3)} &= -72 & \mathbf{y}_2^{(3)} &= -3 & \mathbf{y}_3^{(3)} &= 33 - 12\zeta_3 & \mathbf{y}_4^{(3)} &= -\frac{3}{2} \\
 \mathbf{y}_5^{(3)} &= \frac{45}{2} - 24\zeta_3 & \mathbf{y}_6^{(3)} &= \frac{93}{2} & \mathbf{y}_7^{(3)} &= -78 & \mathbf{y}_8^{(3)} &= -12 \\
 \mathbf{y}_9^{(3)} &= 102 & \mathbf{y}_{10}^{(3)} &= -48 & \mathbf{y}_{11}^{(3)} &= -9 & \mathbf{y}_{12}^{(3)} &= -\frac{297}{2} \\
 \mathbf{y}_{13}^{(3)} &= \frac{53}{8} & \mathbf{y}_{14}^{(3)} &= \frac{25}{4} & \mathbf{y}_{15}^{(3)} &= 62 & \mathbf{y}_{16}^{(3)} &= -3 \\
 \mathbf{y}_{17}^{(3)} &= 48 & \mathbf{y}_{18}^{(3)} &= -4 & \mathbf{y}_{19}^{(3)} &= -2 & \mathbf{y}_{20}^{(3)} &= 102 \\
 \mathbf{y}_{21}^{(3)} &= -3 & \mathbf{y}_{22}^{(3)} &= -\frac{219}{2} & \mathbf{y}_{23}^{(3)} &= \frac{17}{4} & \mathbf{y}_{24}^{(3)} &= -4 \\
 \mathbf{y}_{25}^{(3)} &= -6 & \mathbf{y}_{26}^{(3)} &= \frac{13}{2} & \mathbf{y}_{27}^{(3)} &= \frac{11}{144} & \mathbf{y}_{28}^{(3)} &= -\frac{1165}{144} \\
 \mathbf{y}_{29}^{(3)} &= \frac{9721}{72} & \mathbf{y}_{30}^{(3)} &= \frac{2}{9} & \mathbf{y}_{31}^{(3)} &= -\frac{925}{72} & \mathbf{y}_{32}^{(3)} &= \frac{5}{216} \\
 \mathbf{y}_{33}^{(3)} &= \frac{181}{27} + 12\zeta_3 & \mathbf{y}_{34}^{(3)} &= -\frac{10441}{54} & \mathbf{y}_{35}^{(3)} &= \frac{5}{36} & \mathbf{y}_{36}^{(3)} &= \frac{19}{27} \\
 \mathbf{y}_{37}^{(3)} &= \frac{278}{27} + 24\zeta_3 & \mathbf{y}_{38}^{(3)} &= \frac{35}{54} & \mathbf{y}_{39}^{(3)} &= -12 & \mathbf{y}_{40}^{(3)} &= \frac{5}{4} \\
 \mathbf{y}_{41}^{(3)} &= -\frac{17}{48} & \mathbf{y}_{42}^{(3)} &= \frac{19}{16} & \mathbf{y}_{43}^{(3)} &= -\frac{1}{16} & \mathbf{y}_{44}^{(3)} &= -2 - 144\zeta_3 \\
 \mathbf{y}_{45}^{(3)} &= 36 - 72\zeta_3 & \mathbf{y}_{46}^{(3)} &= 8 & \mathbf{y}_{47}^{(3)} &= \frac{3}{4} & \mathbf{y}_{48}^{(3)} &= -\frac{23}{4} \\
 \mathbf{y}_{49}^{(3)} &= 0 & \mathbf{y}_{50}^{(3)} &= -\frac{9}{4} & \mathbf{y}_{51}^{(3)} &= 44 & \mathbf{y}_{52}^{(3)} &= -64 \\
 \mathbf{y}_{53}^{(3)} &= 6 & \mathbf{y}_{54}^{(3)} &= 22 & \mathbf{y}_{55}^{(3)} &= 0 & \mathbf{y}_{56}^{(3)} &= 24 \\
 \mathbf{y}_{57}^{(3)} &= 16 & \mathbf{y}_{58}^{(3)} &= -4 & \mathbf{y}_{59}^{(3)} &= 64 & \mathbf{y}_{60}^{(3)} &= -58 \\
 \mathbf{y}_{61}^{(3)} &= 4 & \mathbf{y}_{62}^{(3)} &= 10 - 12\zeta_3 & \mathbf{y}_{63}^{(3)} &= \frac{65}{4} - 72\zeta_3 & \mathbf{y}_{64}^{(3)} &= 80 - 42\zeta_3 \\
 \mathbf{y}_{65}^{(3)} &= -\frac{59}{2} - 36\zeta_3 & \mathbf{y}_{66}^{(3)} &= 72\zeta_3 - 15 & \mathbf{y}_{67}^{(3)} &= 36\zeta_3 - \frac{149}{2} & \mathbf{y}_{68}^{(3)} &= 16 + 144\zeta_3 \\
 \mathbf{y}_{69}^{(3)} &= 36\zeta_3 - \frac{141}{2} & \mathbf{y}_{70}^{(3)} &= 72\zeta_3 - \frac{47}{2} & \mathbf{y}_{71}^{(3)} &= -17 & \mathbf{y}_{72}^{(3)} &= 15 - 24\zeta_3 \\
 \mathbf{y}_{73}^{(3)} &= \frac{47}{2} - 36\zeta_3 & \mathbf{y}_{74}^{(3)} &= 15 - 48\zeta_3 & \mathbf{y}_{75}^{(3)} &= \frac{63}{2} - 36\zeta_3 & \mathbf{y}_{76}^{(3)} &= -\frac{11}{2} \\
 \mathbf{y}_{77}^{(3)} &= 9\zeta_3 - \frac{11}{8} & \mathbf{y}_{78}^{(3)} &= 9\zeta_3 - \frac{27}{2} & \mathbf{y}_{79}^{(3)} &= \frac{235}{8} - 15\zeta_3 & \mathbf{y}_{80}^{(3)} &= 36\zeta_3 - \frac{53}{4} \\
 \mathbf{y}_{81}^{(3)} &= 5 & \mathbf{y}_{82}^{(3)} &= 36\zeta_3 - \frac{297}{4} & \mathbf{y}_{83}^{(3)} &= 3\zeta_3 - \frac{83}{4} & \mathbf{y}_{84}^{(3)} &= 17 - 33\zeta_3 \\
 \mathbf{y}_{85}^{(3)} &= 26 - 6\zeta_3 & \mathbf{y}_{86}^{(3)} &= -5 & \mathbf{y}_{87}^{(3)} &= \frac{139}{16} - \frac{3}{2}\zeta_3 & \mathbf{y}_{88}^{(3)} &= 5 - 6\zeta_3 \\
 \mathbf{y}_{89}^{(3)} &= 81 & \mathbf{y}_{90}^{(3)} &= -3 & \mathbf{y}_{91}^{(3)} &= -2 & \mathbf{y}_{92}^{(3)} &= -19 \\
 \mathbf{y}_{93}^{(3)} &= 0 & \mathbf{y}_{94}^{(3)} &= 0 & \mathbf{y}_{95}^{(3)} &= \frac{51}{8} & \mathbf{y}_{96}^{(3)} &= -\frac{11}{8} \\
 \mathbf{y}_{97}^{(3)} &= 6\zeta_3 - \frac{115}{2} & \mathbf{y}_{98}^{(3)} &= 3 & \mathbf{y}_{99}^{(3)} &= 99 - 36\zeta_3 & \mathbf{y}_{100}^{(3)} &= -\frac{5}{4} \\
 \mathbf{y}_{101}^{(3)} &= -\frac{25}{4} & \mathbf{y}_{102}^{(3)} &= 2 & \mathbf{y}_{103}^{(3)} &= \frac{61}{2} & \mathbf{y}_{104}^{(3)} &= -\frac{3}{2} \\
 \mathbf{y}_{105}^{(3)} &= -\frac{11}{2} & \mathbf{y}_{106}^{(3)} &= -1 & \mathbf{y}_{107}^{(3)} &= \frac{77}{4} - 9\zeta_3 & \mathbf{y}_{108}^{(3)} &= -\frac{11}{8}
 \end{aligned}$$

$y_{109}^{(3)} = -1$	$y_{110}^{(3)} = \frac{785}{16} - 3\zeta_3$	$y_{111}^{(3)} = -\frac{43}{16}$	$y_{112}^{(3)} = -9\zeta_3$
$y_{113}^{(3)} = -\frac{3}{4}$	$y_{114}^{(3)} = -\frac{21}{8}$	$y_{115}^{(3)} = -\frac{9}{4} - 9\zeta_3$	$y_{116}^{(3)} = \frac{1}{8}$
$y_{117}^{(3)} = -\frac{3}{4}$	$y_{118}^{(3)} = 0$	$y_{119}^{(3)} = \frac{3}{2}\zeta_3 - \frac{75}{32}$	$y_{120}^{(3)} = \frac{3}{32}$
$y_{121}^{(3)} = \frac{1}{16}$	$y_{122}^{(3)} = 0$	$y_{123}^{(3)} = -\frac{17}{2}$	$y_{124}^{(3)} = -17$
$y_{125}^{(3)} = \frac{19}{2}$	$y_{126}^{(3)} = 2$	$y_{127}^{(3)} = 0$	$y_{128}^{(3)} = \frac{3}{2}$
$y_{129}^{(3)} = -\frac{3}{8}$	$y_{130}^{(3)} = -\frac{11}{48}$	$y_{131}^{(3)} = 1$	$y_{132}^{(3)} = -\frac{5}{32}$
$y_{133}^{(3)} = -30$	$y_{134}^{(3)} = 6$	$y_{135}^{(3)} = 0$	$y_{136}^{(3)} = 10$
$y_{137}^{(3)} = 7$	$y_{138}^{(3)} = -3$	$y_{139}^{(3)} = -6$	$y_{140}^{(3)} = -26$
$y_{141}^{(3)} = -14$	$y_{142}^{(3)} = 2$	$y_{143}^{(3)} = -14$	$y_{144}^{(3)} = -12$
$y_{145}^{(3)} = -22$	$y_{146}^{(3)} = 12$	$y_{147}^{(3)} = -8$	$y_{148}^{(3)} = -6$
$y_{149}^{(3)} = -12$	$y_{150}^{(3)} = -22$	$y_{151}^{(3)} = 24$	$y_{152}^{(3)} = -22$
$y_{153}^{(3)} = 2$	$y_{154}^{(3)} = 0$	$y_{155}^{(3)} = -5$	$y_{156}^{(3)} = 3$
$y_{157}^{(3)} = -5$	$y_{158}^{(3)} = 0$	$y_{159}^{(3)} = -\frac{3}{2}$	$y_{160}^{(3)} = \frac{3}{2}$
$y_{161}^{(3)} = 0$	$y_{162}^{(3)} = 0$	$y_{163}^{(3)} = 3$	$y_{164}^{(3)} = -11$
$y_{165}^{(3)} = 0$	$y_{166}^{(3)} = 0$	$y_{167}^{(3)} = 0$	$y_{168}^{(3)} = -10$
$y_{169}^{(3)} = 34 - 48\zeta_3$	$y_{170}^{(3)} = -8$	$y_{171}^{(3)} = 4$	$y_{172}^{(3)} = \frac{7}{4} - 6\zeta_3$
$y_{173}^{(3)} = \frac{7}{4} - 6\zeta_3$	$y_{174}^{(3)} = 2$	$y_{175}^{(3)} = 36$	$y_{176}^{(3)} = -5$
$y_{177}^{(3)} = \frac{11}{2}$	$y_{178}^{(3)} = 24\zeta_3 - 11$	$y_{179}^{(3)} = 24\zeta_3 - 17$	$y_{180}^{(3)} = -24\zeta_3$
$y_{181}^{(3)} = 12 - 12\zeta_3$	$y_{182}^{(3)} = 24\zeta_3 - 24$	$y_{183}^{(3)} = 13 - 12\zeta_3$	$y_{184}^{(3)} = \frac{35}{8} - 3\zeta_3$
$y_{185}^{(3)} = 9\zeta_3 - 3$	$y_{186}^{(3)} = \frac{35}{8} - 3\zeta_3$	$y_{187}^{(3)} = -\frac{13}{8}$	$y_{188}^{(3)} = -\frac{13}{8}$
$y_{189}^{(3)} = 12\zeta_3 - 3$	$y_{190}^{(3)} = 12\zeta_3 - 10$	$y_{191}^{(3)} = -14$	$y_{192}^{(3)} = 9\zeta_3 - \frac{31}{4}$
$y_{193}^{(3)} = 12\zeta_3 - \frac{51}{4}$	$y_{194}^{(3)} = 6\zeta_3 - 8$	$y_{195}^{(3)} = 1$	$y_{196}^{(3)} = -\frac{1}{8} - 3\zeta_3$
$y_{197}^{(3)} = 12 + 12\zeta_3$	$y_{198}^{(3)} = \frac{5}{4} + 3\zeta_3$	$y_{199}^{(3)} = 12\zeta_3 - \frac{77}{2}$	$y_{200}^{(3)} = 3\zeta_3 - \frac{47}{8}$
$y_{201}^{(3)} = 3\zeta_3 - \frac{67}{8}$	$y_{202}^{(3)} = \frac{87}{4} - 24\zeta_3$	$y_{203}^{(3)} = \frac{13}{2} - 12\zeta_3$	$y_{204}^{(3)} = \frac{25}{4} - 6\zeta_3$
$y_{205}^{(3)} = \frac{25}{8} - 6\zeta_3$	$y_{206}^{(3)} = \frac{5}{8} - 3\zeta_3$	$y_{207}^{(3)} = \frac{7}{4} + 12\zeta_3$	$y_{208}^{(3)} = 3\zeta_3 - 1$
$y_{209}^{(3)} = 3\zeta_3 - \frac{25}{8}$	$y_{210}^{(3)} = -\frac{11}{2}$	$y_{211}^{(3)} = -\frac{11}{2}$	$y_{212}^{(3)} = 0$
$y_{213}^{(3)} = 3\zeta_3 - \frac{1}{4}$	$y_{214}^{(3)} = \frac{3}{2} - 12\zeta_3$	$y_{215}^{(3)} = -\frac{29}{8} - 6\zeta_3$	$y_{216}^{(3)} = 5$
$y_{217}^{(3)} = 0$	$y_{218}^{(3)} = \frac{15}{2} - 6\zeta_3$	$y_{219}^{(3)} = \frac{21}{4} - 3\zeta_3$	$y_{220}^{(3)} = 6\zeta_3 - \frac{9}{2}$

$y_{221}^{(3)} = \frac{27}{8} + 3\zeta_3$	$y_{222}^{(3)} = 0$	$y_{223}^{(3)} = -\frac{3}{4}$	$y_{224}^{(3)} = 3$
$y_{225}^{(3)} = -2$	$y_{226}^{(3)} = 4$	$y_{227}^{(3)} = 5$	$y_{228}^{(3)} = 2$
$y_{229}^{(3)} = 6$	$y_{230}^{(3)} = 2$	$y_{231}^{(3)} = \frac{5}{8}$	$y_{232}^{(3)} = \frac{5}{8}$
$y_{233}^{(3)} = 1$	$y_{234}^{(3)} = \frac{3}{2}$	$y_{235}^{(3)} = 1$	$y_{236}^{(3)} = -3$
$y_{237}^{(3)} = 12\zeta_3 - 4$	$y_{238}^{(3)} = 12\zeta_3 - 6$	$y_{239}^{(3)} = 12\zeta_3 - 8$	$y_{240}^{(3)} = 2$
$y_{241}^{(3)} = 2$	$y_{242}^{(3)} = 12\zeta_3 - 4$	$y_{243}^{(3)} = 12\zeta_3 - 6$	$y_{244}^{(3)} = 6\zeta_3 - 5$
$y_{245}^{(3)} = 3\zeta_3 - 2$	$y_{246}^{(3)} = \frac{3}{2}\zeta_3 - 1$	$y_{247}^{(3)} = -3$	$y_{248}^{(3)} = -1$
$y_{249}^{(3)} = -1$	$y_{250}^{(3)} = -8$	$y_{251}^{(3)} = -6$	$y_{252}^{(3)} = 0$
$y_{253}^{(3)} = -2$	$y_{254}^{(3)} = -4$	$y_{255}^{(3)} = 2$	$y_{256}^{(3)} = 4$
$y_{257}^{(3)} = \frac{5}{4}$	$y_{258}^{(3)} = -2$	$y_{259}^{(3)} = 4$	$y_{260}^{(3)} = -2$
$y_{261}^{(3)} = -\frac{5}{8}$	$y_{262}^{(3)} = 1$	$y_{263}^{(3)} = 1$	$y_{264}^{(3)} = 0$
$y_{265}^{(3)} = 0$	$y_{266}^{(3)} = -\frac{3}{8}$	$y_{267}^{(3)} = -\frac{3}{4}$	$y_{268}^{(3)} = \frac{7}{4}$
$y_{269}^{(3)} = 1$	$y_{270}^{(3)} = \frac{25}{8}$	$y_{271}^{(3)} = \frac{7}{8}$	$y_{272}^{(3)} = -3$
$y_{273}^{(3)} = 4$	$y_{274}^{(3)} = 3$	$y_{275}^{(3)} = -2$	$y_{276}^{(3)} = -3$
$y_{277}^{(3)} = \frac{3}{16}$	$y_{278}^{(3)} = \frac{1}{2}$	$y_{279}^{(3)} = 2$	$y_{280}^{(3)} = \frac{1}{8}$
$y_{281}^{(3)} = \frac{3}{16}$	$y_{282}^{(3)} = \frac{7}{16}$	$y_{283}^{(3)} = \frac{5}{16}$	$y_{284}^{(3)} = \frac{7}{16}$
$y_{285}^{(3)} = 2$	$y_{286}^{(3)} = \frac{25}{8}$	$y_{287}^{(3)} = -3$	$y_{288}^{(3)} = 3$
$y_{289}^{(3)} = -1$	$y_{290}^{(3)} = -\frac{3}{16}$	$y_{291}^{(3)} = \frac{9}{16}$	$y_{292}^{(3)} = -\frac{3}{16}$
$y_{293}^{(3)} = \frac{9}{16}$	$y_{294}^{(3)} = 1$	$y_{295}^{(3)} = -\frac{1}{2}$	$y_{296}^{(3)} = -1$
$y_{297}^{(3)} = -\frac{5}{16}$	$y_{298}^{(3)} = \frac{1}{32}$	$y_{299}^{(3)} = -\frac{3}{16}$	$y_{300}^{(3)} = -1$
$y_{301}^{(3)} = -\frac{1}{4}$	$y_{302}^{(3)} = -\frac{1}{2}$	$y_{303}^{(3)} = -\frac{3}{16}$	$y_{304}^{(3)} = -24$
$y_{305}^{(3)} = -12$	$y_{306}^{(3)} = 8 - 24\zeta_3$	$y_{307}^{(3)} = 8 - 24\zeta_3$	$y_{308}^{(3)} = 8 - 24\zeta_3$

D v -function

The fermion representation, $v^{(3)}_i{}^j$, of the 3-loop v -function is parametrized with TSs

$$\begin{aligned}
 F_1^{(3)} &= \tilde{T}^A Y_2(F) y_b T^A \tilde{y}_b & F_2^{(3)} &= [C_2(S)]_{ab} y_a \tilde{y}_c y_b \tilde{y}_c \\
 F_3^{(3)} &= y_a C_2(F) \tilde{y}_b y_a \tilde{y}_b & F_4^{(3)} &= y_a \tilde{y}_b y_c \tilde{y}_b y_a \tilde{y}_c \\
 F_5^{(3)} &= y_a \tilde{Y}_2(F) \tilde{y}_b y_a \tilde{y}_b & F_6^{(3)} &= [Y_2(S)]_{ab} y_a \tilde{y}_c y_b \tilde{y}_c .
 \end{aligned}$$

The TSs for the scalar representation, $v_{ab}^{(3)}$, are given by

$$\begin{aligned}
 [S_1^{(3)}]_{ab} &= \text{Tr}[y_a C_2(F) \tilde{y}_c y_b \tilde{y}_c] & [S_2^{(3)}]_{ab} &= \text{Tr}[y_a \tilde{y}_c y_d \tilde{y}_e] \lambda_{cdeb} \\
 [S_3^{(3)}]_{ab} &= \text{Tr}[y_a \tilde{Y}_2(F) \tilde{y}_c y_b \tilde{y}_c].
 \end{aligned}$$

The coefficients of the 3-loop v -function are

$$\begin{aligned}
 \mathbf{f}_1^{(3)} &= 0 & \mathbf{f}_2^{(3)} &= \frac{29}{8} - 3\zeta_3 & \mathbf{f}_3^{(3)} &= \frac{21}{8} - 3\zeta_3 \\
 \mathbf{f}_4^{(3)} &= -\frac{3}{8} & \mathbf{f}_5^{(3)} &= -\frac{5}{16} & \mathbf{f}_6^{(3)} &= -\frac{7}{16} \\
 \mathbf{s}_1^{(3)} &= \frac{7}{2} - 6\zeta_3 & \mathbf{s}_2^{(3)} &= \frac{5}{8} & \mathbf{s}_3^{(3)} &= -\frac{3}{4}.
 \end{aligned}$$

Open Access. This article is distributed under the terms of the Creative Commons Attribution License ([CC-BY 4.0](https://creativecommons.org/licenses/by/4.0/)), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] M.E. Machacek and M.T. Vaughn, *Two Loop Renormalization Group Equations in a General Quantum Field Theory. 1. Wave Function Renormalization*, *Nucl. Phys. B* **222** (1983) 83 [[INSPIRE](#)].
- [2] M.E. Machacek and M.T. Vaughn, *Two Loop Renormalization Group Equations in a General Quantum Field Theory. 2. Yukawa Couplings*, *Nucl. Phys. B* **236** (1984) 221 [[INSPIRE](#)].
- [3] M.E. Machacek and M.T. Vaughn, *Two Loop Renormalization Group Equations in a General Quantum Field Theory. 3. Scalar Quartic Couplings*, *Nucl. Phys. B* **249** (1985) 70 [[INSPIRE](#)].
- [4] I. Jack and H. Osborn, *General Background Field Calculations With Fermion Fields*, *Nucl. Phys. B* **249** (1985) 472 [[INSPIRE](#)].
- [5] A.G.M. Pickering, J.A. Gracey and D.R.T. Jones, *Three loop gauge β -function for the most general single gauge coupling theory*, *Phys. Lett. B* **510** (2001) 347 [*Erratum ibid.* **535** (2002) 377] [[hep-ph/0104247](#)] [[INSPIRE](#)].
- [6] L.N. Mihaila, J. Salomon and M. Steinhauser, *Gauge Coupling β -functions in the Standard Model to Three Loops*, *Phys. Rev. Lett.* **108** (2012) 151602 [[arXiv:1201.5868](#)] [[INSPIRE](#)].
- [7] K.G. Chetyrkin and M.F. Zoller, *β -function for the Higgs self-interaction in the Standard Model at three-loop level*, *JHEP* **04** (2013) 091 [*Erratum ibid.* **09** (2013) 155] [[arXiv:1303.2890](#)] [[INSPIRE](#)].
- [8] A.V. Bednyakov, A.F. Pikelner and V.N. Velizhanin, *Three-loop Higgs self-coupling β -function in the Standard Model with complex Yukawa matrices*, *Nucl. Phys. B* **879** (2014) 256 [[arXiv:1310.3806](#)] [[INSPIRE](#)].
- [9] A.V. Bednyakov, A.F. Pikelner and V.N. Velizhanin, *Three-loop SM β -functions for matrix Yukawa couplings*, *Phys. Lett. B* **737** (2014) 129 [[arXiv:1406.7171](#)] [[INSPIRE](#)].
- [10] A.V. Bednyakov and A.F. Pikelner, *Four-loop strong coupling β -function in the Standard Model*, *Phys. Lett. B* **762** (2016) 151 [[arXiv:1508.02680](#)] [[INSPIRE](#)].

- [11] M.F. Zoller, *Top-Yukawa effects on the β -function of the strong coupling in the SM at four-loop level*, *JHEP* **02** (2016) 095 [[arXiv:1508.03624](#)] [[INSPIRE](#)].
- [12] J. Davies, F. Herren, C. Poole, M. Steinhauser and A.E. Thomsen, *Gauge Coupling β Functions to Four-Loop Order in the Standard Model*, *Phys. Rev. Lett.* **124** (2020) 071803 [[arXiv:1912.07624](#)] [[INSPIRE](#)].
- [13] M.-x. Luo, H.-w. Wang and Y. Xiao, *Two loop renormalization group equations in general gauge field theories*, *Phys. Rev. D* **67** (2003) 065019 [[hep-ph/0211440](#)] [[INSPIRE](#)].
- [14] I. Schienbein, F. Staub, T. Steudtner and K. Svirina, *Revisiting RGEs for general gauge theories*, *Nucl. Phys. B* **939** (2019) 1 [Erratum *ibid.* **966** (2021) 115339] [[arXiv:1809.06797](#)] [[INSPIRE](#)].
- [15] L. Sartore, *General renormalization group equations for dimensionful couplings in the $\overline{\text{MS}}$ scheme*, *Phys. Rev. D* **102** (2020) 076002 [[arXiv:2006.12307](#)] [[INSPIRE](#)].
- [16] M.-x. Luo and Y. Xiao, *Renormalization group equations in gauge theories with multiple U(1) groups*, *Phys. Lett. B* **555** (2003) 279 [[hep-ph/0212152](#)] [[INSPIRE](#)].
- [17] R.M. Fonseca, M. Malinský and F. Staub, *Renormalization group equations and matching in a general quantum field theory with kinetic mixing*, *Phys. Lett. B* **726** (2013) 882 [[arXiv:1308.1674](#)] [[INSPIRE](#)].
- [18] C. Poole and A.E. Thomsen, *Constraints on 3- and 4-loop β -functions in a general four-dimensional Quantum Field Theory*, *JHEP* **09** (2019) 055 [[arXiv:1906.04625](#)] [[INSPIRE](#)].
- [19] L. Mihaila, *Three-loop gauge β -function in non-simple gauge groups*, *PoS RADCOR2013* (2013) 060 [[INSPIRE](#)].
- [20] F. Staub, *SARAH*, [arXiv:0806.0538](#) [[INSPIRE](#)].
- [21] F. Staub, *SARAH 4: A tool for (not only SUSY) model builders*, *Comput. Phys. Commun.* **185** (2014) 1773 [[arXiv:1309.7223](#)] [[INSPIRE](#)].
- [22] L. Sartore and I. Schienbein, *PyR@TE 3*, *Comput. Phys. Commun.* **261** (2021) 107819 [[arXiv:2007.12700](#)] [[INSPIRE](#)].
- [23] F. Lyonnet, I. Schienbein, F. Staub and A. Wingerter, *PyR@TE: Renormalization Group Equations for General Gauge Theories*, *Comput. Phys. Commun.* **185** (2014) 1130 [[arXiv:1309.7030](#)] [[INSPIRE](#)].
- [24] D.F. Litim and T. Steudtner, *ARGES — Advanced Renormalisation Group Equation Simplifier*, *Comput. Phys. Commun.* **265** (2021) 108021 [[arXiv:2012.12955](#)] [[INSPIRE](#)].
- [25] A.E. Thomsen, *Introducing RGBeta: a Mathematica package for the evaluation of renormalization group β -functions*, *Eur. Phys. J. C* **81** (2021) 408 [[arXiv:2101.08265](#)] [[INSPIRE](#)].
- [26] T. Deppisch and F. Herren, *RGE++: A C++ library to solve renormalisation group equations in quantum field theory*, *Comput. Phys. Commun.* **270** (2022) 108151 [[arXiv:2101.00021](#)] [[INSPIRE](#)].
- [27] G.M. Shore, *A Local Renormalization Group Equation, Diffeomorphisms, and Conformal Invariance in σ Models*, *Nucl. Phys. B* **286** (1987) 349 [[INSPIRE](#)].
- [28] H. Osborn, *Derivation of a Four-dimensional c Theorem*, *Phys. Lett. B* **222** (1989) 97 [[INSPIRE](#)].

- [29] I. Jack and H. Osborn, *Analogs for the c Theorem for Four-dimensional Renormalizable Field Theories*, *Nucl. Phys. B* **343** (1990) 647 [[INSPIRE](#)].
- [30] H. Osborn, *Weyl consistency conditions and a local renormalization group equation for general renormalizable field theories*, *Nucl. Phys. B* **363** (1991) 486 [[INSPIRE](#)].
- [31] I. Jack and H. Osborn, *Constraints on RG Flow for Four Dimensional Quantum Field Theories*, *Nucl. Phys. B* **883** (2014) 425 [[arXiv:1312.0428](#)] [[INSPIRE](#)].
- [32] F. Baume, B. Keren-Zur, R. Rattazzi and L. Vitale, *The local Callan-Symanzik equation: structure and applications*, *JHEP* **08** (2014) 152 [[arXiv:1401.5983](#)] [[INSPIRE](#)].
- [33] O. Antipin, M. Gillioz, J. Krog, E. Mølgaard and F. Sannino, *Standard Model Vacuum Stability and Weyl Consistency Conditions*, *JHEP* **08** (2013) 034 [[arXiv:1306.3234](#)] [[INSPIRE](#)].
- [34] I. Jack and C. Poole, *The a -function for gauge theories*, *JHEP* **01** (2015) 138 [[arXiv:1411.1301](#)] [[INSPIRE](#)].
- [35] J.A. Gracey, I. Jack and C. Poole, *The a -function in six dimensions*, *JHEP* **01** (2016) 174 [[arXiv:1507.02174](#)] [[INSPIRE](#)].
- [36] C. Poole and A.E. Thomsen, *Weyl Consistency Conditions and γ_5* , *Phys. Rev. Lett.* **123** (2019) 041602 [[arXiv:1901.02749](#)] [[INSPIRE](#)].
- [37] T. Steudtner, *General scalar renormalisation group equations at three-loop order*, *JHEP* **12** (2020) 012 [[arXiv:2007.06591](#)] [[INSPIRE](#)].
- [38] T. Steudtner, *Towards general scalar-Yukawa renormalisation group equations at three-loop order*, *JHEP* **05** (2021) 060 [[arXiv:2101.05823](#)] [[INSPIRE](#)].
- [39] F. Herren, L. Mihaila and M. Steinhauser, *Gauge and Yukawa coupling β -functions of two-Higgs-doublet models to three-loop order*, *Phys. Rev. D* **97** (2018) 015016 [*Erratum ibid.* **101** (2020) 079903] [[arXiv:1712.06614](#)] [[INSPIRE](#)].
- [40] A. Bednyakov and A. Pikelner, *Four-Loop Gauge and Three-Loop Yukawa β -functions in a General Renormalizable Theory*, *Phys. Rev. Lett.* **127** (2021) 041801 [[arXiv:2105.09918](#)] [[INSPIRE](#)].
- [41] E. Mølgaard, *Decrypting gauge-Yukawa cookbooks*, *Eur. Phys. J. Plus* **129** (2014) 159 [[arXiv:1404.5550](#)] [[INSPIRE](#)].
- [42] F. Herren and A.E. Thomsen, *On ambiguities and divergences in perturbative renormalization group functions*, *JHEP* **06** (2021) 116 [[arXiv:2104.07037](#)] [[INSPIRE](#)].
- [43] J.-F. Fortin, B. Grinstein and A. Stergiou, *Limit Cycles in Four Dimensions*, *JHEP* **12** (2012) 112 [[arXiv:1206.2921](#)] [[INSPIRE](#)].
- [44] J.-F. Fortin, B. Grinstein and A. Stergiou, *Limit Cycles and Conformal Invariance*, *JHEP* **01** (2013) 184 [[arXiv:1208.3674](#)] [[INSPIRE](#)].
- [45] P. Nogueira, *Automatic Feynman graph generation*, *J. Comput. Phys.* **105** (1993) 279 [[INSPIRE](#)].
- [46] R. Harlander, T. Seidensticker and M. Steinhauser, *Corrections of $O(\alpha_s)$ to the decay of the Z boson into bottom quarks*, *Phys. Lett. B* **426** (1998) 125 [[hep-ph/9712228](#)] [[INSPIRE](#)].
- [47] T. Seidensticker, *Automatic application of successive asymptotic expansions of Feynman diagrams*, in *6th International Workshop on New Computing Techniques in Physics Research: Software Engineering, Artificial Intelligence Neural Nets, Genetic Algorithms, Symbolic Algebra, Automatic Calculation*, (1999) [[hep-ph/9905298](#)] [[INSPIRE](#)].

- [48] B. Ruijl, T. Ueda and J. Vermaseren, *FORM version 4.2*, [arXiv:1707.06453](#) [INSPIRE].
- [49] T. van Ritbergen, A.N. Schellekens and J.A.M. Vermaseren, *Group theory factors for Feynman diagrams*, *Int. J. Mod. Phys. A* **14** (1999) 41 [[hep-ph/9802376](#)] [INSPIRE].
- [50] B. Ruijl, T. Ueda and J.A.M. Vermaseren, *Forcer, a FORM program for the parametric reduction of four-loop massless propagator diagrams*, *Comput. Phys. Commun.* **253** (2020) 107198 [[arXiv:1704.06650](#)] [INSPIRE].
- [51] A.V. Bednyakov, A.F. Pikelner and V.N. Velizhanin, *Yukawa coupling β -functions in the Standard Model at three loops*, *Phys. Lett. B* **722** (2013) 336 [[arXiv:1212.6829](#)] [INSPIRE].
- [52] K.G. Chetyrkin and M.F. Zoller, *Three-loop β -functions for top-Yukawa and the Higgs self-interaction in the Standard Model*, *JHEP* **06** (2012) 033 [[arXiv:1205.2892](#)] [INSPIRE].