

[Letter] Misunderstandings regarding the application of Granger causality in neuroscience

Article (Accepted Version)

Barnett, Lionel, Barrett, Adam B and Seth, Anil K (2018) [Letter] Misunderstandings regarding the application of Granger causality in neuroscience. *Proceedings of the National Academy of Sciences*, 115 (29). E6676-E6677. ISSN 0027-8424

This version is available from Sussex Research Online: <http://sro.sussex.ac.uk/id/eprint/76660/>

This document is made available in accordance with publisher policies and may differ from the published version or from the version of record. If you wish to cite this item you are advised to consult the publisher's version. Please see the URL above for details on accessing the published version.

Copyright and reuse:

Sussex Research Online is a digital repository of the research output of the University.

Copyright and all moral rights to the version of the paper presented here belong to the individual author(s) and/or other copyright owners. To the extent reasonable and practicable, the material made available in SRO has been checked for eligibility before being made available.

Copies of full text items generally can be reproduced, displayed or performed and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

Misunderstandings regarding the application of Granger causality in neuroscience

Lionel Barnett*, Adam B. Barrett† and Anil K. Seth‡

Sackler Centre for Consciousness Science, Department of Informatics, University of Sussex, Brighton, BN1 9QJ, UK

August, 2017

Stokes and Purdon (1) raise several concerns about the use of Granger-Geweke causality (GGC) analysis in neuroscience. They make two primary claims:

1. That GGC estimates may be severely biased or of high variance, and
2. That GGC fails to reveal the full structural/causal mechanisms of a system.

Unfortunately, these claims rest, respectively, on an incomplete evaluation of the literature and a misconception about what GGC can be said to measure.

Stokes and Purdon explain how bias and variance in GGC estimation arise from the use of separate, independent full and reduced regressions. However, this problem has long been recognised (2, 3) and, moreover, has already been solved by methods which derive GGC from a single full regression. These methods effectively calculate reduced model parameters from the full model via factorisation of the spectral density matrix. Published approaches (also implemented in freely-available software) include Wilson’s frequency-domain algorithm (4), Whittle’s time-domain algorithm (3), and a state-space method involving solution of a discrete-time algebraic Riccati equation (5). Thus, the source of bias and variance discussed in (1) has already been resolved (see also 6). We note that (1) erroneously state that “Barnett and Seth [...] have proposed fitting the reduced model and using it to directly compute the spectral components

...” whereas, as mentioned, we derive GGC from a single full regression (3).

Stokes and Purdon then note that GGC reflects a combination of ‘transmitter’ and ‘channel’ dynamics, and is independent of ‘receiver’ dynamics. This independence has also been previously identified; it follows directly from the invariance of GGC under certain affine transformations (7). Stokes and Purdon argue that this runs “counter to intuitive notions of causality intended to explain observed effects” since, as they put it, “neuroscientists seek to determine the mechanisms that produce ‘effects’ within a neural system or circuit as a function of inputs or ‘causes’ observed at other locations”. However, this perspective is more closely aligned with approaches such as dynamic causal modelling (DCM)—usually characterised as *effective connectivity*—which attempt to find the optimal mechanistic (circuit level) description that explains observed data. GGC, by contrast, models statistical dependencies among observed responses and is therefore a measure of (directed) *functional connectivity* (8). Essentially, the distinction is between making inferences about an underlying *physical causal mechanism* (DCM) and making inferences about *directed information flow* (GGC; 9). Both address valid questions.

Our view is that the real problems associated with GGC analysis of neurophysiological data reside elsewhere: with issues of stationarity, linearity and exogenous influences, as noted in (1), but also with the noise, sampling rates and temporal/spatial aggregation engendered by neural data acquisition (10).

*l.c.barnett@sussex.ac.uk (corresponding author)

†abb22@sussex.ac.uk

‡a.k.seth@sussex.ac.uk

1. P. A. Stokes and P. L. Purdon. A study of problems encountered in Granger causality analysis from a neuroscience perspective. *Proc. Natl. Acad. Sci. USA*, 114(34):7063–7072, 2017.
2. Y. Chen, S. L. Bressler, and M. Ding. Frequency decomposition of conditional Granger causality and application to multivariate neural field potential data. *J. Neurosci. Methods*, 150:228–237, 2006.
3. L. Barnett and A. K. Seth. The MVGC multivariate Granger causality toolbox: A new approach to Granger-causal inference. *J. Neurosci. Methods*, 223:50–68, 2014.
4. M. Dhamala, G. Rangarajan, and M. Ding. Estimating Granger causality from Fourier and wavelet transforms of time series data. *Phys. Rev. Lett.*, 100:018701, 2008.
5. L. Barnett and A. K. Seth. Granger causality for state-space models. *Phys. Rev. E (Rapid Communications)*, 91(4):040101(R), 2015.
6. L. Faes, S. Stramaglia, and D. Marinazzo. On the interpretability and computational reliability of frequency-domain Granger causality. *F1000Research*, 6(1710), 2017. Version 1; Referees: 2 approved.
7. A. B. Barrett, L. Barnett, and A. K. Seth. Multivariate Granger causality and generalized variance. *Phys. Rev. E*, 81(4):041907, 2010.
8. A. K. Seth, A. B. Barrett, and L. C. Barnett. Granger causality analysis in neuroscience and neuroimaging. *J. Neurosci.*, 35(8):3293–3297, 2015.
9. L. Barnett, A. B. Barrett, and A. K. Seth. Granger causality and transfer entropy are equivalent for Gaussian variables. *Phys. Rev. Lett.*, 103(23):0238701, 2009.
10. L. Barnett and A. K. Seth. Detectability of Granger causality for subsampled continuous-time neurophysiological processes. *J. Neurosci. Methods*, 275:93–121, 2017.