

Using the 11-item version of the RCADS to identify anxiety and depressive disorders in adolescents

Article (Supplemental Material)

Radez, Jerica, Waite, Polly, Chorpita, Bruce, Creswell, Cathy, Orchard, Faith, Percy, Ray, Spence, Susan H and Reardon, Tessa (2021) Using the 11-item version of the RCADS to identify anxiety and depressive disorders in adolescents. *Research on Child and Adolescent Psychopathology*. ISSN 2730-7166

This version is available from Sussex Research Online: <http://sro.sussex.ac.uk/id/eprint/98464/>

This document is made available in accordance with publisher policies and may differ from the published version or from the version of record. If you wish to cite this item you are advised to consult the publisher's version. Please see the URL above for details on accessing the published version.

Copyright and reuse:

Sussex Research Online is a digital repository of the research output of the University.

Copyright and all moral rights to the version of the paper presented here belong to the individual author(s) and/or other copyright owners. To the extent reasonable and practicable, the material made available in SRO has been checked for eligibility before being made available.

Copies of full text items generally can be reproduced, displayed or performed and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

Using the 11-item Version of the RCADS to Identify Anxiety and Depressive Disorders in Adolescents

Journal of Abnormal Child Psychology

Jerica Radez¹, Polly Waite^{1,2}, Bruce Chorpita⁴, Cathy Creswell², Faith Orchard¹, Ray Percy¹, Susan H. Spence³, and Tessa Reardon²

¹ School of Psychology and Clinical Language Sciences, University of Reading, Reading, UK

² Departments of Experimental Psychology and Psychiatry, University of Oxford, Oxford, UK

³ School of Applied Psychology and Australian Institute of Suicide Research and Prevention, Griffith University

⁴ Department of Psychology, University of California, Los Angeles

*Correspondence to Dr Polly Waite, School of Psychology and Clinical Language Sciences, University of Reading, Reading, UK (p.l.waite@reading.ac.uk)

Electronic Supplementary Material 2: ROC analyses for alternative combinations of adolescent-report anxiety items (≤ 12 items) and depression items (≤ 9 items) compared to original RCADS and RCADS-25.

Scale	Number of items	Total		Boys		Girls		Older adolescents		Younger adolescents		
		AUC (total)	Cut-off	Sens/Spec	Cut-off	Sens/Spec	Cut-off	Sens/Spec	Cut-off	Sens/Spec	Cut-off	Sens/Spec
RCADS-47- Anxiety	31	.75	38.5	.72/.69	26.5	.77/.73	41.5	.70/.67	38.5	.77/.65	35.5	.72/.66
RCADS-25 - Anxiety	15	.71	13.5	.73/.61	10.9	.70/.62	15.5	.68/.61	14.5	.70/.65	13.5	.72/.61
Anx 1	12	.79	15.5	.73/.72	8.5	.82/.72	17.5	.72/.68	15.5	.79/.71	14.5	.73/.68
Anx 2	11	.79	13.5	.76/.68	9.5	.83/.74	15.5	.74/.66	14.5	.78/.71	13.5	.72/.70
Anx 3	10	.80	12.5	.75/.72	7.5	.81/.72	13.5	.74/.67	13.5	.77/.75	11.5	.76/.68
Anx 4	9	.80	11.5	.74/.73	7.5	.79/.74	12.5	.74/.67	12.5	.76/.75	10.5	.74/.69
Anx 5	8	.80	10.5	.77/.72	7.5	.79/.77	11.5	.75/.66	10.5	.83/.70	9.5	.79/.69
Anx 6	7	.80	8.5	.77/.72	5.5	.81/.74	9.5	.75/.67	8.5	.82/.73	8.5	.72/.71
Anx 7	6	.81	7.5	.77/.74	4.5	.83/.75	8.5	.73/.70	7.5	.81/.78	7.5	.74/.72
Anx 8	5	.81	5.5	.76/.73	3.5	.86/.75	6.5	.76/.70	5.5	.79/.75	5.5	.72/.71
Anx 9	4	.81	3.5	.83/.66	2.5	.88/.74	4.5	.76/.68	3.5	.86/.68	3.5	.81/.65
Anx 10	3	.81	2.5	.88/.71	2.5	.85/.78	3.5	.77/.69	3.5	.77/.74	2.5	.87/.62
Anx 11	2	.81	1.5	.82/.70	0.5	.91/.65	1.5	.85/.57	1.5	.80/.65	1.5	.83/.73

Note. Anx 1-11= alternative anxiety item sets, Sens/Spec = Sensitivity/Specificity.

Scale	Number of items	Total		Boys		Girls		Older adolescents		Younger adolescents		
		AUC (total)	Cut-off	Sens/Spec	Cut-off	Sens/Spec	Cut-off	Sens/Spec	Cut-off	Sens/Spec	Cut-off	Sens/Spec
RCADS-47 - Depression	10	.86	14.7	.83/.71	13.5	.88/.77	15.5	.75/.71	15.5	.73/.72	16.8	.86/.83
RCADS-25 - Depression	10	.86	14.7	.83/.71	13.5	.88/.77	15.5	.75/.71	15.5	.73/.72	16.8	.86/.83
Depr 1	9	.86	13.5	.79/.74	12.5	.80/.79	13.5	.79/.71	13.5	.77/.77	14.5	.80/.85
Depr 2	8	.87	12.5	.81/.78	10.5	.94/.78	12.5	.81/.73	12.5	.79/.75	12.5	.85/.79
Depr 3	7	.87	10.5	.81/.74	9.5	.88/.80	10.5	.82/.69	10.5	.79/.69	10.5	.86/.77
Depr 4	6	.86	9.5	.81/.76	8.5	.88/.80	9.5	.82/.71	9.5	.79/.71	9.5	.86/.78
Depr 5	5	.87	8.5	.82/.77	7.5	.88/.83	8.5	.82/.71	8.5	.79/.70	8.5	.90/.80
Depr 6	4	.86	5.5	.89/.70	5.5	.88/.82	5.5	.89/.63	5.5	.86/.64	6.5	.90/.82
Depr 7	3	.86	4.5	.77/.83	3.5	.88/.78	4.5	.76/.73	4.5	.72/.71	4.5	.90/.81
Depr 8	2	.84	2.5	.70/.70	2.5	.77/.77	2.5	.66/.66	2.5	.62/.62	2.5	.74/.74

Note. Depr 1- Depr 8 = Alternative depression item sets, Sens/Spec = Sensitivity/Specificity.